





DRIVEN BY INNOVATION

Global
Warehouses

75+
Countries

5000+
Products



V-TAC is a global lighting brand built on a simple belief — innovation should be accessible to everyone.

From our early success with Samsung LED technology to our latest advancements powered by CREE, we have continuously evolved to deliver lighting solutions that combine performance, efficiency, and reliability.

With a presence in over 75 countries and a portfolio of more than 5000 products, V-TAC has grown into a trusted partner for residential, commercial, and industrial lighting projects worldwide.

Today, we go beyond lighting — expanding into smart and renewable energy solutions, shaping a future that is not only brighter, but more sustainable.

UK | Poland | Hungary | Bulgaria | Romania | UAE | China | India

EVOLVING WITH TECHNOLOGY.

Our journey is defined by continuous innovation — partnering with global technology leaders to deliver the next generation of lighting solutions.



2009

Foundation

V-TAC was founded with the vision of delivering energy-efficient LED lighting solutions worldwide.



2017

Samsung Partnership

V-TAC partnered with Samsung to deliver high-performance LED solutions with enhanced efficiency and reliability



2021

Renewable Expansion

V-TAC expanded into renewable energy, introducing solar solutions, inverters, and advanced power systems.



2025

CREE Partnership

V-TAC partnered with CREE to advance next-generation lighting with superior performance and cutting-edge innovation.



COLLABORATION FOR IMPACT.

CREE LED



Powered by Global LED Leaders

With CREE LED technology, V-TAC introduces a new level of performance, combining advanced engineering, superior efficiency, and enhanced lighting quality.

WHY CREE LIGHTING?

Cree Lighting is committed to delivering the best solutions on the market, inspired by the needs of our customers, and perfected by the knowledge and expertise of our engineers. We recognize the importance of beautiful energy-efficient lighting and aspire to improve every business with uncompromising performance and payback.

We Put Innovation To Work For You.

We turn technology breakthroughs into best-in-class solutions that solve our customers' lighting challenges without compromise.



Productivity and Savings

From impressive energy savings to intelligent controls, we deliver solutions that help make cities more productive and businesses more profitable.



Safety and Well-being

We focus on things like optical precision, low-glare comfort and superb color to ensure everyone who experiences our lights feels safe and comfortable



Reliable and Easy Experiences

On the line, in the boardroom, or in the field, every team member is focused on making it super easy to specify, order and install our solutions.

INNOVATION THAT MATTERS.



CREE LED

NanoComfort® Technology distills two decades of groundbreaking optical engineering into a modular system with near-universal applicability, offering exceptional efficiency and control while significantly enhancing visual comfort. By precisely sculpting and shaping acrylic optics into facets that reduce glare and harshness, NanoComfort® Technology improves visual comfort without sacrificing efficacy. In addition, its standardized scalable modules guarantee consistently high-quality illumination—which we call “Better Light”—across a wide range of sizes and luminaire configurations.



NanoComfort® Technology optic With multiple LED images (yellow)



Conventional optic with single LED image (yellow)

Quality Isn't Just A Goal, It's Our Gold Standard.

We're focused on making solutions that last, so you can be sure we don't compromise on quality. To prove it, all our commercial products are rigorously tested, often for years, to ensure the highest levels of performance and reliability.

Experience What Matters

Because what matters to you, matters most to us. We've got the expertise, leading solutions, service and support to prove that no one better delivers on the promise of LED lighting.

COLLABORATION FOR IMPACT.

SAMSUNG LED



Intense yet Economical

As a forefront pioneer of LED technology, Samsung LEDs marks a new era in a global industry. Our company delivers a product line that comprises core components for LED lighting systems.



Long-Lasting Uniform Light via Film Coating Technology

Samsung film coating achieves 20% greater lens-ceramic adhesive strength resulting in improved color consistency



LEDs Realize Improved Operation

Maintaining maximized high flux and efficacy in a compact size allows cutting down on the number of LEDs used, leading to simple management and lower costs

TECHNOLOGY PARTNERSHIPS

V-TAC has built its reputation through strategic partnerships with leading LED technology providers, ensuring high-performance and reliable lighting solutions.

Our long-standing collaboration with Samsung played a key role in delivering proven and efficient products across global markets. While this partnership has concluded, selected Samsung-based products remain available in this catalogue.

Today, V-TAC continues its commitment to innovation through advanced CREE LED technology, offering enhanced performance, efficiency, and next-generation lighting solutions.

This combination reflects our approach — maintaining trusted quality while continuously evolving with the latest advancements.



TABLE OF CONTENT

Solar Lighting 14

CREE Series 54

Samsung Series 108

Essential Series 198



LED SOLAR LIGHTING

V-TAC has an extensive range of LED solar lights. These lights are designed to be energy-efficient and eco-friendly, making them a popular choice for various outdoor lighting applications.



15



LED SOLAR
FLOODLIGHT

20



LED SOLAR
STREETLIGHTS

26



LED SOLAR WALL
LIGHTS

34



SOLAR TABLE
LAMPS

35



LED SOLAR
GARDEN LIGHTS

52



LED SOLAR
STRING LIGHT

52



LED SOLAR
STRIP KIT

53



LED SOLAR
FLAME LIGHT

CREE SERIES

A commitment to quality, powered by CREE with a 6-year warranty for unmatched reliability and long-term performance.



54



LED BULBS

62



LED TUBES
& BATTEN FITTINGS

68



LED PANELS

74



LED DOME AND
DOWNLIGHTS

80



LED HIGHBAY

82



LED FLOODLIGHTS

88



LED STRIP &
COB TRACK
LIGHTS

92



LED WALL/
BEDSIDE
LIGHTS

101



LINEAR HANGING
LIGHTS

102



LED EMERGENCY LIGHTS

104



LED STREETLIGHTS

SAMSUNG SERIES

The PRO-Series features advanced Samsung chips, designed for professional use and backed by a 5-year warranty.



108



LED FLOODLIGHTS

126



LED HIGHBAY LIGHTS

130



LED PANELS

134



LED STREET LIGHTS

146



LED TUBES & FIXTURES

158



LED LINEAR LIGHTS

170



LED TRACKLIGHTS

172



LED DOME & DOWN LIGHTS

186



EMERGENCY EXIT LIGHTS

188



LED STRIP LIGHTS

190



LED SPOTLIGHTS

192



LED BULBS

ESSENTIAL SERIES

A wide range of essential LED solutions for diverse applications, tested by top EU labs and backed by a 2—5 year warranty.

198



LED BULBS

230



LED SPOTLIGHTS

238



SPOTLIGHTS
FITTINGS

264



LED
FLOODLIGHTS

272



LED PANELS

284



LED TUBES AND
BATTEN FITTINGS

290



LED WP BATTEN
FITTINGS

294



LED Highbay
LIGHTS

298



LED STREET LIGHTS

300



LED STRIP LIGHTS

340



LED TRACK
LIGHT S

345



LED MAGNETIC
TRACKLIGHTS

ESSENTIAL SERIES

A wide range of essential LED solutions for diverse applications, tested by top EU labs and backed by a 2—5 year warranty.



354

COB DOWNLIGHTS



360

LED DOME LIGHTS



372

LED WALL LIGHTS



414

LED EMERGENCY
LIGHTS



418

MOTION SENSORS



432

OUTDOOR LIGHTS
& FITTINGS



458

DECORATIVE
LIGHTS



526

LED TABLE &
FLOOR LAMPS



548

DECORATIVE
PENDANTS



562

LED DISPLAY SCREEN

SMART DIGITAL AND ELECTRICAL

V-TAC introduces its all-new extensive range of smart products. Smart cameras that are fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. Self-powered wireless switches that function using an RF receiver, making their use a hassle free experience.

568



SMART
CAMERAS

570



SMART
SWITCHES

572



SOCKETS AND
ADAPTERS

586



DECORATIVE
CEILING FANS

590



WIRELESS
SPEAKERS

593



POWER
BANKS

593



LED RING LIGHT

594



INSECT KILLER &
ROBOT VACUUM
CLEANER

LED SMART HOME AND LIGHTING

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.



599



LED SMART BULB

600



LED SMART SPOTLIGHT

600



SMART LED DOME LIGHT

601



LED SMART PANEL

601



LED SMART STRIPLIGHT KITS

601



LED SMART FLOODLIGHTS

602



LED SMART GARDEN LIGHTS

602



LED SMART AMBIANCE LAMPS

603



LED SMART MAGNETIC TRACK LIGHTS

607



SMART HOME



LED SOLAR LIGHTS

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7822 - 4000K DAY WHITE 7821 - 6400K WHITE	VT-40W-B	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7824 - 4000K DAY WHITE 7823 - 6400K WHITE	VT-80W-B	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7826 - 4000K DAY WHITE 7825 - 6400K WHITE	VT-120W-B	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7828 - 4000K DAY WHITE 7827 - 6400K WHITE	VT-180W-B	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7830 - 4000K DAY WHITE 7829 - 6400K WHITE	VT-240W-B	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7840 - 4000K DAY WHITE 7839 - 6400K WHITE	VT-40W-W	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7842 - 4000K DAY WHITE 7841 - 6400K WHITE	VT-80W-W	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7844 - 4000K DAY WHITE 7843 - 6400K WHITE	VT-120W-W	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7846 - 4000K DAY WHITE 7845 - 6400K WHITE	VT-180W-W	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7848 - 4000K DAY WHITE 7847 - 6400K WHITE	VT-240W-W	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

NEW LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24082 - 7IN1	VT-54W	6W Solar Panel	700	3.2V-3800mAh	185x57x143	10
24083 - 7IN1	VT-104W	8W Solar Panel	1000	3.2V-5000mAh	233x57x178	10
24084 - 7IN1	VT-204W	12W Solar Panel	1700	3.2V-10000mAh	285x58x215	6
24085 - 7IN1	VT-304W	20W Solar Panel	2400	3.2V-15000mAh	322x57x248	6
24086 - 7IN1	VT-404W	25W Solar Panel	3000	3.2V-20000mAh	350x57x275	5

NEW LED CCT FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



Sensing Range: <6 Meters

Charging Time: 5-6 hr

Working Time: Max.60 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23756 - 4000K+6000K DAY WHITE+WHITE	VT-411CCT	4.5W Solar Panel	1500	3.7V-3600mAh	134x31.2x121	12
24277 - 4000K+6000K DAY WHITE+WHITE	VT-432CCT	10.5W Solar Panel	4800	6.4V-6000mAh	199.7x190.9x49	8

LED FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



Sensing Range: <6 Meters

Charging Time: 4-6 hr

Working Time: Max.60 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10314 - 4000K DAY WHITE 10313 - 6400K WHITE	VT-411	4.5W Solar Panel	1500	3.7V-3600mAh	152.7x32.3x143.8	12
10310 - 4000K DAY WHITE 10311 - 6400K WHITE	VT-432	12.5W Solar Panel	4800	6.4V-6000mAh	197.2x49x190.9	8

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6973 - 3000K WARM WHITE 6965 - 4000K DAY WHITE 6964 - 6400K WHITE	VT-55050	6W Solar Panel	400	3.2V-5000mAh	175x50x210	12
6974 - 3000K WARM WHITE 6967 - 4000K DAY WHITE 6966 - 6400K WHITE	VT-55100	12W Solar Panel	1200	3.2V-10000mAh	215x50x260	7
6975 - 3000K WARM WHITE 6969 - 4000K DAY WHITE 6968 - 6400K WHITE	VT-55200	16W Solar Panel	1600	3.2V-15000mAh	215x50x260	7
6976 - 3000K WARM WHITE 6971 - 4000K DAY WHITE 6970 - 6400K WHITE	VT-55300	20W Solar Panel	2400	3.2V-20000mAh	255x50x310	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8573 - 4000K DAY WHITE 94006 - 6400K WHITE	VT-25W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
8574 - 4000K DAY WHITE 94008 - 6400K WHITE	VT-40W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
8575 - 4000K DAY WHITE 94010 - 6400K WHITE	VT-60W	20W Solar Panel	1650	Life PO4, 3.2V 20000mAh Battery	284x76x223	5
8576 - 4000K DAY WHITE 94012 - 6400K WHITE	VT-100W	35W Solar Panel	2450	Life PO4, 3.2V 30000mAh Battery	325x280x85	2
8577 - 4000K DAY WHITE 94026 - 6400K WHITE	VT-200W	40W Solar Panel	3100	Life PO4, 3.2V 40000mAh Battery	360x90x290	2
8578 - 4000K DAY WHITE 94027 - 6000K WHITE	VT-300W	50W Solar Panel	4200	Life PO4, 3.2V 50000mAh Battery	437x90x356	2

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23018 - 4000K DAY WHITE 10405 - 6400K WHITE	VT-25W-W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
10406 - 4000K DAY WHITE 10407 - 6400K WHITE	VT-40W-W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
10408 - 4000K DAY WHITE 10409 - 6400K WHITE	VT-60W-W	20W Solar Panel	1650	3.2V-20000mAh	284x76x223	5
10410 - 4000K DAY WHITE 23019 - 6400K WHITE	VT-100W-W	35W Solar Panel	2450	3.2V-30000mAh	335x86x250	2
10413 - 4000K DAY WHITE 10414 - 6400K WHITE	VT-200W-W	40W Solar Panel	3100	3.2V-40000mAh	360x90x290	2
10415 - 4000K DAY WHITE 10416 - 6400K WHITE	VT-300W-W	50W Solar Panel	4200	3.2V-50000mAh	445x110x380	2

LED FLOODLIGHT WITH SOLAR PANEL



Detecting Angle: Detection Angle

Sensing Range: Sensing Range

Charging Time: Charging Time

Working Time: Working Time

IP Rating: IP Rating

Body Type: Body Type



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23438 - 4000K DAY WHITE	VT-55W	10W Solar Panel	1000	3.7V, 8000mAh	191x241x73	5
23439 - 4000K DAY WHITE	VT-102W	15W Solar Panel	1800	3.7V, 12000mAh	191x241x73	4

LED PIR SENSOR SOLAR FLOODLIGHT



Detecting Angle: 180°

Sensing Range: 2-6M

Charging Time: 6-7 hr

Working Time: 2-24 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8547 - 4000K DAY WHITE	VT-777-5	5W	500	3.7V-3000mAh	231.9x33.68x149.62	18
24341 - 3IN1	VT-777-7	7W	900	3.7V-3600mAh	231.9x35x149.6	18

LED FLOODLIGHTS WITH USB PORT



Detecting Angle: 120°

Sensing Range: ≤8Mtr

Charging Time: 6-7 hr

Working Time: Max 24 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8674 - 4000K DAY WHITE	VT-788-10	10W	1100	3.7V-7200mAh	232x166x33	10

LED SOLAR FLOODLIGHT



Detecting Angle: 120°

Charging Time: 4-8 hr

Working Time: 4 hr

IP Rating: IP44

Body Type: Aluminum



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
9747 - 6500K WHITE	VT-4110-S	10W	600lm	3.7V-2000mAh	175x43x266	8

LED SOLAR STREETLIGHT



Detecting Angle: 120°

Sensing Range: 3-8M

Charging Time: 6-7 hr

Working Time: 2-36 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8549 - 4000K DAY WHITE 8548 - 6000K WHITE	VT-ST15	15W	1600	7.4V-5400mAh	413x232x58	10
24099 - 3IN1	VT-ST20CCT	20W	3000	7.4V-5400mAh	232x492.5x58	8

LED STREETLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
5502 - 4000K DAY WHITE	VT-ST200	50W Solar Panel	4000	Li-ion 6.4V / 27.5AH	1

HYBRID LED STREETLIGHT WITH SOLAR PANEL



- Uses Solar Panel for efficient photovoltaic conversion and lengthy lifespan
- Remote Control with Auto and Timer function
- Automatically switches to AC mode when the battery power is low

Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
23578 - 4000K DAY WHITE 23579 - 6500K WHITE	VT-ST201	50W Solar Panel	4000	3.4V-50000mAh	1

NEW LED SOLAR STREETLIGHT



Charging Time: 4-6 hr

Working Time: Min 12 hr Max 15 hr

IP Rating: IP65

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
95532 - 6000K WHITE	VT-ST63	6W Solar Panel	800	3.2V-5000mAh	187x55x360	10
98417 - 6000K WHITE	VT-ST120	8W Solar Panel	1000	3.2V-9000mAh	190x55x470	8
95534 - 6000K WHITE	VT-ST180	12W Solar Panel	1200	3.2V-10000mAh	197x55x600	6

LED SOLAR STREETLIGHT



Detecting Angle: Detection Angle

Sensing Range: Sensing Range

Charging Time: Charging Time

Working Time: Working Time

IP Rating: IP Rating

Body Type: Body Type



SKU	Model	Watts	Lumens	Battery	Box Qty
7837- 4000K DAY WHITE 20341- 6400K WHITE	VT-ST303	50W Solar Panel	3000	6.4V-30000mAh	1

LED SOLAR STREETLIGHT



Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10224 - 4000K DAY WHITE 10225 - 6500K WHITE	VT-15111ST	40W Solar Panel	2500	3.2V-30000mAh	200x530	1
10226 - 4000K DAY WHITE 10227 - 6500K WHITE	VT-15200ST	60W Solar Panel	3000	3.2V-50000mAh	200x530	1
10228 - 4000K DAY WHITE 10229 - 6500K WHITE	VT-15300ST	70W Solar Panel	3500	3.2V-75000mAh	200x530	1

LED INTEGRATED SOLAR PANEL STREET LIGHT



Charging Time: 4-6 Hours

Working Time: 8-10 hours in always mode, 12 hours in induction mode

IP Rating: IP65

Body Type: Aluminum



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6756 - 6400K WHITE	VT-20201ST	33W Solar Panel	Always Mode-1400 Sensor Mode-2300	3.2V-30000mAh	680x320x50	3
6758 - 6400K WHITE	VT-30301ST	40W Solar Panel	Always Mode-2000 Sensor Mode-3500	3.2V-40000mAh	900x320x50	2
6760 - 6400K WHITE	VT-40401ST	50W Solar Panel	Always Mode-2200 Sensor Mode-4300	3.2V-60000mAh	1000x320x50	2

LED SOLAR GARDEN LIGHT SENSOR



FUTURISTIC DESIGN



- ✓ REMOTE CONTROL
- ✓ RADAR SENSOR
- ✓ TIMER FUNCTION

Detecting Angle: 120°

Sensing Range: <6M

Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5150 - 4000K DAY WHITE 5151 - 6500K WHITE	VT-45W	15W Solar Panel	1000	3.2V-15000mAh	420x123	4
5152 - 4000K DAY WHITE 5153 - 6500K WHITE	VT-65W	24W Solar Panel	1500	3.2V-22000mAh	520x137	4
11258	Pole for Solar Garden Light				3 meter (1000x3pcs)	2

LED SOLAR GARDEN LIGHT SENSOR



Detecting Angle: 120°

Sensing Range: <8Mtr

Charging Time: 8 hr

Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+

IP Rating: IP65

Body Type: Aluminium+ABS

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5505 - 4000K DAY WHITE 5506 - 6400K WHITE	VT-130W	20W	2000	6.4V-6000mAh	601.1x200x292.8	1

HIGH LUMEN LED SOLAR STREETLIGHT



3 Types of installation

- ① Straight pole installation
- ② Curved pole installation
- ③ Wall mounted

Including Accessories



Detecting Angle: 120°

Sensing Range: 8-12m

Charging Time: 8-10hr

Working Time: Min 36 hr and Max 120 hr

IP Rating: IP65

Body Type: ABS+PC and Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5503 - 4000K DAY WHITE 5504 - 6000K WHITE	VT-ST42	40W	4800 120lm/W	9.6V-12000mAh	289.7x73.6x706.1	4
24423 - 3IN1	VT-ST43	40W	6000 150lm/W	9.6V-12000mAh LiFePO4	706.1x289.7x73.6	

LED SOLAR TRI-PROOF LIGHT WITH SENSOR



Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6500 - 3IN1	VT-120018	25W Solar Panel	3000K - 920 lm 4000K - 950 lm 6400K - 1000 lm	3.7V-18,000mAh	1185x80x65	10

LED SOLAR WALL LIGHT-8IN1-SENSOR



Battery: 3.7V-4000mah

Sensing Range: <8 Meters

Charging Time: 5-6 hr

Working Time: Min 20 - Max 60 hr

IP Rating: IP65

Body Type: ABS+PC



INTEGRATED
WALL MOUNT



SPLIT
WALL MOUNT




PORTABLE



STANDABLE



HANGING IN
TWO-DIRECTIONS



MAGNETIC
ADSORPTIVE



STICK-ON




POLE MOUNTED



SKU	Model	Watts	Lumens	Unit Color	Box Qty
6844 - 3000K WARM WHITE 6849 - 4000K DAY WHITE 6850 - 6000K WHITE	VT-11108	8W	950	Black	12

NEW COB SOLAR/TYPE C WALL LIGHT CCT-SENSOR



Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 4-5 hr(Type C) 8-10 hr(Solar)

Working Time: Max 30 hr



IP Rating: IP65

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
24293 - 3IN1	VT-408CCT-B	3x0.75W Solar Panel	2x450	Black	100x100x100mm	20
24294 - 3IN1	VT-408CCT-C	3x0.75W Solar Panel	2x450	Corten	100x100x100mm	20
24295 - 3IN1	VT-408CCT-W	3x0.75W Solar Panel	2x450	White	100x100x100mm	20

NEW SOLAR COB WALL LIGHT CCT-SENSOR



Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 8 hr

Working Time: Max 30 hr

IP Rating: IP65

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23770 - 3IN1	VT-409CCT-B	3W Solar Panel	800	Black	150x153x150mm	12
23824 - 3IN1	VT-409CCT-C	3W Solar Panel	800	Corten	150x153x150mm	12
24063 - 3IN1	VT-409CCT-W	3W Solar Panel	800	White	150x153x150mm	12
24089 - 3IN1	VT-409CCT-G	3W Solar Panel	800	Dark Grey	150x153x150mm	12

NEW LED SOLAR/TYPE C WALL LIGHT CCT-SENSOR



Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 8 hr

Working Time: Max 30 hr

IP Rating: IP65

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23770-1 - 3IN1	VT-409CCT-B-1	3W Solar Panel	800	Black	150x153x150mm	12
23824-1 - 3IN1	VT-409CCT-C-1	3W Solar Panel	800	Corten	150x153x150mm	12
24063-1 - 3IN1	VT-409CCT-W-1	3W Solar Panel	800	White	150x153x150mm	12



SKU	Model	Size	Colour	Description
24090	VT-11080-B	100x35x800	Black	Fix poles with wall lights and use them as garden lighting fixtures.
24091	VT-11080-C	100x35x800	Corten	
24092	VT-11080-G	100x35x800	Dark Grey	



SKU	Model	Size	Colour	Description
24093	VT-12050-B	97x32x274	Black	Fix spikes with wall lights and use them as garden lighting fixtures.
24094	VT-12050-C	97x32x274	Corten	
24095	VT-12050-G	97x32x274	Dark Grey	

SOLAR COB WALL LIGHT-SENSOR



Battery: 3.7V-2600mAh

Detecting Angle: 120°

Sensing Range: 4-5 Meters

Charging Time: 8 hr

Working Time: Max 30 hr

IP Rating: IP65

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
11884 - 3000K WARM WHITE 11885 - 4000K DAY WHITE	VT-11109-B	3W Solar Panel	860	Black	150x153x150mm	12
11886 - 3000K WARM WHITE 11887 - 4000K DAY WHITE	VT-11109-W	3W Solar Panel	860	White	150x153x150mm	12
11888 - 3000K WARM WHITE 11889 - 4000K DAY WHITE	VT-11109-C	3W Solar Panel	860	Corten	150x153x150mm	12

LED SOLAR YARD LIGHT-KEEPER-SENSOR



Battery: 3.2V--6000mAh

Sensing Range: <8 Meters

Charging Time: 5 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10315 - 6000K+4000K WHITE+DAY WHITE	VT-414-B	15W	2000	Black	294x236x77	6
10316 - 6000K+4000K WHITE+DAY WHITE	VT-414-W	15W	2000	White	294x236x77	6

LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-1200mAh

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Up to 50 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10305 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-B	3W	350	Black	137.6x90.4x35.4	24
10306 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-W	3W	350	White	137.6x90.4x35.4	24

LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-3000mAh

Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Mode A: 4 Nights +, Mode B: 2 Nights +

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10307 - 4000K DAY WHITE	VT-406-B	6W	900	Black	230x97x42.7	24
10308 - 4000K DAY WHITE	VT-406-W	6W	900	White	230x97x42.7	24

SOLAR GARDEN LAWN LIGHT



Battery: 3.7V 2600mAh (Li(NiCoMn)O2)

Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23351 - 3000K WARM WHITE	VT-7655	3W	40	Black+White	205x205x190mm	4
23352 - 3000K WARM WHITE	VT-7656	5W	50	Black+White	305x305x190mm	1

LED SOLAR GARDEN PILLAR LIGHT-SENSOR



Battery: 3.7V-2600mAh

Sensing Range: 3-5 Meters

Charging Time: 4-6 hr

Working Time: Min 3 hr Max 12 hr

IP Rating: IP65

Body Type: AL+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6805 - 3000K WARM WHITE	VT-11022-B	2W	90	Black	140x140x163	20
6806 - 3000K WARM WHITE	VT-11022-W	2W	90	White	140x140x163	20

LED SOLAR GARDEN WALL LIGHT-SENSOR



Battery: 3.7V-2200mAh

Detecting Angle: 50°

Sensing Range: 3-4 Meters

Charging Time: 11-13 hr

Working Time: 18-20 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23032 - 3000K WARM WHITE	VT-1193-B	0.5W	95	Black	126x83x252	10

LED SOLAR GARDEN WALL LIGHT-SENSOR

Battery: 3.7V-2200mAh
Detecting Angle: 50°
Sensing Range: 3-4 Meters
Charging Time: 11-13 hr
Working Time: 18-20 hr
IP Rating: IP54
Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23033 - 3000K WARM WHITE	VT-1193-G	0.5W	95	Dark Grey	126x83x252	10

SOLAR BOLLARD



Battery: Lithium 3.7V/2600mAh
Charging Time: 4-6 hr
Working Time: 3-12 hr
IP Rating: IP65
Body Type: PC+AL



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
785 3000K WARM WHITE	VT-66	2W	280	Grey	140x140x500mm	10
21785 3000K WARM WHITE	VT-66-N	2W	280	Grey	140x140x500mm	10

SOLAR WALL LIGHT



Battery: Lithium 3.7V/2600mAh

Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: PC+AL



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
784 3000K WARM WHITE	VT-77	2W	220	Grey	140x140x290mm	10
21784 3000K WARM WHITE	VT-77-N	2W	220	Grey	140x140x290mm	10

NEW LED SOLAR WALL LIGHT-MAGIC POWER-SENSOR



Detecting Angle: 120°

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Max 50 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
24096- 3IN1	VT-11025CCT-B	2.5W	300	Black	3.7V-1200mAh	75.6x137.6x94.8	24
24097- 3IN1	VT-11025CCT-W	2.5W	300	White	3.7V-1200mAh	75.6x137.6x94.8	24

LED SOLAR WALL LIGHT



Detecting Angle: 90°

Sensing Range: 2-6M

Charging Time: 6-7 hr

Working Time: Min 8 hr and Max 24 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8276 - 4000K DAY WHITE	VT-767-2-W	1.5W	220	White+Black	3.7V-1200mAh	144.5x96x79	20
8277 - 4000K DAY WHITE	VT-767-2-B	1.5W	220	Black	3.7V-1200mAh	144.5x96x79	20

LED SOLAR WALL LIGHT



Detecting Angle: 120°

Sensing Range: 2-6M

Charging Time: 12-15 hr

Working Time: Min 5-8 hr and Max 24 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
7523 - DAY+WARM WHITE	VT-768-W	2.4W	400	White+Black	3.7V-2000mAh	140x212x109.2	12
7528 - DAY+WARM WHITE	VT-768-B	2.4W	500	Black	3.7V-2000mAh	140x212x109.2	12

LED SOLAR WALL LIGHT



Detecting Angle: 120°

Sensing Range: 2-6M

Charging Time: 12-15 hr

Working Time: 5 hr to 4 nights- 3 modes

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8278 - 4000K DAY WHITE	VT-767-7-W	8W	850	White+Black	3.7V-4000mAh	232x220.6x121.4	8
8279 - 4000K DAY WHITE	VT-767-7-B	8W	850	Black	3.7V-4000mAh	232x220.6x121.4	8

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 4000mAh

Charging Time: 8-10 Hours

Working Time: 12 Hours

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	1W	120	Black	420x305mm	1
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-C	1W	120	Grey	420x305mm	1

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 1200mAh

Charging Time: 6-8 Hours


Working Time: 10 Hours

IP Rating: IP44

Body Type: Metal

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23385 - 3000K WARM WHITE	VT-7994	0.5W	21	Black	180x210mm	20

NEW **SOLAR GARDEN LAWN LIGHT**



Charging Time: 11 hr

Working Time: 4-25 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24287 - 2800K WARM WHITE	VT-84043	1.5W	150	3.7V 1800mAh Ni-HM	120x345mm	4

NEW **SOLAR GARDEN LAWN LIGHT**



Charging Time: 11 hr

Working Time: 4-25 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24288 - 2800K WARM WHITE	VT-84044	1.5W	150	3.7V 1800mAh Ni-HM	335x395mm	4

NEW **LED SOLAR GARDEN LIGHT-SENSOR**



Detecting Angle: 180°

Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54



SKU	Model	Watts	Lumens	Battery	Size(mm)
24365 - 3000K WARM WHITE	VT-81018	3.5W Solar Panel	95	3.7V-1800mAh Li-ion	200x137x160

NEW LED SOLAR GARDEN LIGHT-SENSOR



Detecting Angle: 120°

Sensing Range: <8 Meters

Charging Time: 7 hr

Working Time: Max 70 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24098 - 3IN1	VT-12014CCT	15W	2200	3.7V-12000mAh LiFePO4	324.7x184.8	2

NEW LED SOLAR WALL LIGHT-REMOTE CONTROL



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24152 - 3IN1	VT-11149CCT	0.9W	120	3.7V-1800mAh	190x130x205	20

NEW LED SOLAR WALL LIGHT-REMOTE CONTROL



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24153 - 3IN1	VT-11148CCT	0.9W	120	3.7V-1800mAh	190x100x220	20

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23012 - 3000K WARM WHITE	VT-1139-B	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23013 - 3000K WARM WHITE	VT-1139-W	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10399 - 3000K WARM WHITE	VT-1145	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23016 - 3000K WARM WHITE	VT-1147-RD	5.5W	220	3.7V-2200mAh	229x155x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10402 - 3000K WARM WHITE	VT-1147-SQ	5.5W	220	3.7V-2200mAh	224x130x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+Glass



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23017 - 3000K WARM WHITE	VT-1148	2.5W	100	3.7V-2000mAh	181x91x66	12

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10384 - 3000K WARM WHITE	VT-1138-B	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10395 - 3000K WARM WHITE	VT-1138-W	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23014 - 3000K WARM WHITE	VT-1140	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-DIAMOND



Sensing Range: <8 Meters

Charging Time: 7 hr

Working Time: Up to 80 hr


IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23004 - 6000K+4000K WHITE+DAY WHITE	VT-425	15W	1900	3.2V--6000mAh	257x288.5x206.5	4

LED SOLAR PILLAR LIGHT-DIAMOND



Sensing Range: <8 Meters

Charging Time: 7 hr

Working Time: Up to 80 hr


IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23005 - 6000K+4000K WHITE+DAY WHITE	VT-426	15W	2200	3.2V--6000mAh	Ø257x217	4

LED SOLAR PATH LIGHT-DIAMOND



Sensing Range: <8 Meters

Charging Time: 7 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23006 - 6000K+4000K WHITE+DAY WHITE	VT-413	15W	2200	3.2V--6000mAh	Ø257x885	125

LED SOLAR WALL LIGHT-PANDA-SENSOR



Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Min 35 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10309 - 4000K DAY WHITE	VT-422	2W	200	3.7V-1200mAh	138.9x68.5x106.9	24

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr


IP Rating: IP54

Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23010 - 3000K WARM WHITE	VT-1136	2.5W	150	3.7V-2000mAh	185x120x260	6

LED SOLAR BOLLARD LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23009 - 3000K WARM WHITE	VT-1134	2.5W	150	3.7V-2000mAh	120x120x800	6

LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M

Charging Time: 4-6 hr

Working Time: Min 3 hr and Max 12 hr


IP Rating: IP44

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93575 - 3IN1	VT-969	0.8W	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M

Charging Time: 4-6 hr

Working Time: Min 3 hr and Max 12 hr


IP Rating: IP44

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93578 - 3IN1	VT-972	0.8W	60-75Lm	3.7V-1200mAh	160x160x230

LED SOLAR WALL LAMP



Charging Time: 5-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2889 - 3IN1	VT-982-S	2W	110	3.7V-2200mAh	190x150x240	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr


IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2890 - 3IN1	VT-983-S	2W	110	3.7V-2200mAh	150x150x240	6

LED SOLAR WALL LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2892 - 3000K+6000K WARM WHITE+WHITE	VT-982	2W	110	3.7V-2200mAh	230x200x175	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2893 - 3000K+6000K WARM WHITE+WHITE	VT-983	2W	110	3.7V-2200mAh	175x175x250	6

LED SOLAR LAWN LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2894 - 3000K+6000K WARM WHITE+WHITE	VT-984	2W	110	3.7V-2200mAh	175x175x930	4

LED SOLAR LAWN LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2891 - 3IN1	VT-984-S	2W	110	3.7V-2200mAh	150x150x940	4

LED SOLAR BOLLARD LIGHT



Charging Time: 12-15 hr

Working Time: 20-36 hr


IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	VT-945	5W	400	3.7V-2000mAh	705.7x155	8

LED SOLAR BOLLARD LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23011 - 3000K WARM WHITE	VT-1137	2W	120	3.7V-2000mAh	800x180x270	4

2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 4-5 hr

Working Time: 30-36 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	VT-943	3W	260	3.7V-1000mAh	148x800	32

LED SOLAR GARDEN LIGHT - ADJUSTABLE



Charging Time: 4-5 hr

Working Time: 30-36 hr

IP Rating: IP65

Body Type: ABS+PC+Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6669 - 4000K DAY WHITE	VT-948	8W	500	7.4V-2000mAh	264x1290.55	4

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23398 - 3000K WARM WHITE	VT-1167	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23399 - 3000K WARM WHITE	VT-1168	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23401 - 3000K WARM WHITE	VT-1170	3W	250	DC:3.7V Li-ion 2200mAh	145x145x800	4

SOLAR GARDEN LIGHT-HEMP ROPE WITH HANDLE



Charging Time: 9 hr


Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23349 - 3000K WARM WHITE	VT-7653	2.4W	20	3.7V 2600mAh (Li(NiCoMn)O2)	200x325mm	1

LED SOLAR HANGING LANTERN LIGHT



Charging Time: 6-8 hr

Working Time: 8-12 hr

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23386 - 2700K WARM WHITE	VT-7995	0.16W	8	1.2V, 300mAh 18650 Ni-HM Battery	180x210	20

NEW

2IN1(SPIKE+WALL MOUNT) GARDEN LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Monocrystal Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23757 - 3000K WARM WHITE	VT-41009	0.9W	80	3.7V-1200mAh	145x84x215	20

NEW 2IN1(SPIKE+WALL MOUNT) GARDEN LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr


IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23996 - 3IN1	VT-10183	0.9W	100	3.7V-1200mAh	114x175x310	20

NEW 2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23997 - 3IN1	VT-10185	1.5W	80	3.7V-1500mAh	160x95x975	10

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90-110°

Sensing Range: 2-8 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23400 - 3000K WARM WHITE	VT-1169	3W	250	3.7V Li-ion 2200mAh	162x145x170	8

NEW LED SOLAR SPIKE LIGHT



Charging Time: 7-8 hr

Working Time: 8-10 hr

IP Rating: IP54

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)
24154 - 3000K WARM WHITE	VT-50154	2W	180	3.7V-2200mAh	93x480x115

LED SOLAR LAWN LAMP



Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65

Body Type: Iron



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23350 - 3000K WARM WHITE	VT-7654	2W	20	3.7V 2600mAh (Li(NiCoMn)O2)	150x150x635	1

2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10304 - 3IN1	VT-4102	3W	220	3.7V-2600mAh	155x720	10

LED SOLAR SPIKE LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23015 - 3000K WARM WHITE	VT-1146	1.8W	90	3.7V-1800mAh	Ø155x200mm	24

LED SOLAR SPIKE LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	VT-952	2W	40	3.7V-1200mAh	140x150x280	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20488 - 3000K WARM WHITE	VT-11031	1.2Wx2	90x2	3.7V-4000mAh	60x75x250	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20489 - 3000K WARM WHITE	VT-11032	1.2Wx3	50x3	3.7V-4000mAh	60x75x250	10

SOLAR BUG ZAPPER



- UV Light Solar Bug Zapper
- Silicone handle for easy carrying or hanging
- Tabletop, hang and spike installation
- Flexibility in positioning to maximize bug zapping efficiency
- Collection tray for dead insects
- UV Light:2W
- Tabletop size (12.8x12.8x34.4cm), Standing size (12.8x12.8x67.2cm)
- Charging Time 8-10 hours (Solar), 4 hours (Type-C)
- Work time maximum of 4 hours when fully charged
- High voltage grid rated at 1000V

SKU	Model	Watts	Battery	Size(mm)	Box Qty
23459	VT-3215	1.3W	3.7V,2200mAh	128x128x672mm	12

LED SOLAR STRING LIGHT-REMOTE CONTROL



IP Rating: IP44

Body Type: PVC Wire, Plastic Bulb

G50x10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
7804 - 3000K WARM WHITE	VT-70512	5W	300	3.7V-1200mAh	12 Meters	10

LED SOLAR STRING LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
8559 - 3000K WARM WHITE	VT-71010	10W	100	1pc AA Ni-MH 1.2V-300mAh	2 Meters	24

LED SOLAR STRING LIGHT




IP Rating: IP44

ST64x15 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23034 - 3000K WARM WHITE	VT-715S	3W	50	3.7V (2 x 1200mAh)	15.6 Meters	2

LED SOLAR PANEL STRIP KIT-IP67-2IN1



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23044 - 3000K WARM WHITE 23045 - 4000K DAY WHITE 23046 - RGB	VT-2835 60	1.2W	120	3.7V-1500mAh	5 Meter Roll	20

LED SOLAR EGG LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8557 - RGB+WW	VT-7815	0.2W	4	1xAA BATTERY, 1.2V/500mAH NI-MH	D:188x395	12

LED SOLAR FLAME LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC



4 DIFFERENT WAY OF INSTALLATION

1: SPIKE 2: HANGING
3: LAMP POST 4: WALL MOUNTING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8558 - 2200K WARM WHITE	VT-719	0.4W	5	3.7V/500mAH Lithium Battery,	100x100x650	24

LED SOLAR FLAME LIGHT



Charging Time: 8 hr

Working Time: 6 hr

IP Rating: IP44

Body Type: PP



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8689 - 2200K WARM WHITE	VT-724	1W	10	1.2V 2/3AAA NI-MH	75x75x500	24

LED BULBS & SPOTLIGHTS

Find the right lighting solution with V-TAC's newly improved range of LED bulbs. Through our latest in-branding program, the LED PRO Series is now powered by CREE LEDs, ensuring superior performance, reliability, and efficiency—backed by a 6-year warranty for long-lasting, dependable illumination.



LED Candle Bulbs | E14

Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2142166 3000K WARM WHITE 2141666 4000K DAY WHITE 2141226 6500K WHITE	VT-1818	3.7W	320	E14	Candle	36.5x92.5mm
21421516 3000K WARM WHITE 21425816 4000K DAY WHITE 21424116 6500K WHITE	VT-1855	4.5W	470	E14	Candle	36.5x92.5mm
2120186-6 4000K DAY WHITE	VT-293D	5.5W Dimmable	470	E14	Candle	36.5x110mm
2111116 3000K WARM WHITE 2111216 4000K DAY WHITE 2111316 6500K WHITE	VT-268	6.5W	600	E14	Candle	36.5x100mm



LED Golf Bulbs | P45 | E14

Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2141236 3000K WARM WHITE 2141746 4000K DAY WHITE 2141246 6500K WHITE	VT-1819	3.7W	320	E14	P45	45x70mm
218636 3000K WARM WHITE 218646 4000K DAY WHITE 218656 6500K WHITE	VT-270	6.5W	600	E14	P45	45x80mm

LED Golf Bulbs | G45 | E27



Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2141606 3000K WARM WHITE 2141626 4000K DAY WHITE 2142076 6500K WHITE	VT-1830	3.7W	320	E27	G45	45x70mm
218666 3000K WARM WHITE 21867-6 4000K DAY WHITE 218686 6500K WHITE	VT-290	6.5W	600	E27	G45	45x80mm

LED GLS Bulbs | E27



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2172606 3000K WARM WHITE 2172616 4000K DAY WHITE 2172626 6500K WHITE	VT-2099	8.5W	806	E27	A60	59x104mm
2173506 3000K WARM WHITE 2173496 4000K DAY WHITE 2173516 6500K WHITE	VT-2112	10.5W	1055	E27	A60	59x112mm
2144536 3000K WARM WHITE 2144546 4000K DAY WHITE 2144556 6500K WHITE	VT-2015	15W	1521	E27	A65	65x125mm
2144566 3000K WARM WHITE 2144576 4000K DAY WHITE 2144586 6500K WHITE	VT-2017	17W	1710	E27	A65	65x134mm

LED Reflector Bulbs



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
212106 3000K WARM WHITE 212116 4000K DAY WHITE 21212-6 6500K WHITE	VT-239	2.9W	250	E14	R39	39x67mm
211386 3000K WARM WHITE 211396 4000K DAY WHITE 211406 6500K WHITE	VT-250	4.8W	470	E14	R50	50x85mm
211416 3000K WARM WHITE 211426 4000K DAY WHITE 211436 6500K WHITE	VT-263	8.5W	806	E27	R63	63x100mm
211356 3000K WARM WHITE 211366 4000K DAY WHITE 211376 6500K WHITE	VT-280	11W	1055	E27	R80	80x112mm

LED Bulbs | T37 | E14



Body Type	Plastic
Beam Angle	230°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21267-6 3000K WARM WHITE 212686 4000K DAY WHITE 212696 6500K WHITE	VT-248	7.5W	660	E14	T37	37x100mm

LED Bulbs | T37 | E27



Body Type	Plastic
Beam Angle	230°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
211446 3000K WARM WHITE 211456 4000K DAY WHITE 21146-6 6500K WHITE	VT-237	7.5W	660	E27	T37	37x100mm

LED Bulbs | ST26 | E14



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
212346 3000K WARM WHITE 212356 4000K DAY WHITE 212366 6500K WHITE	VT-202	2W	180	E14	ST26	26x59mm

LED Globe Bulbs | E27



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21200216 3000K WARM WHITE 21200226 4000K DAY WHITE 21200236 6500K WHITE	VT-242	22W	2600	E27	G120	120x160mm

LED Olive Bulbs | E27



Body Type	Plastic
Beam Angle	300°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21284-6 4000K DAY WHITE 21285-6 6500K WHITE	VT-240	36W	4000	E27	Olive	90x220mm



LED Olive Bulbs | E40

Body Type	Plastic
Beam Angle	300°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
211876 4000K DAY WHITE 211886 6500K WHITE	VT-260	60W	6500	E40	Olive	102x320mm



LED Spotlights | GU10 Lens | 38°

Body Type	Plastic
Beam Angle	38°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
211086 3000K WARM WHITE 217976 4000K DAY WHITE 215116 6500K WHITE	VT-275	4.5W	345	GU10	50x55mm
211896 3000K WARM WHITE 211906 4000K DAY WHITE 211916 6500K WHITE	VT-227	6W	445	GU10	50x55mm
211956 3000K WARM WHITE 211966 4000K DAY WHITE 211976 6500K WHITE	VT-227D	6W Dimmable	445	GU10	50x55mm
218756 3000K WARM WHITE 218766 4000K DAY WHITE 218776 6500K WHITE	VT-291	7.5W	610	GU10	50x55mm



LED Spotlights | GU10 Milky | 100°

Body Type	Plastic
Beam Angle	100°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
21201-6 3000K WARM WHITE 21202-6 4000K DAY WHITE 21203-6 6500K WHITE	VT-205	4.5W	400	GU10	50x56.5mm
218786 3000K WARM WHITE 218796 4000K DAY WHITE 218806 6500K WHITE	VT-271	10W	1000	GU10	50x56.5mm



LED Spotlights | GU10 Lens | 110°

Body Type	Plastic
Beam Angle	110°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
211926 3000K WARM WHITE 211936 4000K DAY WHITE 211946 6500K WHITE	VT-247	6W	445	GU10	50x55mm
211986 3000K WARM WHITE 211996 4000K DAY WHITE 212006 6500K WHITE	VT-247D	6W Dimmable	445	GU10	50x55mm
218726 3000K WARM WHITE 218736 4000K DAY WHITE 218746 6500K WHITE	VT-292	7.5W	610	GU10	50x55mm

LED TUBES & BATTEN FITTINGS

V-TAC's extensive range of LED Tubes and Batten Fittings features premium CREE LED chips, delivering outstanding performance and a lifespan of up to 25,000 hours. Built with durable, unbreakable materials and available in multiple sizes, the range also includes IP65-rated waterproof fittings with hermetically sealed bodies, ensuring reliable protection against dust and water—ideal for demanding indoor and outdoor applications.

High Lumen LED T8 Tubes



Body Type	Nano Plastic
Beam Angle	160°
CRI	>80
PF	>0.5
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
240646 4000K DAY WHITE 240656 6500K WHITE	VT-007	7W	1050	G13	T8	600x28mm
240666 4000K DAY WHITE 240676 6500K WHITE	VT-012	12W	1800	G13	T8	1200x28mm
240686 4000K DAY WHITE 240696 6500K WHITE	VT-015	15W	2250	G13	T8	1500x28mm

LED T8 Tubes




Body Type	Nano Plastic
Beam Angle	160°
CRI	>80
PF	>0.5
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
216506 3000K WARM WHITE 216516 4000K DAY WHITE 216526 6500K WHITE	VT-061	9W	850	G13	T8	600x28mm
216536 3000K WARM WHITE 216546 4000K DAY WHITE 216556 6500K WHITE	VT-121	18W	1850	G13	T8	1200x28mm
216566 3000K WARM WHITE 216576 4000K DAY WHITE 216586 6500K WHITE	VT-151	20W	2100	G13	T8	1500x28mm

High Lumen Prismatic Slim Fittings



Body Type	Plastic
Beam Angle	120°
CRI	>80
PF	>0.9
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
203446 3000K WARM WHITE 203456 4000K DAY WHITE 203466 6500K WHITE	VT-8-10	10W	3000K - 1000lm 4000K - 1200lm 6500K - 1200lm	300x76x24mm
203476 3000K WARM WHITE 203486 4000K DAY WHITE 203496 6500K WHITE	VT-8-20	20W	3000K - 2050lm 4000K - 2400lm 6500K - 2400lm	566x76x24mm
203506 3000K WARM WHITE 203516 4000K DAY WHITE 203526 6500K WHITE	VT-8-40	40W	3000K - 4300lm 4000K - 4800lm 6500K - 4800lm	1166x76x24mm
203546 4000K DAY WHITE 203556 6500K WHITE	VT-8-50	50W	6000lm	1466x76x24mm

Integrated T5 Fitting



Body Type	Plastic
Beam Angle	160°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
216896 3000K WARM WHITE 216906 4000K DAY WHITE 216916 6500K WHITE	VT-035	4W	400	290x27x30mm
216926 3000K WARM WHITE 216936 4000K DAY WHITE 216946 6500K WHITE	VT-065	7W	700	551x27x30mm
216956 3000K WARM WHITE 216966 4000K DAY WHITE 216976 6500K WHITE	VT-125	16W	1600	1151x27x30mm

NEW



High Lumen Tri-Proof Fittings



Body Type	Plastic
Beam Angle	110°
CRI	>80
PF	>0.9
IP Rating	IP66
Input Power	AC:220-240V, 50Hz
Lifespan	50,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
244356 - 3IN1 3000K-4000K-6500K	VT-12062CCT	60W/40W	60W - 8400lm 40W - 5600lm	1200x66x68mm
244366 - 3IN1 3000K-4000K-6500K	VT-12070CCT	70W/50W	70W - 9800lm 50W - 7000lm	1500x66x68mm



LED Waterproof Batten Fittings



Body Type	PC
Beam Angle	120°
CRI	>80
PF	>0.7
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000

SKU CCT	Model	Watts	Lumens	Size
2162836 4000K DAY WHITE 2162826 6500K WHITE	VT-6076	18W	2410	600x66x58mm
2162856 4000K DAY WHITE 2162846 6500K WHITE	VT-1249	36W	4820	1200x65x58mm
2162876 4000K DAY WHITE 2162866 6500K WHITE	VT-1574	48W	6480	1500x65x58mm



LED Waterproof Batten Fittings




Body Type	PC
Beam Angle	120°
CRI	>80
PF	>0.7
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000

SKU CCT	Model	Watts	Lumens	Size
233916 4000K DAY WHITE 233926 6500K WHITE	VT-12017	18W	2160	600x68x59mm
233876 4000K DAY WHITE 233886 6500K WHITE	VT-12035	36W	4320	1200x68x59mm
233896 4000K DAY WHITE 233906 6500K WHITE	VT-12049	48W	5760	1500x68x59mm

LED PANELS

LED panel series are made with high quality diffusers which provide a evenly distributed light and prevents the panels from turning yellow.

The panels' durability is evidenced by exteriors composed of an innovative combination of FE+PS, and further energy savings thanks to the upgraded driver box and CREE LEDs. Available in Big and mini sizes.




High Lumen Panel 60x60

Body Type	FE+PS	IP Rating	IP20
Beam Angle	110°	Input Power	AC:220-240V, 50/60Hz
CRI	>80	Lifespan	50,000 Hours
PF	>0.9	On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
236246 4000K DAY WHITE 236256 6500K WHITE	VT-61036	36W	4320	595x595x33mm
241456 4000K DAY WHITE 241466 6500K WHITE	VT-61044	40W	4800	595x595x33mm



High Lumen Panel 120x30



Body Type	FE+PS
Beam Angle	110°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000

SKU CCT	Model	Watts	Lumens	Size
241476 4000K DAY WHITE 241486 6500K WHITE	VT-61045	40W	4800	1195x295x33mm



LED Panel 120x30



Body Type	FE+PS
Beam Angle	110°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000

SKU CCT	Model	Watts	Lumens	Size
21662516 4000K DAY WHITE 21662616 6500K WHITE	VT-6147	40W	4400	1195x295x30mm

NEW



LED Mini Panels | Recessed

Body Type	Aluminium	IP Rating	IP20
Beam Angle	120°	Input Power	AC:85-265V, 50/60Hz
CRI	>80	Lifespan	30,000 Hours
		On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
2162946 - 3IN1 3000K-4000K-6500K	VT-307CCT	3W	3000K - 230lm 4000K - 250lm 6500K - 240lm	84x12mm
2148546 - 3IN1 3000K-4000K-6500K	VT-607CCT	6W	3000K - 460lm 4000K - 480lm 6500K - 470lm	120x12mm
2148596 - 3IN1 3000K-4000K-6500K	VT-1207CCT	12W	3000K - 1075lm 4000K - 1150lm 6500K - 1075lm	170x12mm
2148606 - 3IN1 3000K-4000K-6500K	VT-1807CCT	18W	3000K - 1560lm 4000K - 1650lm 6500K - 1565lm	225x12mm
2164236 - 3IN1 3000K-4000K-6500K	VT-2207CCT	22W	3000K - 1700lm 4000K - 1900lm 6500K - 1800lm	240x12mm

LED Mini Panels | Recessed



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
78586 - 3IN1 3000K-4000K-6500K	VT-61006CCT-RD	6W	630	120.5x28.4mm
78616 - 3IN1 3000K-4000K-6500K	VT-61012CCT-RD	12W	1320	170.8x28.4mm
78646 - 3IN1 3000K-4000K-6500K	VT-61018CCT-RD	18W	1980	220.8x28.9mm
78676 - 3IN1 3000K-4000K-6500K	VT-61024CCT-RD	24W	2500	296x29.1mm

LED Mini Panels | Recessed



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
104806 - 3IN1 3000K-4000K-6500K	VT-61006CCT-SQ	6W	630	120.5x120.5x28.2mm
104836 - 3IN1 3000K-4000K-6500K	VT-61012CCT-SQ	12W	1200	170.8x199x28.4mm
104866 - 3IN1 3000K-4000K-6500K	VT-61018CCT-SQ	18W	1850	220.4x220.4x28.8mm
104896 - 3IN1 3000K-4000K-6500K	VT-61024CCT-SQ	24W	2500	295x295x28.6mm

LED Mini Panels | Surfaced



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
78706 - 3IN1 3000K-4000K-6500K	VT-60006CCT-RD	6W	630	121.2x30.6mm
78736 - 3IN1 3000K-4000K-6500K	VT-60012CCT-RD	12W	1320	167.4x30.7mm
78766 - 3IN1 3000K-4000K-6500K	VT-60018CCT-RD	18W	1980	215.6x30.8mm
78796 - 3IN1 3000K-4000K-6500K	VT-60024CCT-RD	24W	2500	288.6x31.2mm



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
104926 - 3IN1 3000K-4000K-6500K	VT-60006CCT-SQ	6W	660	120.8x120.8x30.7mm
104956 - 3IN1 3000K-4000K-6500K	VT-60012CCT-SQ	12W	1320	167.3x167.3x30.7mm
104986 - 3IN1 3000K-4000K-6500K	VT-60018CCT-SQ	18W	1850	214x214x31mm
105146 - 3IN1 3000K-4000K-6500K	VT-60024CCT-SQ	24W	2640	287x287x30.7mm

LED DOME & DOWNLIGHTS

V-TAC's LED Dome & Downlights range combines modern design, high efficiency, and reliable performance. Available with sensor options, these luminaires provide energy-saving illumination, enhanced convenience, and long-lasting durability for residential and commercial applications.



All in One LED Bulkhead | Emergency+Sensor

Body Type	Polycarbonate	IP Rating	IP54
Beam Angle	110°	Input Power	AC:200-240V, 50Hz
Detection Range	6Mx3M	Ambient Light	Day,2Lux,10Lux,50Lux optional
Detection Distance	3-6M	Battery Type	LiFePO4, 3.2V 2Ah Battery
Detection Motion Speed	0.5-3m/s	Emergency Operation Time	>3 Hours
		Battery Discharge Current	410mA
		Battery Charging Current	250mA



SKU CCT	Model	Watts	Lumens	Size
812-24-6 - 3IN1 3000K-4000K-6500K	VT-8633	8W/16W/20W	2700	320x100mm

LED Microwave Sensor Dome Light | 5-in-1



Body Type	PC
Beam Angle	120°
Detection Range	360°
Detection Distance	Wall 1-5m, Ceiling 2-8m
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Ambient Light	<3-2000lux(adjustable)
Time Delay	Min. 10sec±3sec, Max. 12min±1min



SKU | CCT

Model

Watts

Lumens

Size

24360 - 5IN1
2700K-3000K-4000K-5000K-6500K

VT-8179

40W

4400

360x51mm

NEW



Slim Domelights

Body Type	PC
Beam Angle	110°
CRI	>80
PF	>0.9
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours



SKU | CCT

Model

Watts

Lumens

Size

21820-6 | 4000K | DAY WHITE

VT-12S

12W

1650

270x65mm



LED Bulkhead

Body Type	Polycarbonate
Beam Angle	110°
CRI	>80
PF	>0.9
IP Rating	IP65
Input Power	AC:200-240V, 50Hz
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
801-24-6 - 3IN1 3000K-4000K-6500K	VT-8603	8W/16W/20W	2700		Round	320x100mm

LED PIR Dome Light



Body Type	Plastic Clad Aluminium
Beam Angle	120°
Detection Range	360°
Detection Distance	Max. 6m(<24°C)
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Ambient Light	<3-2000lux(adjustable)
Time Delay	Min. 10sec±3sec, Max. 3min±30sec



SKU CCT	Model	Watts	Lumens	Size
218086 4000K DAY WHITE 218096 6400K WHITE	VT-13	12W	1000	290x59.5mm

NEW



LED PIR Dome Light

Body Type	Plastic Clad Aluminium
Beam Angle	120°
Detection Range	360°
Detection Distance	Max. 6m(<24°C)
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Ambient Light	<3-2000lux(adjustable)
Time Delay	Min. 10sec±3sec, Max. 3min±30sec



SKU | CCT

Model

Watts

Lumens

Size

234186 - 3IN1
3000K-4000K-6000K

VT-13CCT

12W

1090

290x59.5mm

NEW



LED PIR Dome Light

Body Type	Plastic Clad Aluminium
Beam Angle	120°
Detection Range	360°
Detection Distance	Max. 6m(<24°C)
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Ambient Light	<3-2000lux(adjustable)
Time Delay	Min. 10sec±3sec, Max. 3min±30sec



SKU | CCT

Model

Watts

Lumens

Size

234196 - 3IN1
3000K-4000K-6000K

VT-81003

12W

1100

250x60mm

NEW

LED Downlights Surfaced - 3IN1



Body Type	Aluminium
Beam Angle	24°
CRI	>90
IP Rating	IP54
Input Power	AC:220-240V, 50/60Hz



SKU CCT	Model	Unit Colour	Watts	Lumens	Size
24474 - 3IN1 3000K-4000K-6500K	VT-110012CCT-W	White	12W	3000K - 700lm 4000K - 800lm 6500K - 800lm	78x62mm
24476 - 3IN1 3000K-4000K-6500K	VT-110018CCT-W	White	18W	3000K - 1400lm 4000K - 1350lm 6500K - 1300lm	96x69mm
24475 - 3IN1 3000K-4000K-6500K	VT-110012CCT-B	Black	12W	3000K - 700lm 4000K - 800lm 6500K - 800lm	78x62mm
24477 - 3IN1 3000K-4000K-6500K	VT-110018CCT-B	Black	18W	3000K - 1400lm 4000K - 1350lm 6500K - 1300lm	96x69mm

NEW

LED Downlights Recessed - 3IN1



Body Type	Aluminium
Beam Angle	24°
CRI	>90
IP Rating	IP54
Input Power	AC:220-240V, 50/60Hz



SKU CCT	Model	Unit Colour	Watts	Lumens	Cutting Size	Size
24478 - 3IN1 3000K-4000K-6500K	VT-110011CCT-W	White	12W	3000K - 700lm 4000K - 800lm 6500K - 800lm	75mm	88x52mm
24480 - 3IN1 3000K-4000K-6500K	VT-110017CCT-W	White	18W	3000K - 1400lm 4000K - 1350lm 6500K - 1300lm	95mm	111x53mm
24479 - 3IN1 3000K-4000K-6500K	VT-110011CCT-B	Black	12W	3000K - 700lm 4000K - 800lm 6500K - 800lm	75mm	88x52mm
24481 - 3IN1 3000K-4000K-6500K	VT-110017CCT-B	Black	18W	3000K - 1400lm 4000K - 1350lm 6500K - 1300lm	95mm	111x53mm



LED HIGHBAY

LED High Bays are designed for facilities with high ceilings such as warehouses, distribution centers, factories, and gymnasiums, delivering powerful and uniform illumination from heights of 20 feet or more. Linear High Bay Lights are perfect for lower ceiling applications like retail stores, workshops, and production areas. Both solutions offer excellent energy efficiency, long lifespan, and superior performance.

LED Highbays | UFO Series 90°



Body Type	Aluminium+PC
Beam Angle	90°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
240756 4000K DAY WHITE 240746 6500K WHITE	VT-91102	100W	13500	Ø244x105mm
240776 4000K DAY WHITE 240766 6500K WHITE	VT-91152	150W	20200	Ø286x105mm
240796 4000K DAY WHITE 240786 6500K WHITE	VT-91202	200W	27000	Ø326x105mm

LED Linear Highbays-CCT-Sosen Driver



Body Type	Aluminium+PC
Beam Angle	90°
CRI	>80
PF	>0.9
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours



SKU CCT	Model	Watts	Lumens	Size
242816 - 3IN1 3000K-4000K-6500K	VT-9-57	150/200/240W	32000	1060x101x65mm



LED FLOODLIGHTS

V-TAC's LED floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and constructed of die-cast aluminum for maximum durability. With the IP65 rating, all the floodlights in this series are also water- and dust-proof.

NEW



Photocell Sensor Floodlights

Body Type	Aluminium
Beam Angle	115°
CRI	>70

Input Power	AC:220-240V, 50Hz
IP Rating	IP65
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
231866 4000K DAY WHITE 231876 6500K WHITE	VT-44032PS	30W	3600	164x34x144mm
231886 4000K DAY WHITE 231896 6500K WHITE	VT-44052PS	50W	6000	185x35x162mm
231906 4000K DAY WHITE 231916 6500K WHITE	VT-44103PS	100W	13500	256x42x229mm
231926 4000K DAY WHITE 231936 6500K WHITE	VT-44153PS	150W	20250	331x47x278mm
231946 4000K DAY WHITE 231956 6500K WHITE	VT-44203PS	200W	27000	406x47x333mm



LED High Lumen Series Floodlights

Body Type	Aluminium
Beam Angle	115°
CRI	>70

Input Power	AC:220-240V, 50Hz
IP Rating	IP65
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
9892-6 4000K DAY WHITE 9893-6 6500K WHITE	VT-4456	50W	9250	185x35x162mm
9894-6 4000K DAY WHITE 9895-6 6500K WHITE	VT-44101-B	100W	18500	256x42x229mm
9896-6 4000K DAY WHITE 9897-6 6500K WHITE	VT-44205	200W	37000	406x47x333mm

LED High Lumen Series Floodlights



Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
236946 4000K DAY WHITE	VT-44051	50W	8000	185.3x34.6x175.1mm
237006 4000K DAY WHITE	VT-44106	100W	16000	256x46x240mm
238266 4000K DAY WHITE	VT-44303	300W	48000	500x49x468.5mm



LED Slimline Floodlights

Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
231976 4000K DAY WHITE 231986 6500K WHITE	VT-44033-B	30W	4050	164x34x144mm
231996 3000K WARM WHITE 232166 4000K DAY WHITE 232176 6500K WHITE	VT-4455-B	50W	5740	185x35x162mm
232006 3000K WARM WHITE 232186 4000K DAY WHITE 232196 6500K WHITE	VT-44105	100W	11480	256x42x229mm
232016 4000K DAY WHITE 232026 6500K WHITE	VT-44153-B	150W	17220	331x47x278mm
232206 4000K DAY WHITE 232216 6500K WHITE	VT-44201-B	200W	22960	406x47x333mm
238256 4000K DAY WHITE 232036 6500K WHITE	VT-44003-B	300W	34440	498x48x411.6mm



LED Slimline Floodlights

Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
242086 4000K DAY WHITE 242096 6500K WHITE	VT-4455-W	50W	5740	185x35x162mm
242106 4000K DAY WHITE 242116 6500K WHITE	VT-44101-W	100W	11480	256x42x229mm
242126 4000K DAY WHITE 242136 6500K WHITE	VT-44201-W	200W	22960	406x47x333mm
242146 4000K DAY WHITE 242156 6500K WHITE	VT-44003-W	300W	34440	498x48x411.6mm



Floodlight with Stand-EU Plug

Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
242186 4000K DAY WHITE 242196 6500K WHITE	VT-44049	50W	5000	236.2x57x300mm

LED Floodlights | 3IN1 CCT



Body Type	Aluminium
Beam Angle	90°
CRI	>80
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
240726 - 3IN1	VT-44014CCT	10W	850	122x147x33mm
240736 - 3IN1	VT-44058CCT	50W	4000	182x227x33mm
240716 - 3IN1	VT-44110CCT	100W	8150	242x297x33mm
240706 - 3IN1	VT-44209CCT	200W	16450	326x410x33mm

LED Floodlights | High Power Series



Body Type	Aluminium
Beam Angle	60°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
230896 4000K DAY WHITE 972126 6500K WHITE	VT-48500	500W	67500	530x65x523mm

LED STRIP & COB TRACK LIGHTS

Enhance any environment with V-TAC's advanced LED lighting solutions. The LED Strip Light Series delivers vibrant colors and flexible illumination with easy installation and minimal space requirements—ideal for restaurants, auditoriums, and meeting rooms.

Complementing this range, V-TAC's COB Track Lights powered by CREE technology provide superior brightness and >80 CRI for vivid color rendering, making them the perfect choice for retail environments where lighting enhances product visibility and customer experience.

LED Striplights | Double PCB



Beam Angle 120°

CRI >90

Roll Qty 5 Meter

IP Rating IP20

Input Power DC:12V



SKU CCT	Model	Watts/m	Lumen/m	Size
213246 4000K DAY WHITE	VT-5-120	12W/m	1120lm/m	10mm

LED Striplights | Double PCB



Beam Angle 120°

CRI >90

Roll Qty 10 Meter

IP Rating IP20

Input Power DC:24V



SKU CCT	Model	Watts/m	Lumen/m	Size
240806 3000K WARM WHITE 240816 4000K DAY WHITE 240826 6500K WHITE	VT-2835 120 5MM	8W/m	3000K - 760lm/m 4000K - 800lm/m 6500K - 800lm/m	5mm
2126226 3000K WARM WHITE 2126236 4000K DAY WHITE 2126246 6500K WHITE	VT-2835 120 8MM	10W/m	3000K - 950lm/m 4000K - 1000lm/m 6500K - 1000lm/m	8mm
2125966 3000K WARM WHITE 2125976 4000K DAY WHITE 2125986 6500K WHITE	VT-2835 168 8MM	12W/m	3000K - 1380lm/m 4000K - 1440lm/m 6500K - 1440lm/m	8mm
2125996 3000K WARM WHITE 2126006 4000K DAY WHITE 2126016 6500K WHITE	VT-2835 238 10MM	18W/m	3000K - 1950lm/m 4000K - 2150lm/m 6500K - 2150lm/m	10mm



LED Striplights |3IN1 CCT | Double PCB

Beam Angle	120°
CRI	>90
Roll Qty	10 Meter

IP Rating	IP20
Input Power	DC:24V



SKU CCT	Model	Watts/m	Lumen/m	Lumen/LED	Size
240836 - 3IN1	VT-2835 192 8MM	15W/m	1425lm/m	NA	8mm

Controllers for Striplights



- Infrared Controller with 24 Key Remote
- Maximum Input current of 2A / Each Color
- Remote control range: up to 8 meters
- DC:12V-24V Input Voltage
- Compatible with V-TAC CREE CCT Striplights

SKU

24172

Smart Controllers for Striplights



- Smart Controller with wireless 19 Key Remote
- Supports Google Home, Amazon Alexa and also BanlanX App
- Maximum Input current of 12mA-40mA
- Maximum output current 2A(PWM Single Channel)
- DC:5V-24V Input Voltage
- 2.4Ghz Wireless Frequency
- Compatible with V-TAC CREE CCT Striplights

SKU

24173

COB Tracklights



Body Type	Aluminium	IP Rating	IP20
Beam Angle	20°	Input Power	AC:220-240V, 50Hz
CRI	>80	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
241546 3000K WARM WHITE 241556 4000K DAY WHITE 241566 6400K WHITE	VT-11122	20W	1620	205x95x75mm
241576 3000K WARM WHITE 241586 4000K DAY WHITE 241596 6400K WHITE	VT-11135	35W	3218	235x110x90mm

COB Tracklights



Body Type	Aluminium	IP Rating	IP22
Beam Angle	36°	Input Power	AC:220-240V, 50Hz
CRI	>80	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
241606 3000K WARM WHITE 241616 4000K DAY WHITE 241626 6400K WHITE	VT-11130	30W	2845	Ø90x155-162mm
241636 3000K WARM WHITE 241646 4000K DAY WHITE 241656 6400K WHITE	VT-11136	36W	3302	162x162x98mm

LED WALL/ BEDSIDE LIGHTS

Introducing our modern LED Wall/Bedside lights range, the perfect replacement for traditional lights. A classy combination of energy efficiency and contemporary design to add style and elegance to your home or garden.



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	162°
CRI	>80
IP Rating	IP20

Input Power	AC:220-240V, 50Hz
Lifespan	20,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
240006 3000K WARM WHITE	White	VT-88062-W	2W	60	250x115x140mm
240016 3000K WARM WHITE	Black	VT-88062-B	2W	60	250x115x140mm



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	40°
CRI	>80
IP Rating	IP20

Input Power	AC:220-240V, 50Hz
Lifespan	20,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
240026 3000K WARM WHITE	White	VT-88068-W	8W	830	132x80x132mm
240036 3000K WARM WHITE	Black	VT-88068-B	8W	830	132x80x132mm




Bedside Light

Body Type	Aluminium+PC	Input Power	AC:220-240V, 50Hz
Beam Angle	25°	Lifespan	20,000 Hours
CRI	>80	On/Off Cycles	>15000
IP Rating	IP20		



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
239986 3000K WARM WHITE	White	VT-88061-W	2W	76	150x65x59mm
239996 3000K WARM WHITE	Black	VT-88061-B	2W	76	150x65x59mm



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	30°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
241516 3000K WARM WHITE	VT-88064	3W	120	150x60x268mm



Bedside Light

Body Type	Aluminium+PC
Beam Angle	30°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
241506 3000K WARM WHITE	VT-88063	3W	120	330x70x25mm



LED Wall Lights



Body Type	Aluminium
Beam Angle	330° Adjustable
CRI	>90
IP Rating	IP65

Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
243426 3000K WARM WHITE	White	VT-120012-W	10W	1550	176x63x111mm
243436 3000K WARM WHITE	Black	VT-120012-B	10W	1550	176x63x111mm
243446 3000K WARM WHITE	Corten	VT-120012-C	10W	1550	176x63x111mm



LED Wall Lights

Body Type	Aluminium
Beam Angle	355° Adjustable
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243546 3000K WARM WHITE	VT-120009	6W	1000	180x73mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	150°
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243526 3000K WARM WHITE	VT-120006	6W	625	80x800mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	120°
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243536 3000K WARM WHITE	VT-120008	11W	1220	55x800mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	330° Adjustable
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243516 3000K WARM WHITE	VT-120011	10W	1550	176x63x600mm



Wall Lights with Sensor NEW

Body Type	PC
Beam Angle	120°
CRI	>80
IP Rating	IP44
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000
Detection Range	160°/360°
Detection Distance	Max 9m
Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000lux(adjustable)



SKU CCT	Model	Watts	Lumens	Size
234206 - 3IN1 3000K-4000K-6000K	VT-81004	15W	1450	250x49mm




Wall Lights with Sensor NEW

Body Type	PC
Beam Angle	120°
CRI	>80
IP Rating	IP54
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000
Detection Range	120°
Detection Distance	Max 9m(<24°C)
Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000lux(adjustable)



SKU CCT	Model	Watts	Lumens	Size
234216 4000K DAY WHITE	VT-81005	10W	1060	270x135.3x70mm



Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with a toggle switch, 3IN1 color-changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by CREE.

3-IN-1 Linear Hanging Lights

Body Type	PS+Aluminium
Beam Angle	100°
CRI	>80
Wire Length	1.5 Meters

Input Power	AC:200-240V, 50Hz
IP Rating	IP20
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
200606 - 3IN1	VT-7-44	40W	3700	1197x50x65mm



LED EMERGENCY LIGHTS

LED emergency lights for clear and bright emergency illumination. Complete with easily readable legends, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance.

V-TAC's emergency lights and signs are a practical and valuable asset in many applications including but not limited to offices, hotels, hospitals and residential areas.

Emergency Bulkhead



Battery Type	3.7V, 2000mAh Li-ion Battery
Emergency Operation Time	Upto 4 Hours
Charging Time	12 Hours
Battery Discharge Current	360mA
Battery Charging Current	200mA
Viewing Distance	22 Meters
Legends	4 Ways



SKU CCT	Model	Watts	Lumens	Size
899-6 - 6000K	VT-511	3.8W	110	292x79x102mm

Exit Lights Surface



Battery Type	Ni-Cd 3.6V, 900mAh Battery
Emergency Operation Time	>3 Hours
Charging Time	12 Hours
Battery Discharge Current	200-280mA
Battery Charging Current	100-140mA
Viewing Distance	24 Meters from Both Sides
Legends	3 Ways



SKU CCT	Model	Watts	Lumens	Size
836-6 - 6000K	VT-519-C	2W	140	310x230x35mm

LED STREETLIGHTS

Illuminate roads and public spaces with V-TAC LED Street Lights, engineered with powerful CREE LED technology for bright, efficient, and long-lasting performance. Built for reliable outdoor lighting across highways, streets, tunnels, plazas, industrial areas, and car parks, with a trusted 6-year warranty for added peace of mind.

NEW



Slim Streetlights

Body Type	Aluminium	IP Rating	IP65
Beam Angle	90°	Input Power	AC:120-240V, 50/60Hz
CRIPF	>70	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
245246 4000K DAY WHITE	VT-49ST	50W	6750	368x136x92mm
238336 4000K DAY WHITE	VT-106ST	100W	13500	514x173x92mm
238356 4000K DAY WHITE	VT-155ST	150W	20250	577x195x92mm

NEW



Slim Streetlights Adjustable Angle

Body Type	Aluminium	IP Rating	IP65
Beam Angle	115°	Input Power	AC:120-240V, 50/60Hz
CRI	>70	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
21204246 4000K DAY WHITE	VT-59ST	50W	6750	470x99x149mm
21204266 4000K DAY WHITE	VT-139ST	100W	13500	567x99x179mm
21204286 4000K DAY WHITE	VT-169ST	150W	20250	633x99x203mm

NEW



Streetlights Adjustable Angle

Body Type	Aluminium+PC	IP Rating	IP65
Beam Angle	100°	Input Power	AC:220-240V, 50/60Hz
CRI	>80	Lifespan	50,000 Hours



SKU CCT	Model	Watts	Lumens	Size
236186 4000K DAY WHITE 236196 6500K WHITE	VT-55ST	50W	4700	412x139x92mm
236206 4000K DAY WHITE 236216 6500K WHITE	VT-105ST	100W	9400	488x183x92mm
244906 4000K DAY WHITE 244896 6500K WHITE	VT-156ST	150W	14100	524x187x92mm
244926 4000K DAY WHITE 244916 6500K WHITE	VT-205ST	200W	19000	565x207x92mm



LED FLOODLIGHTS

V-TAC LED floodlights are engineered with premium components to deliver powerful, efficient outdoor illumination. Housed in a durable die-cast aluminium body with IP65 protection, they offer exceptional reliability in all weather conditions.



HIGH LUMEN SLIMLINE SERIES- 1M WIRE



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Diagram	Size
23196 3000K WARM WHITE 23197 4000K DAY WHITE 23198 6500K WHITE	VT-44033-1	30W	3450		164.5x34x153mm
23199 3000K WARM WHITE 23216 4000K DAY WHITE 23217 6500K WHITE	VT-4455-1	50W	5740		183.5x34x169mm
23200 3000K WARM WHITE 23218 4000K DAY WHITE 23219 6500K WHITE	VT-44101-1	100W	11480		242.5x40x253.5mm
23201 4000K DAY WHITE 23202 6500K WHITE	VT-44153-1	150W	17220		328.5x43x295mm
23220 4000K DAY WHITE 23221 6500K WHITE	VT-44201-1	200W	22960		402.5x44x349.5mm
23203 6500K WHITE	VT-44003-1	300W	34440		496x49x445mm



HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20450 6500K WHITE	VT-30185	30W	4720	10 pcs		165x204.5x46mm
20452 6500K WHITE	VT-50185	50W	7870	10 pcs		197.5x241.5x46mm



HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9255 4000K DAY WHITE 9891 6500K WHITE	VT-4435	30W	5550	10 pcs		164.5x34x153mm
9892 4000K DAY WHITE 9893 6500K WHITE	VT-4456	50W	9250	10 pcs		183.5x34x169mm
9894 4000K DAY WHITE 9895 6500K WHITE	VT-44105	100W	18500	4 pcs		253.5x40x242.5mm
9896 4000K DAY WHITE 9897 6500K WHITE	VT-44205	200W	37000	2 pcs		402.5x44x349.5mm



HIGH LUMEN EVOLUTION SERIES-5 YEARS

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23692 4000K DAY WHITE 23693 6500K WHITE	VT-44031-5	30W	4800	10 pcs		164.5x34x153mm
23694 4000K DAY WHITE 23699 6500K WHITE	VT-44051-5	50W	8000	10 pcs		183.5x34x169mm
23700 4000K DAY WHITE 23701 6500K WHITE	VT-44106-5	100W	16000	4 pcs		253.5x40x242.5mm
23702 4000K DAY WHITE 23703 6500K WHITE	VT-44160-5	150W	24000	4 pcs		328.5x43x295mm
23696 4000K DAY WHITE 23704 6500K WHITE	VT-44206-5	200W	32000	2 pcs		402.5x44x349.5mm
23826 4000K DAY WHITE	VT-44303	300W	48000	2 pcs		496x49x445mm



HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec




SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10353 4000K DAY WHITE	VT-44031	30W	4800	10 pcs		164.5x34x153mm
10355 4000K DAY WHITE	VT-44106	100W	16000	4 pcs		253.5x40x242.5mm
10363 4000K DAY WHITE	VT-44206	200W	32000			402.5x44x349.5mm



- The floodlights work automatically, according to the level of surrounding light.
- The floodlight will automatically turn on at light levels below 140lux. At light levels above 140lux, the floodlight will turn off.
- There is no need to manually switch the light on or off.
- Floodlights with automatic light sensors do not react to motion.

LED FLOODLIGHTS WITH LIGHT SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20169 3000K WARM WHITE 20170 4000K DAY WHITE 20171 6500K WHITE	VT-37	30W	3000	20 pcs		165x46x204.5mm
20173 4000K DAY WHITE 20174 6500K WHITE	VT-57	50W	5000	10 pcs		197.5x46x241.5mm
20182 4000K DAY WHITE	VT-272	200W	20000	2 pcs		371x57x458.5mm



**Built-in junction box
for direct connection**

- Instant start in 1 second
- Operation in outside temperatures (-20 to +40° C)
- Protection rating IP65
- Only connect with waterproof cable.

LED FLOODLIGHTS - DIRECT CONNECTION

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20308 4000K DAY WHITE 20309 6500K WHITE	VT-128	20W	1510	20 pcs		157x56x101mm
20312 6500K WHITE	VT-138	30W	2340	10 pcs		177x56x117mm
20314 4000K DAY WHITE	VT-158	50W	4000	10 pcs		195x57x152mm



***Built-in junction box
for direct connection***

- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20256 3000K WARM WHITE 20258 6500K WHITE	VT-118S-B	10W	735	20 pcs		133x60x113mm
20259 3000K WARM WHITE	VT-128S-B	20W	1510	20 pcs		157x60x128mm
20262 3000K WARM WHITE	VT-138S-B	30W	2340	10 pcs		177x60x143mm



**Built-in junction box
for direct connection**

- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20270 6500K WHITE	VT-118S-W	10W	735	20 pcs		133x60x113mm
20273 6500K WHITE	VT-128S-W	20W	1510	20 pcs		157x60x128mm



- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20281 4000K DAY WHITE	VT-118S-1-B	10W	735	20 pcs		133x60x113mm
20283 3000K WARM WHITE 20284 4000K DAY WHITE 20285 6500K WHITE	VT-128S-1-B	20W	1510	20 pcs		157x60x128mm
20286 3000K WARM WHITE 20288 6500K WHITE	VT-138S-1-B	30W	2340	10 pcs		177x60x143mm
20291 6500K WHITE	VT-158S-1-B	50W	4000	10 pcs		195x60x178mm



- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance





SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20292 3000K WARM WHITE 20293 4000K DAY WHITE 20294 6500K WHITE	VT-118S-1-W	10W	735	20 pcs		133x60x113mm
20299 4000K DAY WHITE	VT-138S-1-W	30W	2340	10 pcs		177x60x143mm
20302 4000K DAY WHITE	VT-158S-1-W	50W	4000	10 pcs		195x60x178mm



Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
433 3000K WARM WHITE 434 4000K DAY WHITE 435 6400K WHITE	VT-10-S-W	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
448 3000K WARM WHITE 449 4000K DAY WHITE	VT-20-S-W	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
457 3000K WARM WHITE 459 6400K WHITE	VT-30-S-W	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
466 3000K WARM WHITE	VT-50-S-W	50W	4000	1 meter	8 pcs		223x57.06x234.3mm



Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
436 3000K WARM WHITE 437 4000K DAY WHITE	VT-10-S-B	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm

460 | 3000K WARM WHITE


VT-30-S-B

30W

2400

1 meter

20 pcs




178x57.16x197.75mm



**SLIMLINE GREY
BODY**



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
454 3000K WARM WHITE 456 6400K WHITE	VT-30-G	30W	2400	10 pcs		178x152 x28mm



**SLIMLINE WHITE
BODY**





- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
444 6400K WHITE	VT-20-W	20W	1600	20 pcs		153x132x27mm
21420 4000K DAY WHITE 21421 6500K WHITE	VT-200-W-N	200W	16500	2 pcs		439x346x48mm



SLIMLINE BLACK BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21476 4000K DAY WHITE 21477 6500K WHITE	VT-150-B-N	150W	12000	2 pcs		327x265x33mm
21418 4000K DAY WHITE 21419 6500K WHITE	VT-200-B-N	200W	16500	2 pcs		439x346x48mm



A strong, reliable, and portable lamp — V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port, making them perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

RECHARGEABLE FLOODLIGHTS

- LED provided by Samsung
- Saves 80% energy
- Function: 100%-50%-SOS
- 3.7V Li-Ion 3600mAh battery
- Rechargeable
- Contains no lead or mercury
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
20038 4000K DAY WHITE 503 6400K WHITE	VT-10-R	10W	700	micro usb cable without SOS Flash	20 pcs		175x125mm
20037 4000K DAY WHITE 502 6400K WHITE	VT-11-R	10W	700	micro usb cable	20 pcs		175x125mm
20039 4000K DAY WHITE 504 6400K WHITE	VT-20-R	20W	1400	micro usb cable	20 pcs		175x125mm




05 YEAR
WARRANTY

135
LUMEN/W
EFFICIENCY

IP65
RATING

SUPER PRO SERIES-500W

- Sphere 360° Beam Angle
- CRI: >70
- PF: > 0.9
- AC: 220-240V,50Hz
- Material: Die-cast Aluminium
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
23616 4000K DAY WHITE 23617 6500K WHITE	VT-48501	500W	67500	1 meter	1 pcs		530x65x523mm

LED HIGHBAY LIGHTS

Our world-class LED Highbay range, powered by MEAN WELL and Samsung drivers, delivers exceptional energy savings and performance. With efficiency up to 140+ lm/W and driver lifespans of up to 50,000 hours, V-TAC Highbays set a new benchmark in strength and efficiency. Available from 100W to 500W.



05
YEAR
WARRANTY

IP65
RATING


140
LUMEN/W
EFFICIENCY


1-10V
DIMMABLE

LIFUD
Driver

LED HIGHBAY WITH LIFUD DRIVER

- 140 lm/w
- 25,000 hr lifespan
- AC:175-265V,50/60Hz
- Black Body
- 5 Years Warranty
- PF: >0.9
- CRI:>70
- Aluminium
- IP65
- SMD-Samsung Chip
- LIFUD Driver


SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20480 4000K DAY WHITE	VT-9-111	100W	14000	1 pcs		233x156mm
20482 4000K DAY WHITE 20483 6500K WHITE	VT-9-161	150W	21000	1 pcs		278x156mm
20484 4000K DAY WHITE	VT-9-211	200W	28000	1 pcs		305x156mm



LED HIGHBAYS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Die cast Aluminium body
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Size
2120319 4000K DAY WHITE	VT-9-116S-1	100W	16000	1 pcs	250x94mm
2120323 4000K DAY WHITE	VT-9-206S-1	200W	32000	1 pcs	320x94mm
21203231 4000K DAY WHITE	VT-9-206S-1-N	200W	32000	2 pcs	320x70.1mm



LED Highbays

- 120° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:100-277V, 50/60Hz
- Die cast Alsiium
- PF: >0.9
- CRI:>80

SKU	Model	Watts	Lumens	Box Qty	Size
509 4000K DAY WHITE	VT-9-500	500W	60000	1 pcs	ø360x306mm



SKU	Description
571	Aluminium Reflector-120°



SKU	Description
586	PC Dustproof Cover


LED PANELS

Crafted with a durable aluminium + PMMA + PP exterior, these panels deliver enhanced reliability and energy efficiency, powered by upgraded driver boxes and Samsung LEDs. Both frameless and large panels feature a quick connector for fast installation, flicker-free stable drivers for superior light quality, and up to 80% lower power consumption compared to conventional downlights. Available in standard big-panel sizes and a wide choice of square and round frameless mini panels.

BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000/25,000 hr lifespan
- On/Off Cycle >15000




SKU	Model	Watts	Lumens	Box Qty	Size
216380 4000K DAY WHITE 216381 6500K WHITE	VT-6139S	36W	3960	6 pcs	595x595x30mm

BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Size
2166261 6500K WHITE	VT-6147	40W	4400	6 pcs	1195x295x30mm



BACKLIT SURFACED MINI PANELS

- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Shape	Size
78701 3000K WARM WHITE 78711 4000K DAY WHITE 78721 6500K WHITE	VT-60006RD-S	6W	660	Round	ø121.2x30.6mm
78731 3000K WARM WHITE 78741 4000K DAY WHITE 78751 6500K WHITE	VT-60012RD-S	12W	1200	Round	ø167.4x30.7mm
78761 3000K WARM WHITE 78771 4000K DAY WHITE 78781 6500K WHITE	VT-60018RD-S	18W	1850	Round	ø215.6x30.8mm
78791 3000K WARM WHITE	VT-60024RD-S	24W	2500	Round	ø288.6x31.2mm
104921 3000K WARM WHITE 104931 4000K DAY WHITE 104941 6500K WHITE	VT-60006SQ-S	6W	660	Square	120.8x120.8x30.7mm
104951 3000K WARM WHITE 104961 4000K DAY WHITE 104971 6500K WHITE	VT-60012SQ-S	12W	1200	Square	167.3x167.3x30.7mm
104981 3000K WARM WHITE 104991 4000K DAY WHITE	VT-60018SQ-S	18W	1980	Square	214x214x31mm



BACKLIT RECESSED MINI PANELS

- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5
- Long springs



SKU	Model	Watts	Lumens	Shape	Cutting Size	Size
78551 3000K WARM WHITE 78561 4000K DAY WHITE	VT-61003RD-S	3W	330	Round	ø80mm	ø90.5x28mm
78611 3000K WARM WHITE 78621 4000K DAY WHITE 78631 6500K WHITE	VT-61012RD-S	12W	1200	Round	ø155mm	ø170.8x28.4mm
78641 3000K WARM WHITE 78651 4000K DAY WHITE 78661 6500K WHITE	VT-61018RD-S	18W	1980	Round	ø205mm	ø220.8x28.9mm
78671 3000K WARM WHITE 78681 4000K DAY WHITE 78691 6500K WHITE	VT-61024RD-S	24W	2500	Round	ø280mm	ø294x29.1mm
104771 3000K WARM WHITE 104781 4000K DAY WHITE	VT-61003SQ-S	3W	330	Square	80x80mm	90.2x90.2x28.2mm
104861 3000K WARM WHITE	VT-61018SQ-S	18W	1980	Square	205x205mm	220.4x220.4x28.8mm

LED STREETLIGHTS

Light the way forward with V-TAC LED Street Lights, powered by premium Samsung LEDs and high-performance drivers from DALI, Inventronics, and MEAN WELL. Delivering uniform, reliable illumination for highways, streets, tunnels, plazas, industrial areas, and car parks. Available with Class I & Class II Type III-M lenses.



LED STREETLIGHTS WITH LIGHT SENSOR

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V,50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20433 6500K WHITE	VT-59ST-S	50W	5000	1 pcs		470x149x99mm
2120434 4000K DAY WHITE	VT-139ST-S-N	100W	13500	2 pcs		567x179x99mm
2120436 4000K DAY WHITE	VT-169ST-S-N	150W	20250	2 pcs		628x203x99mm



05
YEAR
WARRANTY

IP65
RATING

**IN-HOUSE
TOOLING**

**ADJUSTABLE
ANGLE**

LED STREETLIGHTS ADJUSTABLE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V, 50/60Hz
- Body Type: Aluminium
- 100°(115°) Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20423 6500K WHITE	VT-39ST	30W	3000	4 pcs		416x138x99mm
2120422 4000K DAY WHITE 2120423 6500K WHITE	VT-39ST-N	30W	4050	1 pcs		416x138x99mm
20425 6500K WHITE	VT-59ST	50W	5000	1 pcs		470x149x99mm
2120424 4000K DAY WHITE 2120425 6500K WHITE	VT-59ST-N	50W	5000	1 pcs		470x149x99mm



05
YEAR
WARRANTY

IP65
RATING

**IN-HOUSE
TOOLING**

**ADJUSTABLE
ANGLE**

LED STREETLIGHTS ADJUSTABLE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V, 50/60Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120438 4000K DAY WHITE 2120439 6500K WHITE	VT-79ST-N	70W	8040	1 pcs		470x149x99mm
20427 6500K WHITE	VT-139ST	100W	11000	1 pcs		567x179x99mm
2120426 4000K DAY WHITE 2120427 6500K WHITE	VT-139ST-N	100W	11480	1 pcs		567x179x99mm
2120428 4000K DAY WHITE 2120429 6500K WHITE	VT-169ST-N	150W	17220	1 pcs		633x203x99mm

05
YEAR
WARRANTY



IP65
RATING

ADJUSTABLE
ANGLE



LED STREETLIGHTS ADJUSTABLE

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- Adjustable Angle 180°
- Replaceable Light Engine

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23618 4000K DAY WHITE 23619 6500K WHITE	VT-55ST	50W	4700	1 pcs		412x139x92mm
23620 4000K DAY WHITE 23621 6500K WHITE	VT-105ST	100W	9400	1 pcs		488x183x92mm



05
YEAR
WARRANTY

IP65
RATING

IK08
RATING

10 KV
SURGE
PROTECTION


inventronics
DRIVER

130
LUMEN/W
EFFICIENCY

The LED suspended Light offers high lumen lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Inventronics, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

CLASS I, TYPE III-M LENS GARDEN LIGHTS SUSPENDED

- AC:176-265V,50HZ
- Die-cast Aluminium/ADC12
- 30,000 hr lifespan
- Beam Angle:160x100°
- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
545 4000K DAY WHITE	VT-115ST	100W	13000	1 pcs		520x348.8mm



05
YEAR
WARRANTY

IP65
RATING

IK08
RATING

10 KV
SURGE
PROTECTION

inventronics
DRIVER

130
LUMEN/W
EFFICIENCY

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 120W to 200W, select models available with DALI drivers.

LED STREETLIGHTS (TYPE III-M LENS)

- AC:175-265V,50HZ
- 30,000 hr lifespan
- 150 x 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
542 4000K DAY WHITE	VT-120ST	120W	15600	1 pcs		286x144x705mm
543 4000K DAY WHITE	VT-160ST	160W	20800	1 pcs		399x144x831mm



05
YEAR
WARRANTY

IP65
RATING

IK08
RATING

140
LUMEN/W
EFFICIENCY

inventronics
DRIVER

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. These Streetlights can be easily tailored for many night lighting needs of different areas and regions.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC:200-240V
- Die-cast Aluminium
- 30,000 hr lifespan
- CRI: >70
- PF: > 0.9
- 153x70° Beam Angle

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
884 5700K WHITE	VT-102ST	100W	14000	2 pcs		658x270x85mm
885 4000K DAY WHITE 886 5700K WHITE	VT-122ST	120W	16800	2 pcs		658x270x85mm
887 4000K DAY WHITE 888 5700K WHITE	VT-152ST	150W	21000	1 pcs		746.4x300x85mm
890 5700K WHITE	VT-202ST	200W	28000	1 pcs		748x300x85mm



The Class I Type LED streetlight offers a high lumen output and superbly efficient performance, further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where a wide area lighting is required. Ranges 50W to 150W.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC: 90-305V,50Hz
- 30,000 hr lifespan
- 153x70° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
954 5700K WHITE	VT-103ST	100W	14000	2 pcs		270x83.6x656.4mm
955 5700K WHITE	VT-153ST	150W	21000	1 pcs		300x83.6x746.4mm



The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting on highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30W to 150W.

LED SLIM STREETLIGHTS

- Input AC:120-240V,50/60Hz
- CRI >70
- PF >0.9
- 30,000 hr lifespan
- 110° Beam Angle
- Material: Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21956 4000K DAY WHITE 21957 6500K WHITE	VT-34ST-N	30W	4050	4 pcs		374.8x134.9x62.9mm
21958 4000K DAY WHITE 21959 6500K WHITE	VT-54ST-N	50W	6850	4 pcs		434.8x169.9x63mm
21960 4000K DAY WHITE 21961 6500K WHITE	VT-104ST-N	100W	13500	2 pcs		535x260x64mm
21962 4000K DAY WHITE 21963 6500K WHITE	VT-154ST-N	150W	20300	2 pcs		535x260x64mm



05
YEAR
WARRANTY

IP65
RATING

IK07
RATING

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000lm.

LED STREETLIGHTS - GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Die cast Aluminium body
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
215251 4000K DAY WHITE 215261 6500K WHITE	VT-30ST-N-N	30W	3000	4 pcs		417.6x198.6x60mm
215271 4000K DAY WHITE 215281 6500K WHITE	VT-50ST-N-N	50W	5000	4 pcs		467.6x214.6x60mm
215291 4000K DAY WHITE 215301 6500K WHITE	VT-100ST-N-N	100W	10000	2 pcs		547.6x294.6x62.1mm
215311 4000K DAY WHITE 215321 6500K WHITE	VT-150ST-N-N	150W	15000	2 pcs		594.1x299.6x67.5mm



Retaining the classic design of the V-TAC streetlight, the iron grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000lm

LED STREETLIGHTS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21538 6400K WHITE	VT-31ST-N	30W	2350	4 pcs		301.54x130x57.99
21535 4000K DAY WHITE	VT-101ST-N	100W	8400	2 pcs		459.47x220x79.5



SKU	Model	Size	Description
3624	VT-795	Ø=55-60; Ø=75-85; 330mm	Compatible with 100W, 120W and 150W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.



SKU	Model	Size	Description
3668	VT-795-1	309xØ62xØ48mm	Compatible with 30W and 50W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.

LED TUBES & FIXTURES

V-TAC's extensive range of LED tubes and fixtures features premium Samsung LEDs, a long lifespan of up to 30,000 hours, and a robust, unbreakable construction designed for demanding environments. Available in multiple lengths and sizes, the range includes advanced options such as TP(a) rated fixtures compatible with emergency packs and microwave sensors, CCT-changing batten fittings, linkable T5 battens, and waterproof solutions—delivering durable, flexible, and energy-efficient lighting for a wide variety of applications.

EVOLUTION TUBES SERIES



- Nano Plastic
- 25,000 hr lifespan
- CRI - >80
- Flicker Free
- PF - 0.5
- On/Off Cycle >15000
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °

05 YEAR
WARRANTY

EFFICIENCY
160
LUMENS/W

Together with its impressive energy rating, our LED tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216475 4000K DAY WHITE 216476 6500K WHITE	VT-1607-N	7W	1120	25 pcs		28x600mm
216478 4000K DAY WHITE 216479 6500K WHITE	VT-1612-N	12W	1920	25 pcs		28x1200mm
216481 4000K DAY WHITE 216482 6500K WHITE	VT-1615-N	15W	2400	25 pcs		28x1500mm

G13-T8 - HIGH LUMEN NANO PLASTIC TUBES



- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start

05 YEAR
WARRANTY

110-120
LUMEN/W

This modern range of high lumen LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21798 3000K WARM WHITE 21686 4000K DAY WHITE 21687 6500K WHITE	VT-062-N	7.5W	850	25 pcs		600x28mm
21688 3000K WARM WHITE 21672 4000K DAY WHITE	VT-122-N	16.5W	1850	25 pcs		1200x28mm
21799 3000K WARM WHITE	VT-152-N	24W	3000	25 pcs		1500x28mm




T8 PRO TUBES



- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start



This modern range of LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. These sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.






SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21651 4000K DAY WHITE 21652 6500K WHITE	VT-061-N	9W	850	25 pcs		600x28mm
21654 4000K DAY WHITE 21655 6500K WHITE	VT-121-N	18W	1850	25 pcs		1200x28mm
21657 4000K DAY WHITE 21658 6500K WHITE	VT-151-N	20W	2100	25 pcs		1500x28mm



The tried-and-true 10W to 60W range of efficient and powerful LED prismatic fittings from V-TAC. Some have a high lumen rating of 120 lm/w and are equipped with quick connectors to shorten set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

SLIM FITTINGS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 120° Beam Angle
- CRI >80
- PF>0.5 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20346 6500K WHITE	VT-8-10-N	10W	1000	30 pcs		300x75x24mm
20349 6500K WHITE	VT-8-20-N	20W	2400	30 pcs		566x76x24mm
20351 4000K DAY WHITE 20352 6500K WHITE	VT-8-40-N	40W	4800	30 pcs		1166x76x24mm
20354 4000K DAY WHITE 20355 6500K WHITE	VT-8-50-N	50W	6000	30 pcs		1466x76x24mm
20356 3000K WARM WHITE 21670 4000K DAY WHITE 21671 6500K WHITE	VT-8-60-N	60W	7200	30 pcs		1800x24x75mm



LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch



Standard Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC+Iron
- PF>0.9
- CRI>80

Microwave Sensor

- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/20%
- Stand-by Period: 15 mins/+∞
- Hold Time: 5s/1 min/3 min/10 min
- Daylight Threshold: 30 Lux/Disable
- Detection Range: 12M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°



Emergency Backup

- Battery Type: 6.4V, LiFePO4, 18730 2000mAh
- Battery Charge Voltage: DC:9V
- Battery Current: 30~400 mA
- Battery Discharge Voltage: DC 6.0~8.2V
- Battery Discharge Current: 350~700 mA
- Charging Time: > 12Hours
- Working Time: > 3Hours
- Test Function: Manual

Optional(Not included)
SKU:7814


REMOTE CONTROLLER

Compatible with

VT-4004S / VT-4004SE
VT-4005S / VT-4005SE
VT-4006S / VT-4006SE




LED BATTEN FITTINGS - 4 FEET




SKU	Model	Watts	Lumens	Box Qty
7011 3IN1	VT-4004	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7012 3IN1	VT-4004S (Sensor)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7013 3IN1	VT-4004E (Emergency Battery)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7014 3IN1	VT-4004SE (Sensor+Emergency Battery)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs

LED BATTEN FITTINGS - 5 FEET




SKU	Model	Watts	Lumens	Box Qty
7015 3IN1	VT-4005	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7016 3IN1	VT-4005S (Sensor)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7017 3IN1	VT-4005E (Emergency Battery)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7018 3IN1	VT-4005SE (Sensor+Emergency Battery)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs

LED BATTEN FITTINGS - 6 FEET



SKU	Model	Watts	Lumens	Box Qty
7019 3IN1	VT-4006	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7020 3IN1	VT-4006S (Sensor)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7021 3IN1	VT-4006E (Emergency Battery)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7022 3IN1	VT-4006SE (Sensor+Emergency Battery)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs

NEW



LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch

Standard Batten Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC
- PF>0.9
- CRI>80



Microwave Sensor

- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/10%/20%/30%
- Stand-by Period: 5min/15 mins/30min+∞
- Hold Time: 30s/1 min/3 min/10 min
- Daylight Threshold: 10 Lux/30 Lux/50 Lux Disable
- Detection Range: 24M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°

SKU	Model	Watts	Lumens	Box Qty
23904 3IN1	VT-4008S	10W 15W 20W	4000K - 1300 lm 5000K - 1400 lm 6500K - 1250 lm 4000K - 1800 lm 5000K - 2025 lm 6500K - 1725 lm 4000K - 2400 lm 5000K - 2700 lm 6500K - 2300 lm	6 pcs

INTEGRATED T5



- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 160° Beam Angle
- CRI >80
- PF>0.5
- 25,000 hr lifespan
- On/Off Cycle >15000

05 YEAR
WARRANTY

LINKABLE
UP TO 100 WATTS

The new T5 Batten Fittings retain the premium qualities of V-TAC's LED fixtures. Multiple batten fittings can be linked, making them an efficient alternative lighting fixture for indoor spaces of any size.

SKU	Model	Watts	Lumens	Box Qty	Size
21689 3000K WARM WHITE 21690 4000K DAY WHITE 21691 6500K WHITE	VT-035-N	4W	400	25 pcs	290x27x30mm
21692 3000K WARM WHITE 21693 4000K DAY WHITE 21694 6500K WHITE	VT-065-N	7W	700	25 pcs	551x27x30mm
21695 3000K WARM WHITE 21696 4000K DAY WHITE 21697 6500K WHITE	VT-125-N	16W	1600	25 pcs	1151x27x30mm

WATERPROOF FITTINGS-QUICK CONNECT-GT SERIES



- IP65 Rating.
- SMD-Samsung Chip
- 3 Years Warranty
- AC:200-240V,50/60Hz
- Body Type: PC
- 120° Beam Angle
- CRI >80
- PF>0.7 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000


03 YEAR
WARRANTY

120 LUMEN/W
EFFICIENCY

IP65
RATING

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23391 4000K DAY WHITE 23392 6500K WHITE	VT-12017	18W	2160	12 pcs		600x68x59mm
23387 4000K DAY WHITE 23388 6500K WHITE	VT-12035	36W	4320	12 pcs		1200x68x59mm
23389 4000K DAY WHITE 23390 6500K WHITE	VT-12049	48W	5760	12 pcs		1500x68x59mm

WATERPROOF FITTINGS



- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >70
- PF: >0.9


05
YEAR
WARRANTY


IP65
RATING

With its IP65 rating and tough exterior, the Waterproof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these Waterproof Fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

EVOLUTION
SERIES

EFFICIENCY
160
LUMENS/W

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216483 4000K DAY WHITE	VT-1532-N	32W	5120	12 pcs		1500x65x58mm




05
YEAR
WARRANTY

IP65
RATING

WATERPROOF FITTINGS- 180CM

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
680 4000K DAY WHITE	VT-180	60W	5400	9 pcs		1800x65x58mm

MILKY COVER -M SERIES





- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

03
YEAR
WARRANTY

IP65
RATING

120
LUMEN/W
EFFICIENCY

This new addition to V-TAC's fixtures range promotes efficiency with its high lumen to watt ratio (120 lm/W). The milky cover provides a softer, better-diffused light that is milder on the eyes.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120210 6500K WHITE	VT-60018-M-N	18W	2160	12 pcs		600x72x78mm
2120203 4000K DAY WHITE	VT-150048-M-N	48W	5760	12 pcs		1500x72x78mm



EMERGENCY WATERPROOF FITTINGS


- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- Battery Type:9.6V 2200mAh Ni-Cd battery
- Charging Time:24Hours
- Working Time:3Hours
- Emergency Power: 6-7W
- SMD LED Chip
- Body Type: PC
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- SS Clips

03
YEAR
WARRANTY

IP65
RATING

120
LUMEN/W
EFFICIENCY

POLYCARBONATE
PC

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120223 4000K DAY WHITE 2120222 6500K WHITE	VT-120136E-N	36W	4320	12 pcs		1200x72x78mm
2120221 4000K DAY WHITE	VT-150148E-N	48W	5760	12 pcs		1500x72x78mm



**MICROWAVE
SENSOR**

05
YEAR
WARRANTY

IP65
RATING

120
LUMEN/W
EFFICIENCY


**STAINLESS
STEEL CLIPS**



- Waterproof Fitting designed with Lumen efficiency 120LM/W
- High power Samsung SMD-Chip technology makes the fitting reliable and durable
- Strong and sturdy PC body with Stainless Steel Clips
- Built in microwave sensor with 4 modes for optimal performance
- Protection from water, dust and corrosion - IP65 Rated
- Designed for maximum efficiency & minimal glare
- Suitable for parking lots, warehouses, garages, storage docks, workshops etc.

WATERPROOF FITTINGS WITH SENSOR

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- 50%/100% Detection Distance
- 5s,1min,3min,10min Hold Time
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20468 4000K DAY WHITE	VT-120136S	36W	4320	12 pcs		1200x78x72mm

20470 | 4000K DAY WHITE

VT-150148S

48W

5760

12 pcs




1500x78x72mm



MILKY COVER - M SERIES SS CLIPS

- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120216 6500K WHITE	VT-120136-M-N	36W	4320	12 pcs		1200x72x78mm
2120214 6500K WHITE	VT-150148-M-N	48W	5760	12 pcs		1500x72x78mm

EMERGENCY PACK



SKU

8343

- Input Voltage: AC:220-240V,50/60Hz
- Charging Time: 24 Hours
- Emergency Power: 6-7W
- Emergency Operation time: 3 Hours
- Battery Type: Ni-Cd 9.6V 2200mAh
- Size: 212x40x30mm
- Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips Milky Cover




LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent fixtures in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

LINEAR HANGING LIGHTS ADJUSTABLE HEIGHT

Linear hanging lights with adjustable height are a stylish and functional lighting solution for various spaces, including dining rooms, kitchen islands, conference rooms, and more. These lights typically feature a linear arrangement of multiple light fixtures suspended from a single canopy, creating a sleek and modern aesthetic. The adjustable height feature allows you to customize the lighting arrangement according to your needs and the specific requirements of your space.

- 50cm to 2m height adjustment
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20




SKU	Unit Color	Model	Watts	Lumens	Size
10468 3IN1	Black	VT-7-44-B	40W	3400	1200x50x65mm
10469 3IN1	White	VT-7-44-W	40W	3400	1200x50x65mm

LINEAR HANGING LIGHTS-LENS TYPE 3IN1





- AC:200-240V, 50Hz
- CCT 3IN1
- PC+Aluminium Body
- 60° Beam Angle
- 30,000 hr Lifespan
- IP20




SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23341 3IN1	Black	VT-7-36-B	36W	2880	6	1227x50x60mm
23342 3IN1	White	VT-7-36-W	36W	2880	6	1227x50x60mm
23343 3IN1	Matt Grey	VT-7-36-MG	36W	2880	6	1227x50x60mm
23344 3IN1	Gold	VT-7-36-G	36W	2880	6	1227x50x60mm

LINEAR HANGING LIGHTS-DIFFUSER PLATE TYPE 3IN1




- AC:200-240V, 50Hz
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23345 3IN1	Black	VT-7-35-B	36W	2880	6	1227x50x60mm
23346 3IN1	White	VT-7-35-W	36W	2880	6	1227x50x60mm
23347 3IN1	Matt Grey	VT-7-35-MG	36W	2880	6	1227x50x60mm
23348 3IN1	Gold	VT-7-35-G	36W	2880	6	1227x50x60mm




UP & DOWN LINEAR LIGHTS (NON-LINKABLE)




- 30,000 hr Lifespan
- AC:100-240V,50Hz
- Aluminium Body
- 1-10V Dimmable
- 1.5 Meter Wire Length
- Beam angle: Up-110°, Down-50°

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
607 4000K DAY WHITE	Silver	VT-7-61-S	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm
606 4000K DAY WHITE	White	VT-7-61-W	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm



LINEAR SURFACED LIGHTS




- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20462 3000K WARM WHITE 20464 6400K WHITE	Black	VT-7-46	40W	3000K-3275lm 6400K-3300lm	10	1197x50x65mm




LINEAR 3IN1 LIGHTS



- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Toggle switch - 3IN1 CCT
- Aluminium Body
- 1.5 Meter Wire Length


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20060 3IN1	Black	VT-7-44	40W	2500	10	1197x50x65mm



LINEAR HANGING LIGHTS (NON-DIMMABLE)




LINKABLE
UP TO 12 METERS



- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminium Body
- 120° Beam Angle

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21374 4000K DAY WHITE 21600 6400K WHITE	Black	VT-7-40-B-N	40W	3270	12	1194x35x67mm
21375 4000K DAY WHITE 21601 6400K WHITE	Silver	VT-7-40-S-N	40W	3300	12	1194x35x67mm
21376 4000K DAY WHITE 21602 6400K WHITE	White	VT-7-40-W-N	40W	3270	12	1194x35x67mm



SLIM LINEAR HANGING LIGHTS




LINKABLE
UP TO 12 METERS



- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21384 4000K DAY WHITE	Silver	VT-7-43-S-N	40W	3590	10	1197x50x75mm



SLIM UP & DOWN LINEAR LIGHTS



LINKABLE
UP TO 12 METERS



- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Aluminium Body
- Linkable with connectors
- 0-10V Dimmable
- 1.5 Meter Wire Length

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
378 4000K DAY WHITE	Silver	VT-7-60-S	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm



SLIM RECESSED LINEAR LIGHTS



LINKABLE
UP TO 12 METERS






- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
603 6400K WHITE	Silver	VT-7-41-S	40W	3200	12	1211x70x35mm


SLIM LINEAR CONNECTOR LIGHTS

• Smart connectors designed for V-TACs range of recessed linear lights • Robust Aluminium body • Allows easy linking with linear lights

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
	386 4000K DAY WHITE	White: VT-7-41-L	8W	800	8	
	394 4000K DAY WHITE 393 4000K DAY WHITE	White: VT-7-41-X	16W	1600	4	
	399 4000K DAY WHITE	White: VT-7-42-X	16W	1600	4	


MASTER TRUNKING

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up. The sustained color temperature throughout long periods of usage.



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1361 4000K DAY WHITE	 FLAT 120°	VT-4551D-120	50W	8000	2	1500x60x77mm

FOLLOW TRUNKING



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1363 4000K DAY WHITE	WIDE 90°	VT-4550D	50W	8000	2	1700x60x74mm
1365 4000K DAY WHITE	DOUBLE ASYMMETRIC	VT-4550D-DL	50W	8000	2	1700x60x74mm



Linear Track Module

SKU	Box Qty
1382	5



L Node Connector

SKU	Box Qty
1383	8



End Cap

SKU	Box Qty
1366	200



S Line-Follow Trunking Rail

SKU	Box Qty
1451	10


SURFACED LINEAR LIGHTS

Surface-mounted linear lights are a type of lighting fixture that is installed directly onto the surface of a ceiling or wall, providing a sleek and modern lighting solution.

- 20,000 hr Lifespan
- IK08
- Linkable upto 1000W
- PC+Aluminium Body
- 120° Beam Angle
- IP20



LINKABLE
UPTO 1000W



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23000 4000K DAY WHITE 10137 6500K WHITE	Black	VT-4140-B	40W	4300	36	1200x50x55mm
10138 4000K DAY WHITE 23001 6500K WHITE	White	VT-4140-W	40W	4300	36	1200x50x55mm

CONNECTORS SURFACED LINEAR LIGHTS

	SKU	Unit Color	Watts	Lumens	Box Qty
	10140 4000K DAY WHITE 10141 6500K WHITE	Black	12W	1200	24
	10142 4000K DAY WHITE 10143 6500K WHITE	White	12W	1200	24
	23002 4000K DAY WHITE 10170 6500K WHITE	Black	10W	1000	50
	10171 4000K DAY WHITE 10172 6500K WHITE	White	10W	1000	50
	10173 4000K DAY WHITE 10174 6500K WHITE	Black	8W	800	50
	10175 4000K DAY WHITE 10176 6500K WHITE	White	8W	800	50



Power Cable 0.3m, 3*0.75mm²

SKU	Unit Color
10177	Black
10179	White



Power Cable 1.5m, 3*0.75mm²

SKU	Unit Color
10178	Black
10180	White



Power Cable with 2 plugs 2m, 3*0.75mm²

SKU	Unit Color
10181	Black
10182	White



Suspended Kit

SKU
10183



Recessed Kit

SKU
10184



Surface Mounted Kit

SKU
10185

LED TRACKLIGHTS


Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highly enhancing any product's appeal to customers.

4 LINE TRACKLIGHTS



- COB LED Type
- 30,000 hr Lifespan
- 36° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



05
YEAR
WARRANTY


CRI
90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
350 3000K WARM WHITE 352 5000K WHITE	White	VT-407-W	7W	490	20	180x40.5x50mm
21351 4000K DAY WHITE	White	VT-407-W-N	7W	700	20	180x40.5x50mm
21353 3000K WARM WHITE 21354 4000K DAY WHITE 21355 5000K WHITE	Black	VT-407-B-N	7W	700	20	180x40.5x50mm
358 5000K WHITE	White	VT-415-W	15W	1200	20	200x50x50mm
21356 3000K WARM WHITE 21357 4000K DAY WHITE	White	VT-415-W-N	15W	1500	20	Ø50x200x90mm
21359 3000K WARM WHITE 21360 4000K DAY WHITE 21361 5000K WHITE	Black	VT-415-B-N	15W	1500	20	Ø50x200x90mm
364 5000K WHITE	White	VT-420-W	20W	1600	20	220x60x50mm
20486 4000K DAY WHITE	Black	VT-11035-B	35W	3000	20	164x80x190mm

4 LINE SHUTTER TRACKLIGHTS



- COB LED Type
- 30,000 hr Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



05
YEAR
WARRANTY

CRI
90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21371 3000K WARM WHITE 21372 4000K DAY WHITE	Black	VT-433-B-N	33W	3000	10	Ø170x230x240mm
368 3000K WARM WHITE 370 5000K WHITE	White	VT-433-W	33W	3000	10	Ø170x230x240mm



LED DOME & DOWN LIGHTS

V-TAC's LED Bulkhead range features IP65-rated 2D luminaires crafted from advanced polycarbonate for superior water and dust protection. Designed for outdoor reliability, select models combine emergency battery backup and a 120° microwave sensor for enhanced safety and efficiency, all delivered in sleek, modern designs ideal for secure and effective exterior lighting.

NEW LED BULKHEAD



CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:200-240V, 50/60Hz
- 5 Years Warranty
- PC
- IK08
- IP65



CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: Ni-CD, 9.6V 1.0Ah Battery



SKU	Model	Watts	Lumens	Name	Box Qty	Size
21815 4000K DAY WHITE	VT-08	8W	750	LED Bulkhead	10 pcs	Ø270x90mm
21816 4000K DAY WHITE	VT-11	10W	720	LED Bulkhead With Emergency Backup	10 pcs	Ø270x90mm

NEW LED BULKHEAD



CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:200-240V, 50/60Hz
- 5 Years Warranty
- PC
- IK08
- IP65



CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: 7.4V, 2.2Ah Battery



SKU	Model	Watts	Lumens	Name	Box Qty	Size
21820 4000K DAY WHITE	VT-12S	12W	1480	LED Bulkhead	10 pcs	Ø270x65mm
21822 4000K DAY WHITE	VT-12SE	14W	1440	LED Bulkhead With Emergency Backup	10 pcs	Ø270x65mm



LED BULKHEAD

8W

3000K - 1330 Lumens
4000K - 1460 Lumens
6500K - 1430 Lumens

16W

3000K - 2610 Lumens
4000K - 2900 Lumens
6500K - 2730 Lumens

20W

3000K - 3266 Lumens
4000K - 3483 Lumens
6500K - 3441 Lumens



**MICROWAVE
SENSOR**

CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable function: Yes, 0, 10%, 20%, 30% Optional
- Stand-by Period: 0s, 10s, 10min Optional
- Hold Time: 5s, 90s, 5min, 10min Customised
- Daylight Sensor: Day, 2lux, 10lux, 50lux Optional
- Detection Range: 10Mx6M (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch



**EMERGENCY
BATTERY
BACKUP**

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: LiFePO4, 3.2V 1.0Ah Battery

SKU	Model	Name	Size
801-24 3IN1	VT-8603-24	LED Bulkhead	Ø320x100mm
804-24 3IN1	VT-8613-24	LED Bulkhead With Sensor	Ø320x100mm
806-24 3IN1	VT-8623-24	LED Bulkhead With Emergency Backup	Ø320x100mm
812-24 3IN1	VT-8633-24	LED Bulkhead With Emergency Backup+Sensor	Ø320x100mm



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 20,000 hr lifespan
- SMD LED Chip
- CRI >80
- 5 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

SKU	Model	Watts	Lumens	Shape	Box Qty	Size
23418 3IN1	VT-13CCT	12W	900	Round	10 pcs	ø290x60mm
23419 3IN1	VT-81003	12W	1100	Square	10 pcs	250x250x60mm



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 25,000 hr lifespan
- SMD Samsung LED Chip
- CRI >80
- 3 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

SKU	Model	Watts	Lumens	Shape	Box Qty	Size
21807 3000K WARM WHITE	VT-13-N	12W	1000	Round	10 pcs	Ø290x60mm
21808 4000K DAY WHITE						
21809 6400K WHITE						

CEILING LIGHTS



- AC:220-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
2113889 3000K WARM WHITE	VT-8033RD-N	15W	1850	Round	20 pcs	Ø200x47.5mm

13959 3000K WARM WHITE	VT-8066SQ	25W	2500	Square	10 pcs	300x300x50mm
--------------------------	-----------	-----	------	--------	--------	--------------

REFLECTOR DOWNLIGHT



- Adjustable Angle
- AC:85-265V,50/60Hz
- Material: aluminium
- 120° Beam Angle
- COB LED chip provided by Samsung
- CRI >80



SKU	Model	Watts	Lumens	Box Qty	Size
21839 3000K WARM WHITE 21840 4000K DAY WHITE 21841 6400K WHITE	VT-2-10-N	10W	1075	20 pcs	ø96x34mm
21842 3000K WARM WHITE 21843 4000K DAY WHITE 21844 6400K WHITE	VT-2-20-N	20W	1865	20 pcs	ø170x38mm
21845 3000K WARM WHITE 21846 4000K DAY WHITE 21832 6400K WHITE	VT-2-30-N	30W	3040	20 pcs	ø225x38mm

PRO REFLECTOR DOWNLIGHT BLACK HOUSING



- IP20 Rating.
- COB-Samsung Chip
- 5 Years Warranty
- AC:85-265V, 50/60Hz
- Material: aluminium
- 120° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
2120054 3000K WARM WHITE 2120056 6400K WHITE	VT-2-23-N	20W	1780	Round	20 pcs	ø160x70mm
20059 6400K WHITE	VT-2-33	30W	2400	Round	10 pcs	ø220x70mm



LED WALL LIGHTS WITH SENSOR

- Detection Range: 120°
- Detection Distance: Wall:Max.9M (<24°C)
- Time Delay: Min.10sec±3sec, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP54 rating



SKU	Model	Watts	Lumens	Box Qty
23421 4000K DAY WHITE	VT-81005	10W	900	20 pcs



LED WALL LIGHTS WITH SENSOR

- Detection Range: 160°/360°
- Detection Distance: Wall:Max.9M & Ceiling Max.6M (<24°C)
- Time Delay: Min.10sec±3sec, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP44 rating



SKU	Model	Watts	Lumens	Box Qty
23420 3IN1	VT-81004	15W	1300	10 pcs



LED HOUSE NO. LIGHT WITH SENSOR

- AC:220-240V, 50/60Hz
- Working Temperature:-20°C to +40°C
- P_{sb}: <0.5W
- Ambient Light: <3-50lux(adjustable)
- CRI>80
- LED provided by samsung
- 5 Years Warranty
- Day/Night Light Sensor
- IP65 rating



SKU	Model	Watts	Lumens	Box Qty
23422 4000K DAY WHITE	VT-81006	12W	1100	10 pcs

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76151-24 3000K WARM WHITE 76161-24 4000K DAY WHITE 76171-24 6500K WHITE	VT-8618RD-S-W	18W	1830	ø250x63mm
76181-24 3000K WARM WHITE 76191-24 4000K DAY WHITE 76201-24 6500K WHITE	VT-8624RD-S-W	24W	2500	ø250x63mm
76211-24 3000K WARM WHITE 76221-24 4000K DAY WHITE 76231-24 6500K WHITE	VT-8630RD-S-W	36W	3820	ø350x61mm

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76241-24 3000K WARM WHITE 76251-24 4000K DAY WHITE 76261-24 6500K WHITE	VT-8618SQ-S-W	18W	1830	250x250x65mm
76271-24 3000K WARM WHITE 76281-24 4000K DAY WHITE 76291-24 6500K WHITE	VT-8624SQ-S-W	24W	2500	295x295x65mm
76301-24 3000K WARM WHITE 76311-24 4000K DAY WHITE 76321-24 6500K WHITE	VT-8630SQ-S-W	48W	5160	420x420x65mm

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76331-24 3000K WARM WHITE 76341-24 4000K DAY WHITE 76351-24 6500K WHITE	VT-8618RD-S-B	18W	1830	ø250x63mm
76361-24 3000K WARM WHITE 76371-24 4000K DAY WHITE 76381-24 6500K WHITE	VT-8624RD-S-B	24W	2500	ø295x60mm
76391-24 3000K WARM WHITE 76401-24 4000K DAY WHITE 76411-24 6500K WHITE	VT-8630RD-S-B	36W	3820	ø350x61mm

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76421-24 3000K WARM WHITE 76431-24 4000K DAY WHITE 76441-24 6500K WHITE	VT-8618SQ-S-B	18W	1830	250x250x65mm
76451-24 3000K WARM WHITE 76461-24 4000K DAY WHITE 76471-24 6500K WHITE	VT-8624SQ-S-B	24W	2500	295x295x65mm
76481-24 3000K WARM WHITE 76491-24 4000K DAY WHITE 76501-24 6500K WHITE	VT-8630SQ-S-B	48W	5160	420x420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s, 30s, 5min, 10min, 20min, 30min
- Light Sensor - 5lux, 30lux, 100lux, 200lux (adjustable)
- Detection Distance - 1-2m, 2-3m, 4-5m (radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC: 220-240V, 50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76591-24 3000K WARM WHITE 76601-24 4000K DAY WHITE 76611-24 6500K WHITE	VT-8618SRD-S-W	18W	1830	ø295x60mm
76621-24 3000K WARM WHITE 76631-24 4000K DAY WHITE 76641-24 6500K WHITE	VT-8624SRD-S-W	24W	2500	ø350x61mm
76651-24 4000K DAY WHITE	VT-8630SRD-S-W	36W	3820	ø420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s, 30s, 5min, 10min, 20min, 30min
- Light Sensor - 5lux, 30lux, 100lux, 200lux (adjustable)
- Detection Distance - 1-2m, 2-3m, 4-5m (radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC: 220-240V, 50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76661-24 4000K DAY WHITE	VT-8618SSQ-S-W	18W	1830	295x295x65mm
76681-24 4000K DAY WHITE	VT-8630SSQ-S-W	36W	3820	420x420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76691-24 4000K DAY WHITE	VT-8618SRD-S-B	18W	1830	ø295x60mm
76701-24 4000K DAY WHITE	VT-8624SRD-S-B	24W	2500	ø350x61mm
76711-24 4000K DAY WHITE	VT-8630SRD-S-B	36W	3820	ø420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76721-24 4000K DAY WHITE	VT-8618SSQ-S-B	18W	1830	295x295x65mm
76741-24 4000K DAY WHITE	VT-8630SSQ-S-B	36W	3820	420x420x65mm



05
YEAR
WARRANTY

UGR
<19

FLICKER
FREE

Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail lighting need.

LED REFLECTOR DOWNLIGHTS

- 30,000 hr lifespan
- Input Voltage - AC:220-240V,50Hz
- Material: aluminium
- Includes quick connector for easy installation

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
973 5700K WHITE	VT-2-12	12W	960	12°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
977 4000K DAY WHITE 976 5700K WHITE	VT-2-16	16W	1280	12°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
981 2700K WARM WHITE 979 5700K WHITE	VT-2-21	20W	1600	12°	20 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
984 2700K WARM WHITE 982 5700K WHITE	VT-2-36	36W	2880	12°	20 pcs		


999 2700K WARM WHITE	VT-2-36-1	36W	2880	38°	20 pcs		
------------------------	-----------	-----	------	-----	--------	--	--

LED SPOT DOWNLIGHT



- Recessed Downlight
- AC:220-240V,50Hz
- 60° Beam Angle
- IP20
- 20,000 hr lifespan
- PC Body
- CRI>80
- 20,000 hr lifespan
- 65mm Cutout size



SKU	Model	Watts	Lumens	Diagram	Size
23184 6400K WHITE	VT-7007	7W	660		86x20mm

LED NIGHT LIGHT

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- USB Output: Max 2A
- Box Qty: 50pcs



SKU	Model	Watts	Box Qty
505 3000K WARM WHITE	VT-84RD	0.4W	100

SKU	Model	Watts	Box Qty
507 3000K WARM WHITE	VT-84SQ	0.45W	100




EMERGENCY EXIT LIGHTS

V-TAC's LED emergency light, powered by Samsung LEDs, is designed to meet today's higher safety and compliance standards. Featuring clear exit signage and a high-performance battery, it offers longer lifespan, lower maintenance, and extended operation during power outages—making it a reliable choice for residential and commercial buildings, offices, hotels, hospitals, and schools.



LED EXIT LIGHT-RECESSED

SKU	Model	Watts	Lumens	Box Qty
835 - 6000K WHITE	VT-522-S-12	2W	140	10



- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Recessed/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides

LED STRIP LIGHTS

V-TAC's efficient LED strip lights range provide an effective solution for illuminating tight spaces. Applicable for both accent lighting or task lighting, these lights can be used to simply decorate your kitchen, bedroom, patio, and more. Strip lights are easy to install, compatible with a range of controllers, and are available in standard colour temperatures.

LED STRIP LIGHTS-IP20



SKU	Model	Watts	Lumens	Voltage	Roll	CRI	Box Qty
325 6400K WHITE	VT-5-120	12W/M	1200	DC:12V	5 Meter Roll	>80	400 Meter
21324 4000K DAY WHITE	VT-5-120-N	12W/M	1320	DC:12V	5 Meter Roll	>80	400 Meter
321 4000K DAY WHITE 322 6400K WHITE	VT-10-240	15W/M	1600	DC:24V	10 Meter Roll	>80	800 Meter
21321 4000K DAY WHITE	VT-10-240-N	15W/M	1650	DC:24V	10 Meter Roll	>80	800 Meter
333 6400K WHITE	VT-10-240-1	18W/M	1800	DC:24V	10 Meter Roll	>95	800 Meter


LED SPOTLIGHTS

Our new range of LED spotlights with Samsung LEDs is your best choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They can deliver the same warm light as halogen spots while exhibiting the energy-saving benefits of LEDs. Ideal for retail and residential lighting.



LED CAPSULE LIGHTS

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21131 3000K WARM WHITE 21132 4000K DAY WHITE 21133 6500K WHITE	VT-234-N	3.2W	385	30w	G4	300°	Ø16x44mm	400



LED CAPSULE LIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20487 6500K WHITE	VT-11033	2.2W	200	20w	G9	300°	Ø18x56mm	400



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21165 3000K WARM WHITE 21166 4000K DAY WHITE 21167 6500K WHITE	VT-277-N	6W	445	60w	GU10	38°	Ø50x55mm	200



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20028 6400K WHITE	VT-249	6W	500	50w	GU10	10°	Ø50x55mm	200
2120026 3000K WARM WHITE 2120027 4000K DAY WHITE	VT-249-N	6W	445	60w	GU10	10°	Ø50x55mm	200




LED BULBS

Discover the perfect lighting solution with V-TAC's newly enhanced range of LED bulbs, powered by Samsung LEDs across the LED PRO Series. From elegant filament designs to high-performance 360° omnidirectional thermoplastic bulbs, the range covers all sizes, wattages, and lumen outputs—ideal replacements for 60W to 150W traditional lamps. Designed for durability, efficient thermal management, and up to 80% energy savings, V-TAC LED bulbs deliver reliable performance with a 30,000-hour lifespan for homes, offices, and commercial spaces.



LED THERMOPLASTIC BULBS-T37-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21145 4000K DAY WHITE	VT-237-N	7.5W	660	50w	E27	T37	Ø37x100mm	10



LED THERMOPLASTIC BULBS-T37-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21267 3000K WARM WHITE 21268 4000K DAY WHITE	VT-248-N	7.5W	660	50w	E14	T37	Ø37x100mm	200



LED THERMOPLASTIC BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8046 4000K DAY WHITE	VT-1812	3.7W	320	30w	E27	G45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8044 6500K WHITE	VT-1804	3.7W	320	30w	E14	P45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-A60-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21114 3000K WARM WHITE	VT-269-N	8.5W	806	60w	E14	A60	Ø60x108mm	100



LED THERMOPLASTIC BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
20185 6400K WHITE	VT-262D	12W Dimmable	1055	75w	E27	A60	Ø60x120mm	100



LED THERMOPLASTIC BULBS-A65-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
159 3000K WARM WHITE	VT-215	15W	1250	85w	E27	A65	Ø65x135mm	100
20190 6400K WHITE	VT-217D	17W Dimmable	1521	100w	E27	A65	Ø65x135mm	100



LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21211 4000K DAY WHITE 21212 6500K WHITE	VT-239-N	2.9W	250	25w	E14	R39	Ø39x67mm	200



LED PAR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21148 4000K DAY WHITE 21149 6500K WHITE	VT-220-N	5.8W	425	55w	E27	PAR20	Ø64x84mm	100



LED BIG BULB-G120

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21125 6500K WHITE	VT-288-N	18W	2000	125w	E27	G120	Ø120x160mm	20



LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7010 4000K DAY WHITE	VT-509	9W	720	50w	E27	A70	Ø70x135mm	100
7794 4000K DAY WHITE	VT-51012	12W	960	65w	E27	A80	Ø77x147mm	100
7795 4000K DAY WHITE	VT-51015	15W	1200	80W	E27	A90	Ø88x165mm	100



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21187 4000K DAY WHITE	VT-260-N	60W	6500	NA	E40	NA	Ø102x320mm	20



LED ACRYLIC BULBS

Voltage/Frequency	AC: 200-240V,50/60Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2781 3000K WARM WHITE 2782 4000K DAY WHITE 2783 6400K WHITE	VT-2311	11W	900	70w	E27	NA	Ø190x120mm	18
2784 3000K WARM WHITE 2785 4000K DAY WHITE	VT-2318	18W	1200	90w	E27	NA	Ø220x125mm	18



LED BULBS


Redefining sustainability, V-TAC's LED thermoplastic and filament bulbs combine classic incandescent design with maximum efficiency, making them ideal for all lighting needs



RF REMOTE CONTROL BULBS- CANDLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode





SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2926 - RGB+3000K 2929 - RGB+4000K	VT-2214-N-1	4.8W	470	30W	E14	Candle	Ø36.5x110	200



RF REMOTE CONTROL BULBS-P45

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
3029 - RGB+3000K	VT-2234-SQ	4.8W Square Remote	470	40W	E14	P45	Ø47.5x88	200



RF REMOTE CONTROL BULBS-A60

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2928 - RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100



3 STEP DIMMING LED FILAMENT BULBS-G45

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
CRI	>80


Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6847 - 3000K WARM WHITE	VT-2704	4W	400	35W	E27	GP45	Ø45x72	100



3 STEP DIMMING LED FILAMENT BULBS-CANDLE




Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6848 - 3000K WARM WHITE	VT-2804	4W	400	35W	E14	Candle	Ø35x98	100



3 STEP DIMMING BULBS-A60




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100



3 STEP DIMMING BULBS 2PCS BLISTER PACK




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25



COLOR CHANGING BULBS 2PCS BLISTER PACK



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80


1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25



LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle with Twist	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200



LED CANDLE BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2984 - 3000K WARM WHITE 2985 - 4000K DAY WHITE 2986 - 6500K WHITE	VT-2323	2.9W	250	25W	E14	Candle	Ø36.5x100	200
214216 - 3000K WARM WHITE 214166 - 4000K DAY WHITE 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
2142151 - 3000K WARM WHITE 2142581 - 4000K DAY WHITE 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200
211111 - 3000K WARM WHITE 211121 - 4000K DAY WHITE 211131 - 6500K WHITE	VT-268	6.5W	600	45W	E14	Candle	Ø36.5x100	10



LED CANDLE BULBS-2PCS BLISTER-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7293 - 6400K WHITE	VT-2106	5.5W	470	40W	E14	Candle	Ø37x100	50



LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180



LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE 2143431 - 4000K DAY WHITE 2143441 - 6500K WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200



LED G45 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214160 - 3000K WARM WHITE 214162 - 4000K DAY WHITE 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200

217407 - 3000K WARM WHITE
217408 - 4000K DAY WHITE
217409 - 6500K WHITE


VT-1879N-N 4.5W 470 40W E27 G45 Ø46x82 200

23878 - 3000K WARM WHITE 23879 - 4000K DAY WHITE 23880 - 6500K WHITE	VT-290	6.5W	600	45W	E27	G45	45x80	200
--	--------	------	-----	-----	-----	-----	-------	-----



LED G45 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217364 - 6500K WHITE	VT-2176-N	4.5W	470	40W	E27	G45	Ø45x80	180



LED P45 BULBS-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200

2142501 - 3000K WARM WHITE
2142511 - 4000K DAY WHITE
2142521 - 6500K WHITE


VT-1880N-N	4.5W	470	40W	E14	P45	Ø36.5x100	200
------------	------	-----	-----	-----	-----	-----------	-----

24018 - 3000K WARM WHITE 24019 - 4000K DAY WHITE 24020 - 6500K WHITE	VT-270	6.5W	600	45W	E14	P45	Ø45x80	200
--	--------	------	-----	-----	-----	-----	--------	-----



LED P45 3PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217358 - 4000K DAY WHITE	VT-2156-N	4.5W	470	40W	E14	P45	Ø45x80	180



LED P45 6PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180

LED THERMOPLASTIC BULBS


Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks



LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217261 - 4000K DAY WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200


217350 - 3000K WARM WHITE
217349 - 4000K DAY WHITE
217351 - 6500K WHITE

VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100
-----------	-------	------	-----	-----	-----	---------	-----



LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120
217352 - 3000K WARM WHITE 217353 - 4000K DAY WHITE 217354 - 6500K WHITE	VT-2113-N	10.5W	1055	75W	E27	A60	Ø60x110	120
212819 - 3000K WARM WHITE 212820 - 4000K DAY WHITE 212818 - 6500K WHITE	VT-2015-3PC-N	15W	1521	100W	E27	A65	Ø65x134	40



LED A65 BULBS-B22

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217229 - 3000K WARM WHITE 24038 - 6500K WHITE	VT-2015-B22-N	15W	1521	100W	B22	A65	Ø65x134	100



LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214453 - 3000K WARM WHITE 214454 - 4000K DAY WHITE 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
214456 - 3000K WARM WHITE 214457 - 4000K DAY WHITE 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100



LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25



LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø66.5x134	50
23747 - 3000K WARM WHITE 23748 - 4000K DAY WHITE 23749 - 6500K WHITE	VT-22022	20W	2452	150W	E27	A80	Ø80x155	50

NEW



LED BULBS ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212341 - 3000K WARM WHITE 24022 - 4000K DAY WHITE 24023 - 6500K WHITE	VT-202	2W	180	18W	E14	ST26	26x59	400



LED BULBS T37

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
24030 - 3000K WARM WHITE 24031 - 4000K DAY WHITE 24032 - 6500K WHITE	VT-248	7.5W	660	50W	E14	T37	37x100	200
7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200

NEW



LED BULBS T37

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
24033 - 3000K WARM WHITE 24034 - 4000K DAY WHITE 24035 - 6500K WHITE	VT-237	7.5W	660	50W	E27	T37	37x100	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212834 - 3000K WARM WHITE 212835 - 4000K DAY WHITE 212836 - 6500K WHITE	VT-2118-N	16W	2000	126W	R7S	R7S	Ø30x118	100



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12

NEW



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23883 - 3000K WARM WHITE 23884 - 4000K DAY WHITE 23885 - 6500K WHITE	VT-242	22W	2600	155W	E27	G120	120x160	20

NEW



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	120°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23901 - 3000K WARM WHITE 23902 - 4000K DAY WHITE 23903 - 6500K WHITE	VT-207	6.4W	560	45W	GX53	GX53	79x29	200

NEW



LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	120°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23893 - 3000K WARM WHITE	VT-239	2.9W	250	25W	E14	R39	39x67	200
23894 - 3000K WARM WHITE 23895 - 4000K DAY WHITE 23896 - 6500K WHITE	VT-250	4.8W	470	40W	E14	R50	50x85	200
23897 - 3000K WARM WHITE 23898 - 4000K DAY WHITE 23899 - 6500K WHITE	VT-263	8.5W	806	60W	E27	R63	63x100	100
23900 - 4000K DAY WHITE	VT-280	11W	1055	75W	E27	R80	80x112	100

NEW



LED PAR BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	40°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23889 - 3000K WARM WHITE 24037 - 4000K DAY WHITE	VT-230	11W	800	90W	E27	PAR30	95x120	30
23890 - 3000K WARM WHITE 23891 - 4000K DAY WHITE 23892 - 6500K WHITE	VT-238	12.8W	930	105W	E27	PAR38	121x130	30



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	160°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23568 - 4000K DAY WHITE 23569 - 6500K WHITE	VT-21020	20W	2060	NA	E27	T80	80x133	50
23570 - 4000K DAY WHITE 23571 - 6500K WHITE	VT-21031	30W	3210	NA	E27	T100	100x157	20
23572 - 4000K DAY WHITE 23573 - 6500K WHITE	VT-21040	40W	4320	NA	E27	T120	118x191	10
23574 - 4000K DAY WHITE 23575 - 6500K WHITE	VT-21050	50W	5400	NA	E27	T140	138x220	10
23576 - 4000K DAY WHITE 23577 - 6500K WHITE	VT-21065	60W	6600	NA	E27	T160	160x255	6

LED FILAMENT & DECORATIVE BULBS


LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.



LED FILAMENT VASE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ. Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8



LED FILAMENT COBBLE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ. Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6



LED FILAMENT APPLE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ. Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6



LED AMBER SPIRAL FILAMENT A160 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23166 - 2700K WARM WHITE	VT-2267	4W	250	NA	E27	A160	Ø160X275	6



LED SMOKY SPIRAL FILAMENT A160 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23167 - 2700K WARM WHITE	VT-2268	4W	120	NA	E27	A160	Ø160X275	6



LED AMBER SPIRAL FILAMENT A165 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23168 - 2700K WARM WHITE	VT-2269	4W	250	NA	E27	A165	Ø165x275	6



LED AMBER SPIRAL FILAMENT G200 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23169 - 2700K WARM WHITE	VT-2270	4W	250	NA	E27	G200	Ø200x280	6



LED SMOKY SPIRAL FILAMENT G200 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23170 - 2700K WARM WHITE	VT-2271	4W	120	NA	E27	G200	Ø200x280	6



LED AMBER SPIRAL FILAMENT B125 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23171 - 2700K WARM WHITE	VT-2272	4W	250	NA	E27	B125	Ø125x340	6



LED AMBER SPIRAL FILAMENT ST120 BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23172 - 2700K WARM WHITE	VT-2273	4W	250	NA	E27	ST120	Ø120x260	6



LED 3D FILAMENT BULBS A60

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø60x105	100



LED 3D FILAMENT BULBS ST64

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100



LED 3D FILAMENT BULBS G125

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x165	20



FILAMENT-T180-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212790 - 1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:175x150	12



SMOKY FILAMENT-S200-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	500	30W	E27	S200	Ø180x390	12



FILAMENT-R125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24



AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x105	100



CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x105	100



AMBER COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A60	Ø60x105	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A60	Ø60x105	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200K WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x143	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x143	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x143	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	300	30W	E27	ST64	Ø64x143	100
217416 - 1800K WARM WHITE	VT-2065D-N	4.8W Dimmable	250	30W	E27	ST64	Ø64x143	100



FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217474 - 1800K WARM WHITE	VT-2185-N	4W	200	20W	E27	ST64	Ø64x142	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217220 - 1800K WARM WHITE	VT-2066-N	4.8W	300	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4.8W	300	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4.8W	300	30W	E27	G125	Ø125x173	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x173	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W Dimmable	700	60W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x138	20




FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø125x164	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217328 - 1800K WARM WHITE	VT-2126-N	6W	400	55W	E27	G125	Ø125x173	20



FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217456 - 2200K WARM WHITE	VT-2153-N	12W	1350	85W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217143 - 2200K WARM WHITE	VT-2006-N	6W	600	50W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217144 - 2200K WARM WHITE	VT-2008-N	7W	700	60W	E27	T30	Ø30x300	100



FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x103	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217114 - 2200K WARM WHITE	VT-1949-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217116 - 2200K WARM WHITE	VT-1947-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x78	100



AMBER COVER -FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214499 - 2200K WARM WHITE	VT-1953-N	4W	350	30W	E14	P45	Ø45x78	100



FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50
71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50



FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50



FROST COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12



CLEAR GLASS-FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217120 - 6500K WHITE	VT-1885-N	4W	400	35W	E27	A60	Ø60x105	100
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x105	100
217458 - 3000K WARM WHITE 217459 - 4000K DAY WHITE 217460 - 6500K WHITE	VT-2133-N	12W	1521	100W	E27	A60	Ø60x105	100

NEW



CLEAR GLASS-FILAMENT-A60-E27-3PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2144101 - 3000K WARM WHITE	VT-1981	10W	1055	75W	E27	A60	60x105	180
2174581 - 3000K WARM WHITE 2174591 - 4000K DAY WHITE 2174601 - 6500K WHITE	VT-2133	12W	1521	100W	E27	A60	60x105	180



CLEAR GLASS-FILAMENT-A67-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212815 - 3000K WARM WHITE	VT-2288D-N	8W Dimmable	720	50W	E27	A60	Ø60x105	100
214410 - 3000K WARM WHITE 214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A60	Ø60x105	20



CLEAR GLASS-FILAMENT-A67-E27

Voltage/Frequency	AC:220-240V
Beam Angle	330°
PF	>0.7
CRI	80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212802 - 3000K WARM WHITE	VT-2328-N	18W	2520	150W	E27	A70	Ø70x125	100



FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100



FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212701 - 3000K WARM WHITE 212702 - 4000K DAY WHITE 212703 - 6500K WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100



CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6500K WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x64	200



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
2870 - 3000K WARM WHITE	VT-2304D	4W Dimmable	400	35W	E14	Candle	Ø35x98	200
7807 - 4000K DAY WHITE	VT-21125	5.5W	600	45W	E14	Candle	Ø35x98	100
217423 - 3000K WARM WHITE 217424 - 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x98	100



HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212848 - 3000K WARM WHITE 212850 - 6500K WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x98	100



CLEAR GLASS-FILAMENT-CANDLE-E16

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214367 - 3000K WARM WHITE	VT-1985D-N	4W Dimmable	400	30W	E14	Candle	Ø35x98	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214308 - 3000K WARM WHITE 214431 - 4000K DAY WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x118	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214302 - 3000K WARM WHITE 214429 - 4000K DAY WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x118	100



CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214300 - 3000K WARM WHITE 214425 - 4000K DAY WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 2700K WARM WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE 212845 - 3000K WARM WHITE 212846 - 4000K DAY WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100



HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2854 - 2700K WARM WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x78	100



CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x78	100
212844 - 6500K WHITE 212842 - 3000K WARM WHITE 212843 - 4000K DAY WHITE	VT-2366-N	6W	600	45W	E27	G45	Ø45x72	100



HIGH LUMENS CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2853 - 6400K WHITE 2851 - 2700K WARM WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x72	100



PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x72	100



GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x72	100



BLUE COLOR BULBS-G45-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø125x173	100



RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x72	100



CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214305 - 3000K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x138	20



CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø45x72	20

7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
--------------------	---------	----	-----	-----	-----	------	----------	----

214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x173	20
---	-----------	-----	------	-----	-----	------	----------	----

217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x173	20
---	-----------	-----	------	------	-----	------	----------	----



LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
23159 - RGB	VT-713S	7.5W	13M	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10



LED STRING LIGHT-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7435 - RGB+YELLOW	VT-70510	5W	5M	10
217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10



LED STRING LIGHT-10M

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7438 - RGB+YELLOW	VT-71020	10W	10M	10
217439 - 3000K WARM WHITE	VT-71020-N	10W	10M	5
217440 - 6000K WHITE				



STRING LIGHT WP SOCKET-E27-EU PLUG-15M

- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4



STRING LIGHT SOCKET-E27-5M

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
3698	VT-7135	5M	4



STRING LIGHT SOCKET-E27-15M

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
3673	VT-713	15M	4

LED SPOTLIGHTS


Introducing a sustainable and energy-efficient replacement for power-hungry halogen spotlights. An extensive range of LED Spotlights (1.2W-8W).

NEW



G4-LED CAPSULE LIGHT

Voltage/Frequency	DC:12V, 50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24027 - 3000K WARM WHITE 24028 - 4000K DAY WHITE 24029 - 6500K WHITE	VT-201	1.1W	100	NA	G4	300°	10x37	400

NEW



G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24024 - 3000K WARM WHITE 24025 - 4000K DAY WHITE 24026 - 6500K WHITE	VT-11033	2.2W	200	20W	G9	300°	18x56	400

NEW



G9-LED CAPSULE LIGHT-DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
217429 - 3000K WARM WHITE 217430 - 4000K DAY WHITE 217431 - 6500K WHITE	VT-2175D	4.5W	450	40W	G9	300°	23x67	20

NEW



GU10 SPOTLIGHTS LENS-10°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24021 - 3000K WARM WHITE 21200271 - 4000K DAY WHITE	VT-249	6W	445	60W	GU10	10°	50x55	10

NEW



GU10 SPOTLIGHTS LENS-38°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211891 - 3000K WARM WHITE 211901 - 4000K DAY WHITE 211911 - 6500K WHITE	VT-227	6W	445	60W	GU10	38°	50x55	10
211971 - 6500K WHITE	VT-227D	6W Dimmable	445	60W	GU10	38°	50x55	10
218751 - 3000K WARM WHITE 23881 - 4000K DAY WHITE 218771 - 6500K WHITE	VT-291	7.5W	610	70W	GU10	38°	50x55	10

NEW



MR16 SPOTLIGHTS LENS-38°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212071 - 3000K WARM WHITE 212081 - 4000K DAY WHITE 23888 - 6500K WHITE	VT-267	6W	455	60W	GU5.3	38°	50x52	10

NEW



GU10 SPOTLIGHTS LENS-110°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211921 - 3000K WARM WHITE 211931 - 4000K DAY WHITE 211941 - 6500K WHITE	VT-247	6W	445	60W	GU10	110°	50x55	10
211981 - 3000K WARM WHITE 211991 - 4000K DAY WHITE	VT-247D	6W Dimmable	445	60W	GU10	110°	50x55	10
218721 - 3000K WARM WHITE 218731 - 4000K DAY WHITE 23882 - 6500K WHITE	VT-292	7.5W	610	70W	GU10	110°	50x55	10

NEW



GU10 SPOTLIGHTS LENS-110°-RETAIL PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2119211 - 3000K WARM WHITE 2119311 - 4000K DAY WHITE 2119411 - 6500K WHITE	VT-247-3Pc	6W	445	60W	GU10	110°	50x55	180

NEW



MR16 SPOTLIGHTS LENS-110°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
23886 - 3000K WARM WHITE 212051 - 4000K DAY WHITE 23887 - 6500K WHITE	VT-257	6W	455	60W	GU5.3	110°	50x52	200

NEW



GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200
212988 - 4000K DAY WHITE	VT-2333-N	2.9W	250	25W	GU10	100°	50x56.5	200
218781 - 3000K WARM WHITE 218791 - 4000K DAY WHITE 218801 - 6500K WHITE	VT-271	10W	1000	70W	GU10	100°	50x56.5	10

NEW



GU10 SPOTLIGHT MILKY COVER-100°- RETAIL PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2187811 - 3000K WARM WHITE 2187911 - 4000K DAY WHITE 2188011 - 6500K WHITE	VT-271-3Pc	10W	1000	70W	GU10	100°	50x56.5	180



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4000K DAY WHITE 211687 - 6500K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200



**ONE
LED MODULE**

**COMPATIBLE WITH
SPOTLIGHTING
FITTINGS**

Voltage/Frequency	AC:220-240V,50Hz
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

AR111 DOWNLIGHT



Including 2 reflectors
(40° already mounted)


20°

40°

Instructions to change the reflector



(1) Push the clip on the back of the fixture.



(2) Remove the reflector.



(3) Install the new reflector.



(4) Push the clip, into the fixture.

Voltage/Frequency


AC:220-240V,50Hz

PF

>0.9

CRI

>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212792 - 3000K WARM WHITE 212793 - 4000K DAY WHITE 212794 - 6400K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53



Voltage/Frequency


AC/DC:12V,50Hz

PF

>0.9

CRI

>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
214084 - 3000K WARM WHITE	VT-1110-20-N	12W	1049	75W	G53	20°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE 214255 - 6000K WHITE	VT-1110-40-N	12W	3000K-1086 4000K-1159 6000K-1200	25W	G53	40°	Ø111x86x63	60

AR111 LED SPOTLIGHT- GU10



Voltage/Frequency


AC:200-240V,50Hz

PF

>0.9

CRI

>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4223 - 4000K DAY WHITE	VT-1112	12W	900	60W	GU10	40°	Ø111x86	60
214224 - 3000K WARM WHITE 214225 - 6400K WHITE	VT-1112-N	12W	1021	60W	GU10	40°	Ø111x79	
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6400K WHITE	VT-1112D-N	12W Dimmable	3000K-1035 4000K-1096 6400K-1297	60W	GU10	40°	Ø111x79	




1XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24
3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24



2XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12
3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35771	VT-7223-W	White	Aluminium	3XAR111	168x455	475x174	12
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

GU10-HOLDER-PVC CABLE



Model No: **PVC Cable-5pc**
SKU: **34235**
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 100

GU10-HOLDER-PVC CABLE



Model No: **PVC Cable**
SKU: **3423**
Base: GU10
Material: Ceramic
Color: White
Size(mm): 150
Cutting Size: NA
Box Qty: 500



E14-HOLDER

SKU	Box Qty
8840	20



E14-HOLDER

SKU	Box Qty
8751	400



E14-HOLDER

SKU	Box Qty
8753	400

SURFACED WALL FITTING G9




Model No: **VT-10113-B**
SKU: **23407**
Base: **G9**
Material: **Steel+Glass**
Color: **Black**
Size(mm): **95x120x250**
Cutting Size: **NA**
Box Qty: **10**

SURFACED WALL FITTING G9




Model No: **VT-10113-W**
SKU: **23408**
Base: **G9**
Material: **Steel+Glass**
Color: **White**
Size(mm): **95x120x250**
Cutting Size: **NA**
Box Qty: **10**

RECESSED FITTING GU10




Model No: **VT-439**
SKU: **10298**
Base: **2xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **175x88x30**
Cutting Size: **160x75**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-441**
SKU: **10299**
Base: **3xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **261x88x30**
Cutting Size: **245x75**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-442**
SKU: **23003**
Base: **4xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **175x175x30**
Cutting Size: **165x160**
Box Qty: **20**

NEW RECESSED FITTING GU10-HONEY COMB-ROUND




Model No: **VT-9001RD-W**
SKU: **23761**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **90x60**
Cutting Size: **80mm**
Box Qty: **50**

NEW RECESSED FITTING GU10-HONEY COMB-ROUND




Model No: **VT-9001RD-B**
SKU: **23762**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **90x60**
Cutting Size: **80mm**
Box Qty: **50**

NEW RECESSED FITTING GU10-HONEY COMB-SQUARE




Model No: **VT-9001SQ-W**
SKU: **23763**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **90x90x60**
Cutting Size: **80x80mm**
Box Qty: **50**

NEW RECESSED FITTING GU10-HONEY COMB-SQUARE



Model No: **VT-9001SQ-B**
SKU: **23764**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **90x90x60**
Cutting Size: **80x80mm**
Box Qty: **50**

RECESSED FITTING GU10




Model No: **VT-11001**
SKU: **6761**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **80x80x50**
Cutting Size: **85x85**
Box Qty: **30**

RECESSED FITTING GU10




Model No: **VT-11011**
SKU: **6775**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **150x80x50**
Cutting Size: **155x85**
Box Qty: **12**



RECESSED FITTING GU10



Model No: **VT-11014**
SKU: **6776**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **220x80x50**
Cutting Size: **225x85**
Box Qty: **6**



RECESSED FITTING GU10



Model No: **VT-11002**
SKU: **6762**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **190x100x40**
Cutting Size: **195x105**
Box Qty: **12**



RECESSED FITTING GU10



Model No: **VT-11012**
SKU: **6763**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **190x100x40**
Cutting Size: **195x105**
Box Qty: **12**



RECESSED FITTING GU10




Model No: **VT-11003**
SKU: **6764**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**



RECESSED FITTING GU10




Model No: **VT-11013**
SKU: **6765**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**



RECESSED FITTING GU10



Model No: **VT-11023**
SKU: **6766**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**




RECESSED WALL FITTING E14



Model No: **VT-11004**
SKU: **6767**
Base: **E14**
Material: **Plaster**
Color: **White**
Size(mm): **255x180x315**
Cutting Size: **260x320**
Box Qty: **6**



RECESSED WALL FITTING G9



Model No: **VT-11005**
SKU: **6768**
Base: **G9**
Material: **Plaster**
Color: **White**
Size(mm): **400x400x65**
Cutting Size: **405x405**
Box Qty: **1**




RECESSED WALL FITTING G9



Model No: **VT-11006**
SKU: **6769**
Base: **G9**
Material: **Plaster**
Color: **White**
Size(mm): **310x260x170**
Cutting Size: **315x265**
Box Qty: **6**




RECESSED FITTING GU10



Model No: **VT-11007**
SKU: **6770**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **180x120x70**
Cutting Size: **185x125**
Box Qty: **12**

RECESSED FITTING GU10



Model No: **VT-11008**
SKU: **6771**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **250x210x80**
Cutting Size: **255x215**
Box Qty: **6**

RECESSED FITTING GU10



Model No: **VT-11009R**
SKU: **6772**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **125x125**
Box Qty: **24**

RECESSED FITTING GU10




Model No: **VT-11009S**
SKU: **6773**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **125x125**
Box Qty: **24**

RECESSED FITTING GU10




Model No: **VT-11010**
SKU: **6774**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **350x100x75**
Cutting Size: **355x105**
Box Qty: **6**

PENDANT WHITE-GU10-30CM




Model No: **VT-976-300-W**
SKU: **6779**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x300x1700**
Cutting Size: **NA**
Box Qty: **20**

PENDANT WHITE-GU10-50CM




Model No: **VT-976-500-W**
SKU: **6780**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x500x1700**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-20CM




Model No: **VT-975-20CM**
SKU: **6684**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1400**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-30CM



Model No: **VT-975-30CM**
SKU: **6685**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1500**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-30CM




Model No: **VT-976-30CM**
SKU: **6686**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1500**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-50CM



Model No: **VT-976-50CM**
SKU: **6687**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1700**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-7900-W**
SKU: **7574**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x80x1170**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-30CM



Model No: **VT-977-30CM**
SKU: **6688**
Base: **GU10**
Material: **Aluminum**
Color: **Black+Gold**
Size(mm): **60x60x1500**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-788**
SKU: **3617**
Base: **1XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **140x75x138**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-50CM




Model No: **VT-977-50CM**
SKU: **6689**
Base: **GU10**
Material: **Aluminum**
Color: **Black+Gold**
Size(mm): **60x60x1700**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-789**
SKU: **3618**
Base: **2XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **230x75x138**
Cutting Size: **NA**
Box Qty: **20**

PENDANT METAL-GUN BLACK BOTTOM




Model No: **VT-864-GB**
SKU: **3112**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **ø80x250**
Cutting Size: **N/A**
Box Qty: **9**

CEILING FITTING-GU10




Model No: **VT-790**
SKU: **3619**
Base: **3XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **390x75x138**
Cutting Size: **NA**
Box Qty: **10**

CEILING FITTING-GU10




Model No: **VT-7900-B**
SKU: **7573**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **60x80x1170**
Cutting Size: **NA**
Box Qty: **20**

CEILING/WALL FITTING-GU10




Model No: **VT-897**
SKU: **7981**
Base: **2XGU10**
Material: **PC**
Color: **White**
Size(mm): **120x144.8**
Cutting Size: **NA**
Box Qty: **50**

CEILING/WALL FITTING-GU10




Model No: **VT-899**
SKU: **7982**
Base: **3XGU10**
Material: **PC**
Color: **White**
Size(mm): **145x144.8**
Cutting Size: **NA**
Box Qty: **20**

SURFACE METAL-CHROME BOTTOM




Model No: **VT-865CHC**
SKU: **3138**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**

WALL FITTING-GU10




Model No: **VT-429-B**
SKU: **10294**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **55x150x160**
Cutting Size: **NA**
Box Qty: **50**

SURFACE METAL-GUN BLACK BOTTOM




Model No: **VT-865-GBC**
SKU: **3139**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Gun Black**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**

WALL FITTING-GU10




Model No: **VT-429-W**
SKU: **10295**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **55x150x160**
Cutting Size: **NA**
Box Qty: **50**

SURFACE METAL-CHROME BOTTOM



Model No: **VT-865CHM**
SKU: **3114**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**

SURFACE METAL-GUN BLACK BOTTOM




Model No: **VT-865-GBM**
SKU: **3136**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**

SURFACE FITTINGS GU10



Model No: **VT-978-W**
SKU: **6690**
Base: **GU10**
Material: **Iron**
Color: **White**
Size(mm): **Ø98x118**
Cutting Size: **N/A**
Box Qty: **20**

SURFACE METAL-MATT ROSE GOLD BOTTOM




Model No: **VT-865-MRC**
SKU: **3137**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**

SURFACE FITTINGS GU10




Model No: **VT-978-B**
SKU: **6691**
Base: **GU10**
Material: **Iron**
Color: **Black**
Size(mm): **Ø98x118**
Cutting Size: **N/A**
Box Qty: **20**

SURFACE FITTINGS GU10



Model No: **VT-979-W**
SKU: **6692**
Base: **GU10**
Material: **Iron**
Color: **White**
Size(mm): **100x100x120**
Cutting Size: **N/A**
Box Qty: **20**

SURFACE FITTINGS GU10



Model No: **VT-979-B**
SKU: **6693**
Base: **GU10**
Material: **Iron**
Color: **Black**
Size(mm): **100x100x120**
Cutting Size: **N/A**
Box Qty: **20**

RECESSED FITTING GU10



Model No: **VT-920-W**
SKU: **6632**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **88x40**
Cutting Size: **80**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-920-B**
SKU: **6633**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **88x40**
Cutting Size: **80**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-925-W**
SKU: **6636**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **93x55**
Cutting Size: **83**
Box Qty: **50**


RECESSED FITTING GU10



Model No: **VT-925-B**
SKU: **6637**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **93x55**
Cutting Size: **83**
Box Qty: **50**




RECESSED FITTING GU10



Model No: **VT-4202**
SKU: **24222**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **99x34**
Cutting Size: **90**
Box Qty: **50**




RECESSED FITTING GU10



Model No: **VT-4203RD**
SKU: **24223**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **80x49**
Cutting Size: **75**
Box Qty: **50**




RECESSED FITTING GU10



Model No: **VT-4203SQ**
SKU: **24224**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **82x82x49**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-4204RD**
SKU: **24225**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **92x26**
Cutting Size: **80**
Box Qty: **50**

NEW

RECESSED FITTING GU10




Model No: **VT-4204SQ**
SKU: **24226**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **92x92x27**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-927-W**
SKU: **6638**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **93x93x55**
Cutting Size: **83x83**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-929-W**
SKU: **6640**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-927-B**
SKU: **6639**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **93x93x55**
Cutting Size: **83x83**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-929-B**
SKU: **6641**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-930-W**
SKU: **6642**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **81x81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-921-W**
SKU: **6634**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **88x88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-930-B**
SKU: **6643**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **81x81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-921-B**
SKU: **6635**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **88x88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-931-W**
SKU: **6644**
Base: **GU10**
Material: **PC**
Color: **White+White**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WB**
SKU: **6645**
Base: **GU10**
Material: **PC**
Color: **White+Black**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-W**
SKU: **6650**
Base: **GU10**
Material: **PC**
Color: **White+White**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-B**
SKU: **6646**
Base: **GU10**
Material: **PC**
Color: **Black+Black**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-WB**
SKU: **6651**
Base: **GU10**
Material: **PC**
Color: **White+Black**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WC**
SKU: **6647**
Base: **GU10**
Material: **PC**
Color: **White+Chrome**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-B**
SKU: **6652**
Base: **GU10**
Material: **PC**
Color: **Black+Black**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WG**
SKU: **6648**
Base: **GU10**
Material: **PC**
Color: **White+Gold**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-WC**
SKU: **6653**
Base: **GU10**
Material: **PC**
Color: **White+Chrome**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WRG**
SKU: **6649**
Base: **GU10**
Material: **PC**
Color: **White+Rose Gold**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-WG**
SKU: **6654**
Base: **GU10**
Material: **PC**
Color: **White+Gold**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-932-WRG**
SKU: **6655**
Base: **GU10**
Material: **PC**
Color: **White+Rose Gold**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-974-W**
SKU: **6682**
Base: **GU10**
Material: **Aluminum**
Color: **White**
Size(mm): **68x72**
Cutting Size: **61**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-933-W**
SKU: **6656**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **102x102x42**
Cutting Size: **95x95**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-974-B**
SKU: **6683**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **68x72**
Cutting Size: **61**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-933-B**
SKU: **6657**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **102x102x42**
Cutting Size: **95x95**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-980-WB**
SKU: **6694**
Base: **GU10**
Material: **Aluminum**
Color: **White+black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-934-W**
SKU: **6658**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **102x42**
Cutting Size: **85**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-980-BW**
SKU: **6695**
Base: **GU10**
Material: **Aluminum**
Color: **Black+white**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**

RECESSED FITTING GU10



Model No: **VT-934-B**
SKU: **6659**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **102x42**
Cutting Size: **85**
Box Qty: **50**

RECESSED FITTING GU10




Model No: **VT-980-B**
SKU: **6696**
Base: **GU10**
Material: **Aluminum**
Color: **Black+black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**

RECESSED FITTING GU10




Model No: **VT-980-GB**
SKU: **6697**
Base: **GU10**
Material: **Aluminum**
Color: **Golden+Black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**

CONCRETE WALL FITTING




Model No: **VT-892D**
SKU: **8692**
Base: **G9**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x100x120**
Cutting Size: **N/A**
Box Qty: **12**

CONCRETE WALL FITTING




Model No: **VT-892L**
SKU: **8693**
Base: **G9**
Material: **Concrete**
Color: **Light Grey**
Size(mm): **120x100x120**
Cutting Size: **N/A**
Box Qty: **12**

CONCRETE WALL FITTING



Model No: **VT-893D**
SKU: **8694**
Base: **G9**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x100x240**
Cutting Size: **N/A**
Box Qty: **6**

CONCRETE WALL FITTING




Model No: **VT-893L**
SKU: **8695**
Base: **G9**
Material: **Concrete**
Color: **Light Grey**
Size(mm): **120x100x240**
Cutting Size: **N/A**
Box Qty: **6**

CONCRETE WALL FITTING



Model No: **VT-894D**
SKU: **8696**
Base: **GU10**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x140x235**
Cutting Size: **N/A**
Box Qty: **6**

SURFACE FITTING GU10




Model No: **VT-1131-W**
SKU: **10379**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **65x100**
Cutting Size: **N/A**
Box Qty: **50**

SURFACE FITTING GU10




Model No: **VT-1131-B**
SKU: **10380**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **65x100**
Cutting Size: **N/A**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-802-W**
SKU: **8944**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **ø70x107**
Cutting Size: **N/A**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-802-B**
SKU: **8945**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **ø70x107**
Cutting Size: **N/A**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-804-W**
SKU: **8946**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø59.5×197**
Cutting Size: **N/A**
Box Qty: **20**

RECESSED FITTING SQUARE-GU10



Model No: **VT-883-B**
SKU: **8598**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black**
Size(mm): **83x40.7**
Cutting Size: **75x75**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-804-B**
SKU: **8947**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **Ø59.5×197**
Cutting Size: **N/A**
Box Qty: **20**

RECESSED FITTING ROUND-GU10



Model No: **VT-884-WB**
SKU: **8599**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **Ø75**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-807-W**
SKU: **8948**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x100**
Cutting Size: **N/A**
Box Qty: **50**

RECESSED FITTING ROUND-GU10



Model No: **VT-884-B**
SKU: **8608**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **Ø75**
Box Qty: **50**

SURFACE FITTING GU10



Model No: **VT-807-B**
SKU: **8949**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **60x100**
Cutting Size: **N/A**
Box Qty: **50**

RECESSED FITTING SQUARE-GU10



Model No: **VT-886**
SKU: **8877**
Base: **2xGU10**
Material: **Aluminium**
Color: **White+Black**
Size(mm): **185x100x45**
Cutting Size: **175x85**
Box Qty: **20**

RECESSED FITTING SQUARE-GU10



Model No: **VT-883-WB**
SKU: **8597**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **75x75**
Box Qty: **50**

RECESSED FITTING SQUARE-GU10




Model No: **VT-887**
SKU: **8878**
Base: **3xGU10**
Material: **Aluminium**
Color: **White+Black**
Size(mm): **270x100x45**
Cutting Size: **256x85**
Box Qty: **20**

**RECESSED CHROME REFLECTOR FITTING
ROUND-GU10**




Model No: **VT-889**
SKU: **8879**
Base: **GU10**
Material: **Aluminium**
Color: **White+Chrome Reflector**
Size(mm): **ø140x50**
Cutting Size: **ø85/90**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-B**
SKU: **6699**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



**RECESSED CHROME REFLECTOR FITTING
SQUARE-GU10**




Model No: **VT-890**
SKU: **8880**
Base: **GU10**
Material: **Aluminium**
Color: **White+Chrome Reflector**
Size(mm): **128x75x55**
Cutting Size: **79/85x75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-SN**
SKU: **6700**
Base: **GU10**
Material: **PC**
Color: **Satin Nickel**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-4201**
SKU: **24221**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x33**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WB**
SKU: **3153**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-438-W**
SKU: **10296**
Base: **GU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **87.50x31**
Cutting Size: **75**
Box Qty: **100**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WG**
SKU: **3154**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-W**
SKU: **6698**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WR**
SKU: **3155**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WC**
SKU: **3156**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WC**
SKU: **3160**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873**
SKU: **8595**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **ø83x40.7**
Cutting Size: **ø75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874**
SKU: **8596**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **ø83x40.7**
Cutting Size: **ø75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WB**
SKU: **3157**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **ø83x40.7**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WB**
SKU: **3161**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **ø83x40.7**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WG**
SKU: **3158**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WG**
SKU: **3162**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WR**
SKU: **3159**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WR**
SKU: **3163**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WC**
SKU: **3164**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-443-W**
SKU: **10297**
Base: **GU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **88x88x30**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WB**
SKU: **3165**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WG**
SKU: **3166**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WR**
SKU: **3167**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WC**
SKU: **3168**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-876-RD**
SKU: **3169**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x32**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-876-SQ**
SKU: **3170**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x85x32**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-797-WH**
SKU: **3630**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **White**
Size(mm): **142x100x100**
Cutting Size: **N/A**
Box Qty: **50**




RECESSED FITTING SQUARE-GU10



Model No: **VT-797-B**
SKU: **3631**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Black**
Size(mm): **100x100x142**
Cutting Size: **N/A**
Box Qty: **50**




RECESSED FITTING SQUARE-GU10




Model No: **VT-797-SN**
SKU: **3632**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Satin Nickel**
Size(mm): **100x100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-SQUARE-GU10




Model No: **VT-727SQ**
SKU: **3664**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **70x70x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-WH**
SKU: **3627**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **White**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-ROUND-GU10




Model No: **VT-727RD**
SKU: **3665**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø70x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-B**
SKU: **3628**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Black**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-SQUARE-GU10




Model No: **VT-716SQ**
SKU: **3666**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **75x75x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-SN**
SKU: **3629**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-ROUND-GU10




Model No: **VT-716RD**
SKU: **3667**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø75x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED GX53-FITTING



Model No: **VT-715-G**
SKU: **3676**
Base: **GX53**
Material: **Iron**
Color: **Gold**
Size(mm): **Ø105x40**
Cutting Size: **90**
Box Qty: **50**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-762**
SKU: **3648**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **215x120x60**
Cutting Size: **218x123**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-763**
SKU: **3649**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x50**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-776SQ**
SKU: **3641**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x50**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-ROUND-GU10




Model No: **VT-764**
SKU: **3650**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø140x40**
Cutting Size: **Ø103**
Box Qty: **20**

RECESSED FITTING-ROUND-GU10




Model No: **VT-773**
SKU: **3654**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø132x74**
Cutting Size: **Ø135**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-765**
SKU: **3651**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **100x100x30**
Cutting Size: **103x103**
Box Qty: **30**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-714**
SKU: **3674**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x45**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-ROUND-GU10




Model No: **VT-771**
SKU: **3652**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø100x30**
Cutting Size: **Ø103**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10-FROST GLASS




Model No: **VT-801SQ**
SKU: **3691**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-SQUARE-GU10



Model No: **VT-772**
SKU: **3653**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **132x132x74**
Cutting Size: **135x135**
Box Qty: **20**

RECESSED FITTING-ROUND-GU10-FROST GLASS




Model No: **VT-801RD**
SKU: **3692**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø120x60**
Cutting Size: **Ø123**
Box Qty: **24**

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-817-W-RD**
SKU: **8938**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**




2
PCS
PACK

**RECESSED FITTING-SQUARE-GU10-2PCS
PACK**



Model No: **VT-817-CH-SQ**
SKU: **8943**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**




2
PCS
PACK

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-817-SN-RD**
SKU: **8939**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**




2
PCS
PACK

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-778-WH**
SKU: **3584**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**




2
PCS
PACK

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-817-CH-RD**
SKU: **8940**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**




2
PCS
PACK

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-778-SN**
SKU: **3585**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**




2
PCS
PACK

**RECESSED FITTING-SQUARE-GU10-2PCS
PACK**



Model No: **VT-817-W-SQ**
SKU: **8941**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**




2
PCS
PACK

**RECESSED FITTING-ROUND-GU10-2PCS
PACK**



Model No: **VT-778-CH**
SKU: **3586**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**




2
PCS
PACK

**RECESSED FITTING-SQUARE-GU10-2PCS
PACK**



Model No: **VT-817-SN-SQ**
SKU: **8942**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**




2
PCS
PACK


**RECESSED FITTING-ROUND-GU10-
CHANGING ANGLE**



Model No: **VT-780-SN**
SKU: **3594**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø100x45**
Cutting Size: **Ø90**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10




Model No: **VT-774-WH**
SKU: **3642**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-775-MG**
SKU: **3647**
Base: **GU10**
Material: **Aluminium**
Color: **Metallic Grey**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-SN**
SKU: **3643**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-782RD-WH**
SKU: **3599**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-MG**
SKU: **3644**
Base: **GU10**
Material: **Aluminium**
Color: **Metallic Grey**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-782RD-AB**
SKU: **3600**
Base: **GU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-775-WH**
SKU: **3645**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-782RD-B**
SKU: **8936**
Base: **1XGU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10



Model No: **VT-775-SN**
SKU: **3646**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-782SQ-B**
SKU: **8937**
Base: **1XGU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-782SQ-WH**
SKU: **3605**
Base: **1XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-782SQ-AB**
SKU: **3606**
Base: **1XGU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-783SQ-WH**
SKU: **3607**
Base: **2XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **173x91x25**
Cutting Size: **155x75**
Box Qty: **50**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-783SQ-AB**
SKU: **3608**
Base: **GU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **173x91x25**
Cutting Size: **155x75**
Box Qty: **50**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-784SQ-WH**
SKU: **3609**
Base: **3XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **255x91x25**
Cutting Size: **235x75**
Box Qty: **50**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-784SQ-AB**
SKU: **3610**
Base: **3XGU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **255x91x25**
Cutting Size: **235x75**
Box Qty: **50**



RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-WH**
SKU: **3469**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-SN**
SKU: **3470**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-SS**
SKU: **3471**
Base: **GU10**
Material: **Ferrum**
Color: **Stainless Steel**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**




RECESSED FITTING-ROUND-GU10



Model No: **VT-786**
SKU: **3612**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **88x38**
Cutting Size: **Ø75**
Box Qty: **100**




RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-WH**
SKU: **3472**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-SN**
SKU: **3473**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-SS**
SKU: **3474**
Base: **GU10**
Material: **Ferrum**
Color: **Stainless Steel**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

FITTING-ROUND-GU10




Model No: **VT-711-W-RD**
SKU: **3669**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **82x101**
Cutting Size: **N/A**
Box Qty: **50**

ZOOM FITTING-SPOTLIGHT



Model No: **VT-700W**
SKU: **3689**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø102x46**
Cutting Size: **93**
Box Qty: **50**

ZOOM FITTING-SPOTLIGHT




Model No: **VT-700S**
SKU: **3690**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø102x46**
Cutting Size: **93**
Box Qty: **50**

RECESSED FITTING-ROUND-GU10




Model No: **VT-787RD-WH**
SKU: **3613**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-787RD-SN**
SKU: **3614**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **Satin Nickel**
Size(mm): **84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-787SQ-WH**
SKU: **3615**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **84x84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-787SQ-SN**
SKU: **3616**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **Satin Nickel**
Size(mm): **84x84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10



Model No: **VT-781RD-WH**
SKU: **3595**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **White**
Size(mm): **100x45**
Cutting Size: **90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-SN-RD**
SKU: **3588**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Satin Nickel**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-781RD-SN**
SKU: **3596**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **Satin Nickel**
Size(mm): **100x45**
Cutting Size: **90**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-779-BL**
SKU: **8955**
Base: **GU10**
Material: **Zinc alloy**
Color: **Black**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-781SQ-WH**
SKU: **3597**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **White**
Size(mm): **100x100x38**
Cutting Size: **90x90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-B**
SKU: **8580**
Base: **GU10**
Material: **Zinc alloy**
Color: **Bronze**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-781SQ-SN**
SKU: **3598**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **Satin Nickel**
Size(mm): **100x100x38**
Cutting Size: **90x90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-G**
SKU: **8579**
Base: **GU10**
Material: **Zinc alloy**
Color: **Gold**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-WH-RD**
SKU: **3587**
Base: **GU10**
Material: **Zinc Alloy**
Color: **White**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-CH-RD**
SKU: **3589**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Chrome**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-WH-SQ**
SKU: **3590**
Base: **GU10**
Material: **Zinc Alloy**
Color: **White**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-SN-SQ**
SKU: **3591**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Satin Nickel**
Size(mm): **82x82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-CH-SQ**
SKU: **3592**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Chrome**
Size(mm): **82x82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-SB**
SKU: **8582**
Base: **GU10**
Material: **Zinc alloy**
Color: **Bronze**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-SG**
SKU: **8581**
Base: **GU10**
Material: **Zinc alloy**
Color: **Gold**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**

WALL FITTING-ROUND-GU10




Model No: **VT-858RD**
SKU: **3694**
Base: **G9**
Material: **Gypsum**
Color: **White**
Size(mm): **70x90x95**
Cutting Size: **N/A**
Box Qty: **24**

WALL FITTING-SQUARE-G9




Model No: **VT-858SQ**
SKU: **3695**
Base: **G9**
Material: **Gypsum**
Color: **White**
Size(mm): **70x100x100**
Cutting Size: **N/A**
Box Qty: **24**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-859SQ**
SKU: **3696**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **100x100x40**
Cutting Size: **103x103**
Box Qty: **40**

RECESSED FITTING-ROUND-GU10



Model No: **VT-859RD**
SKU: **3697**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **ø100x40**
Cutting Size: **ø103**
Box Qty: **40**

SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM



Model No: **VT-860-GB**
SKU: **3140**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **100x100x130**
Cutting Size: **N/A**
Box Qty: **12**



SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM




Model No: **VT-860-MRM**
SKU: **3141**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BG**
SKU: **8956**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-CHROME BOTTOM




Model No: **VT-860-CHM**
SKU: **3142**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BRG**
SKU: **8993**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM




Model No: **VT-860-GBM**
SKU: **3143**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Gun Black
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SQ-BC**
SKU: **8994**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Chrome
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM




Model No: **VT-860-MR**
SKU: **3115**
Base: **GU10**
Material: Gypsum with metal
Color: White+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BG**
SKU: **8996**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Gold
Size(mm): $\varnothing 80 \times 140$
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-CHROME BOTTOM



Model No: **VT-860-CH**
SKU: **3116**
Base: **GU10**
Material: Gypsum with metal
Color: White+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12




SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BRG**
SKU: **8997**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): $\varnothing 80 \times 140$
Cutting Size: NA
Box Qty: 50




SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BC**
SKU: **8998**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+Chrome**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10




Model No: **VT-882-SRG**
SKU: **8587**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Rose gold Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10




Model No: **VT-882-RD-B**
SKU: **8999**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+Black**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SW**
SKU: **8583**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+White Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10




Model No: **VT-882-B**
SKU: **8584**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10




Model No: **VT-882-RB**
SKU: **8589**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10




Model No: **VT-882-C**
SKU: **8585**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Chrome Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RC**
SKU: **8590**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Chrome Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-G**
SKU: **8586**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Gold Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RG**
SKU: **8591**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Gold Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RRG**
SKU: **8592**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Rose gold Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RW**
SKU: **8588**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+White Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRW**
SKU: **3117**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRG**
SKU: **3118**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHW**
SKU: **3119**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHG**
SKU: **3120**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRR**
SKU: **3121**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHR**
SKU: **3122**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-MATT ROSE GOLD BOTTOM-ROUND



Model No: **VT-862-MGRD**
SKU: **3124**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-MATT ROSE GOLD BOTTOM-ROUND



Model No: **VT-862-MRC**
SKU: **3125**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Matt Rose Gold**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-CHROME BOTTOM-ROUND



Model No: **VT-862-MRD**
SKU: **3126**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Chrome**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**



RECESSED-CHROME BOTTOM-ROUND



Model No: **VT-862-MG**
SKU: **3128**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**



FITTING-RECESSED-BLACK METAL-ROUND



Model No: **VT-866-BRD**
SKU: **3145**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Black**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-CHROME METAL-ROUND



Model No: **VT-866-CRD**
SKU: **3146**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-MATT ROSE GOLD METAL-ROUND



Model No: **VT-866-MRD**
SKU: **3147**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-BLACK METAL-SQUARE



Model No: **VT-866-BSQ**
SKU: **3148**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Black**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



FITTING-RECESSED-CHROME METAL-SQUARE



Model No: **VT-866-CSQ**
SKU: **3149**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



FITTING-RECESSED-MATT ROSE GOLD-SQUARE



Model No: **VT-866-GSQ**
SKU: **3150**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



FITTING-RECESSED-SQUARE




Model No: **VT-867-SQ**
SKU: **3151**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White**
Size(mm): **ø120x120**
Cutting Size: **125x125**
Box Qty: **24**



FITTING-RECESSED-ROUND



Model No: **VT-867-RD**
SKU: **3152**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White**
Size(mm): **ø120**
Cutting Size: **ø125**
Box Qty: **24**




LED FLOODLIGHTS

V-TAC's LED floodlights are ideal for lighting driveways, gardens, and buildings. These energy-efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

NEW **HIGH LUMENS FLOODLIGHT | DIRECT CONNECTION**



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23850 - 4000K DAY WHITE 23851 - 6500K WHITE	VT-4409-FC	10W	1200	127.3x51.9x75	40
23852 - 4000K DAY WHITE 23853 - 6500K WHITE	VT-4419-FC	20W	2400	152.5x57.8x161.8	20
23854 - 4000K DAY WHITE 23855 - 6500K WHITE	VT-4429-FC	30W	3600	185.3x57.8x183.9	20
23856 - 4000K DAY WHITE 23857 - 6500K WHITE	VT-4449-FC	50W	6000	218.5x57.8x209.7	20

NEW

LED FLOODLIGHT | CCT 3IN1 | MIKY PC COVER



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23769 - 3IN1	VT-44036CCT	30W	3000	158x38x159	20
23768 - 3IN1	VT-44056CCT	50W	5000	193x38x205	20
23767 - 3IN1	VT-44107CCT	100W	10000	273x38x241	10

ECONOMICAL SERIES-BLACK



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6727 - 3000K WARM WHITE 6728 - 4000K DAY WHITE 6729 - 6500K WHITE	VT-4914-B	10W	750	90x86x27mm	60
6737 - 3000K WARM WHITE 6738 - 4000K DAY WHITE	VT-4924-B	20W	1650	120x105x27mm	40
6743 - 3000K WARM WHITE 6744 - 4000K DAY WHITE 6745 - 6500K WHITE	VT-4934-B	30W	2510	150x122x27mm	20
6749 - 3000K WARM WHITE	VT-4954-B	50W	4300	180x150x27	20
6721 - 3000K WARM WHITE	VT-49104-B	100W	8700	270x222x27	10
6733 - 4000K DAY WHITE 6734 - 6500K WHITE	VT-49204-B	200W	17600	400x333x33.3	5

ECONOMICAL SERIES-WHITE



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6740 - 3000K WARM WHITE 6741 - 4000K DAY WHITE 6742 - 6500K WHITE	VT-4924-W	20W	1650	120x105x27	40
6746 - 3000K WARM WHITE 6747 - 4000K DAY WHITE 6748 - 6500K WHITE	VT-4934-W	30W	2510	150x122x27	20
6752 - 3000K WARM WHITE 6753 - 4000K DAY WHITE 6754 - 6500K WHITE	VT-4954-W	50W	4300	180x150x27	20
6724 - 3000K WARM WHITE 6725 - 4000K DAY WHITE 6726 - 6500K WHITE	VT-49104-W	100W	8700	270x222x27	10
6735 - 4000K DAY WHITE 6736 - 6500K WHITE	VT-49204-W	200W	17600	400x333x33.3	5

E SERIES-WHITE



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215951 - 6500K WHITE	VT-4021W-N	20W	1620	121x114x26	20
215956 - 4000K DAY WHITE 215957 - 6500K WHITE	VT-4031W-N	30W	2510	153x132x27	20

E SERIES-BLACK



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215953 - 4000K DAY WHITE 215954 - 6500K WHITE	VT-4031B-N	30W	2510	153x132x27	20
215959 - 4000K DAY WHITE	VT-4051B-N	50W	4300	198x167x28	10

LED FLOODLIGHT | CCT 3IN1



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)
23613 - 3IN1	VT-44030CCT	30W	2350	171x26x176
23614 - 3IN1	VT-44050CCT	50W	4000	194x26x209
23615 - 3IN1	VT-44100CCT	100W	8150	274x26x262

NEW



COLOR FLOODLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24155 - RGB+6500K	VT-44038	30W	2310	185x29x160	20
24156 - RGB+6500K	VT-44059	50W	4000	216x32x171	8

SMART SERIES FLOODLIGHTS



Voltage/Frequency	AC:220-240V
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5984 - RGB+3IN1	VT-5020-White	20W	1400	141.6x126.3x42.7	20
5985 - RGB+3IN1	VT-5020-Black	20W	1400	141.x126.36x42.7	20

SUPER HIGH POWER FLOODLIGHTS | 1M WIRE | HIGH LUMENS



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23089 - 4000K DAY WHITE 97212 - 6500K WHITE	VT-48500	500W	67500	530x65x523	1

NEW SUPER HIGH POWER FLOODLIGHTS | 1M WIRE | HIGH LUMENS



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23870 - 4000K DAY WHITE 23697 - 6500K WHITE	VT-1055-1	1000W	160000	676x74x840	1




- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

PIR SENSOR-WI-FI-CAMERA



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5745 - 6000K WHITE	VT-4818-White	18W	600	248x 162x 181	4
5917 - 6000K WHITE	VT-4818-Black	18W	600	248x162x181	4

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-881
SKU: 5987
Wire Range : 0.5~2.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 150

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-868-w
SKU: 5986
Wire Range : 0.5~1.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 16A
Fire Retardant Level: V2
Box Qty: 1000

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-868
SKU: 5977
Wire Range : 0.5~1.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 16A
Fire Retardant Level: V2
Box Qty: 1000

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-869-B
SKU: 5978
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 200

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-869-W
SKU: 5979
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 200

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-870-B
SKU: 5980
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-870-W
SKU: 5981
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-871-B
SKU: 5982
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-871-W
SKU: 5983
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-7224-B
SKU: 3578
Wire Range : 0.5~2.5mm²
Voltage: AC:250V Max
Material: Polypropylene (PP)
Dimension: 123x46x33
IP Rating: IP65
Box Qty: 160

WATERPROOF BOX TERMINAL BLOCK



Model No:	VT-7224-W	Material:	Polypropylene (PP)
SKU:	5897	Dimension:	123x46x33
Wire Range :	0.5-2.5mm ²	IP Rating:	IP65
Voltage:	AC:250V Max	Box Qty:	240

WATERPROOF BOX TERMINAL BLOCK




Model No:	VT-792-B	Material:	Flame Retardant PP
SKU:	3621	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

WATERPROOF BOX TERMINAL BLOCK




Model No:	VT-792-W	Material:	Flame Retardant PP
SKU:	5896	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

TRIPOD STAND-YELLOW



SKU	Model	Size(mm)	Box Qty
9104	VT-41150Y	900x940~1800	8

TRIPOD STAND-BLACK



SKU	Model	Size(mm)	Box Qty
9546	VT-41150B	900x940~1800	8

FLOODLIGHT STAND-85X15CM



SKU	Model	Suitable For	Size(mm)	Box Qty
3623	VT-794	10-50w	850x150	4
3622	VT-793	70-200w	870x200	4

FLOODLIGHT SPIKE-WHITE



SKU	Model	Suitable For	Size(mm)	Box Qty
7537	VT-855-W	10-150W	Ø60xH265	100

LED PANELS

Introducing slim and sleek LED panel lights from V-TAC – experience consistent illumination without hot or cold spots.



HIGH LUMENS CCT CHANGING BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V, 50Hz


110° Beam Angle

>0.9 PF

>80 CRI

Aluminium+TPA(PC) Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24324 - 3IN1	VT-61042CCT	40W	4800	595x595x33	10

NEW HIGH LUMENS BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PS Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24280 - 4000K DAY WHITE 24281 - 6400K WHITE	VT-61020	20W	3600	595x595x33	10

NEW HIGH LUMENS SLIM BACKLIT LED PANELS | 3 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PS Body


25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24141 - 4000K DAY WHITE 24142 - 6500K WHITE	VT-61041	40W	4800	595x595x18	10

NEW

HIGH LUMENS BACKLIT LED PANELS | 3 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PS Body


25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24366 - 4000K DAY WHITE 24367 - 6500K WHITE	VT-61043	40W	4500	595x595x33	10

NEW

HIGH LUMENS BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

FE+PS Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24143 - 4000K DAY WHITE 24144 - 6500K WHITE	VT-61042	40W	4800	595x595x33	10

NEW

HIGH LUMENS 2IN1 BACKLIT LED PANELS



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

ABS+PP+Iron Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23765 - 4000K DAY WHITE 23766 - 6500K WHITE	VT-61037	36W	4320	595x595x33.5	10

NEW HIGH LUMENS PANELS UGR<19 -LIFUD-FLICKER FREE



AC:220-240V, 50Hz


110° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23667 - 4000K DAY WHITE	VT-6234	36W	4320	620x620x34	6

NEW HIGH LUMEN LED PANELS



DC:30-40V


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium+PMMA+PS Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24080 - 4000K DAY WHITE 24081 - 6500K WHITE	VT-6060	40W	4950	595x595x13	6

HIGH LUMEN BIG LED PANELS




AC:220-240V, 50/60Hz

110° Beam Angle

>0.9 PF


>80 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23148 - 6500K WHITE	VT-61140	40W 6 pcs pack	4800	1195x295x30	6

BIG LED BACKLITE PANELS



AC:200-240V, 50/60Hz

110° Beam Angle

>0.9 PF

>80 CRI

FE+PP Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216625 - 4000K DAY WHITE	VT-6147-N	40W 6 pcs pack	4400	1195x295x30	6

DRIVERS - BIG PANELS

SKU	SKU	Watts	Box Qty			
	6271	29W	50	05 YEAR WARRANTY	 FLICKER FREE	
	6328	72W	50	05 YEAR WARRANTY		

ALUMINIUM SUSPENDED MOUNTING

Adjustable 1m suspension kit compatible with all panel sizes. This product can be used for all sizes of panels, that is
• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



SKU	Box Qty
6018	50

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
11449	600x600x43	12

ALUMINIUM SURFACE MOUNTING-62X62



Convert the recessed panel to surface panel and install it easily on solid surfaces.

SKU	Size(mm)	Box Qty
9997	625x625	5

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
8156	600x600	10

PLASTIC SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
6627	600x600	25

PLASTIC SURFACE MOUNTING 1200X300MM



SKU	Size(mm)	Box Qty
6708	1200x300	25

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
8158	1200x300	10

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
9969	1200x300	6

BACKLIT RECESSED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7855 - 3000K WARM WHITE 7856 - 4000K DAY WHITE 7857 - 6500K WHITE	VT-61003RD	3W	330	90.5x28	80	100
7858 - 3000K WARM WHITE 7859 - 4000K DAY WHITE 7860 - 6500K WHITE	VT-61006RD	6W	660	120.5x28.4	110	80
7861 - 3000K WARM WHITE 7862 - 4000K DAY WHITE 7863 - 6500K WHITE	VT-61012RD	12W	1200	170.8x28.4	155	60
7864 - 3000K WARM WHITE 7865 - 4000K DAY WHITE 7866 - 6500K WHITE	VT-61018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.8x28.9	205	40
7867 - 3000K WARM WHITE 7868 - 4000K DAY WHITE 7869 - 6500K WHITE	VT-61024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	296x29.1	280	20

BACKLIT RECESSED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10477 - 3000K WARM WHITE 10478 - 4000K DAY WHITE 10479 - 6500K WHITE	VT-61003SQ	3W	330	90.2x90.2x28.2	80x80	100
10480 - 3000K WARM WHITE 10481 - 4000K DAY WHITE 10482 - 6500K WHITE	VT-61006SQ	6W	660	120.5x120.5x28.4	110x110	80
10483 - 3000K WARM WHITE 10484 - 4000K DAY WHITE 10485 - 6500K WHITE	VT-61012SQ	12W	1200	170.8x170.8x28.4	155x155	60
10486 - 3000K WARM WHITE 10487 - 4000K DAY WHITE 10488 - 6500K WHITE	VT-61018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.4x220.4x28.8	205x205	40
10489 - 3000K WARM WHITE 10490 - 4000K DAY WHITE 10491 - 6500K WHITE	VT-61024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	295x295x28.6	280x280	20

BACKLIT SURFACED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7870 - 3000K WARM WHITE 7871 - 4000K DAY WHITE 7872 - 6500K WHITE	VT-60006RD	6W	660	121.2x30.6	100
7873 - 3000K WARM WHITE 7874 - 4000K DAY WHITE 7875 - 6500K WHITE	VT-60012RD	12W	1200	167.4x30.7	60
7876 - 3000K WARM WHITE 7877 - 4000K DAY WHITE 7878 - 6500K WHITE	VT-60018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	215.6x30.8	40
7879 - 3000K WARM WHITE 7880 - 4000K DAY WHITE 7881 - 6500K WHITE	VT-60024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	288.6x31.2	20

BACKLIT SURFACED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10492 - 3000K WARM WHITE 10493 - 4000K DAY WHITE 10494 - 6500K WHITE	VT-60006SQ	6W	660	120.8x120.8x30.7	100
10495 - 3000K WARM WHITE 10496 - 4000K DAY WHITE 10497 - 6500K WHITE	VT-60012SQ	12W	1200	167.3x167.3x30.7	60
10498 - 3000K WARM WHITE 10499 - 4000K DAY WHITE 10500 - 6500K WHITE	VT-60018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	214x214x31	40
10514 - 3000K WARM WHITE 23023 - 4000K DAY WHITE 10516 - 6500K WHITE	VT-60024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	287x287x30.7	20

LED MINI PANELS PREMIUM SERIES-ROUND




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216292 - 2700K WARM WHITE 216293 - 4000K DAY WHITE 216294 - 6400K WHITE	VT-307RD-N	3W	130	Ø84x12	Ø73	50
214854 - 2700K WARM WHITE 214855 - 4000K DAY WHITE 214856 - 6400K WHITE	VT-607RD-N	6W	490	Ø120x12	Ø110	40
214857 - 2700K WARM WHITE 214858 - 4000K DAY WHITE 214859 - 6400K WHITE	VT-1207RD-N	12W	1160	Ø170x12	Ø155	20
214860 - 2700K WARM WHITE 214861 - 4000K DAY WHITE 214862 - 6400K WHITE	VT-1807RD-N	18W	1400	Ø225x12	Ø210	20
216423 - 4000K DAY WHITE	VT-2207RD-N	22W	2265	Ø240x12	Ø220	20
214874 - 6400K WHITE	VT-2407RD-N	24W	2500	Ø300x12	Ø280	10

LED MINI PANELS PREMIUM SERIES-SQUARE




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216295 - 2700K WARM WHITE 216297 - 6400K WHITE	VT-307SQ-N	3W	180	84x84x12	74x73	50
4863 - 3000K WARM WHITE	VT-607SQ	6W	420	120x120x12	110	40
214864 - 4000K DAY WHITE 214865 - 6400K WHITE	VT-607SQ-N	6W	490	120x120x12	110	40
214866 - 2700K WARM WHITE 214868 - 6400K WHITE	VT-1207SQ-N	12W	1160	170x170x12	155x155	20
214871 - 6400K WHITE	VT-1807SQ-N	18W	1400	225x225x12	205x205	20

LED MINI PANELS PREMIUM SERIES-ROUND-3IN1



AC:100-240V, 50Hz


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
23326 - 3IN1	VT-61103	3W	130	84x12	Ø73	50
6982 - 3IN1	VT-61106	6W	490	120x12	Ø110	40
6983 - 3IN1	VT-61109	9W	820	145x18	Ø133	20
6984 - 3IN1	VT-61112	12W	1160	170x12	Ø160	20
6985 - 3IN1	VT-61118	18W	1550	225x12	Ø210	20
23327 - 3IN1	VT-61122	22W	2265	240x12	Ø220	20
23328 - 3IN1	VT-61124	24W	2500	300x12	Ø280	10

LED CHROME SURFACE PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.6 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6364 - 3000K WARM WHITE	VT-1205CH	12W	1000	Ø140x24	40

LED SATIN NICKEL PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.7 PF

>80 CRI

Aluminium+Satin Nickel Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6355 - 3000K WARM WHITE 6356 - 4000K DAY WHITE	VT-2407SN	24W	2000	Ø300x25	Ø285	10

LED CHROME PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.7 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6348 - 6400K WHITE	VT-1807CH	18W	1500	Ø225x25	Ø205	20
6352 - 3000K WARM WHITE 6353 - 4000K DAY WHITE	VT-2407CH	24W	2000	Ø300x25	Ø285	10

LED TRIMLESS MINI PANELS-SQUARE



AC:85-265V,50/60Hz


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4798 - 6400K WHITE	VT-2222SQ	22W	2200	170x170x8	155x155	40

LINEAR LIGHTS



AC:85-265V,50/60Hz

120° Beam Angle

>0.7 PF

>80 CRI

Aluminium Body

30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6415 - 6400K WHITE	VT-20002	20W	1400	290x45x72	270x32	20
6418 - 6400K WHITE	VT-30002	30W	2100	430x45x72	405x32	10



LED TUBES LIGHTS


V-TAC's LED tubes fit perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to fluorescent systems.



T8 NANO PLASTIC TUBES



Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s




SKU	Model	Watts	Lumens	Size	Box Qty
23871 - 4000K DAY WHITE	VT-062	7.5W	850	28x600	25
23872 - 3000K WARM WHITE 23873 - 6500K WHITE	VT-122	16.5W	1850	28x1200	25
23874 - 3000K WARM WHITE 23875 - 4000K DAY WHITE 23876 - 6500K WHITE	VT-152	24W	3000	28x1500	25

T8 NANO PLASTIC TUBES




Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
216392 - 3000K WARM WHITE 216393 - 4000K DAY WHITE 216394 - 6500K WHITE	VT-6072-NR-N	9W	850	28x600	25
216272 - 4000K DAY WHITE 216262 - 6500K WHITE	VT-9077-N	14W	1400	28x900	25
216263 - 3000K WARM WHITE 216273 - 4000K DAY WHITE 216264 - 6500K WHITE	VT-1277-N	18W	1850	28x1200	25
216265 - 3000K WARM WHITE 216309 - 4000K DAY WHITE 216310 - 6500K WHITE	VT-1577-N	20W	2100	28x1500	25

T8 GLASS TUBES




Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

03 YEAR
WARRANTY

**DUMMY
STARTER
INCLUDED**

SKU	Model	Watts	Lumens	Size	Box Qty
7796 - 3000K WARM WHITE 7797 - 4000K DAY WHITE 7798 - 6500K WHITE	VT-6729	9W	850	28x600	25
2981 - 3000K WARM WHITE 2982 - 4000K DAY WHITE 2983 - 6500K WHITE	VT-1221	18W	1850	28x1200	25
7799 - 3000K WARM WHITE 7801 - 4000K DAY WHITE 7803 - 6500K WHITE	VT-1575	20W	2100	28x1500	25

T5 GLASS TUBES



Holder	G5
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

02 YEAR
WARRANTY

**DUMMY
STARTER
INCLUDED**

SKU	Model	Watts	Lumens	Size	Box Qty
216318 - 4000K DAY WHITE 216319 - 6500K WHITE	VT-6005-N	8W	880	19x600	25
216320 - 4000K DAY WHITE 216321 - 6500K WHITE	VT-1225-N	16W	1760	19x1200	25

NEW

BATTEN FITTING WITH TUBES



Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Iron+Nano Plastic

**IP20
RATING**

**TUBES
INCLUDED**

SKU	Model	Watts	Lumens	Size	Box Qty
23924 - 6500K WHITE	VT-12015	18W	1850	1225x45x50	20
23926 - 6500K WHITE	VT-12016	20W	2100	1520x45x50	20

SINGLE BATTEN FITTING



SKU	Model	Body Type	Size(mm)	Box Qty
6052	VT-16010	Iron	615x45x50	20
6054	VT-12020	Iron	1225x45x50	20

DOUBLE BATTEN FITTING




SKU	Model	Body Type	Size(mm)	Box Qty
6053	VT-16011	Iron	615x55x50	20
6055	VT-12021	Iron	1225x55x50	12
6057	VT-15021	Iron	1520x55x50	12

COMMERCIAL TUBES

Specialized LED tubes designed for use in the food industry. These cost-effective LED tubes are ideal for illuminating meat, bread, vegetables, seafood, or plant cultivation. Their unique light spectrum enhances the appearance of food in stores without distorting it inappropriately.

Holder	G13
Voltage/Frequency	AC:180-240V,50Hz
PF	>0.9
CRI	>95
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s



T8 BAKERY TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6322	VT-1228-B	18W	1530	26x1200	25

T8 VEGETABLE TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6324	VT-1228-V	18W	1530	26x1200	25

T8 SEAFOOD TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6325	VT-1228-S	18W	1530	26x1200	25



DOUBLE T8 NANO PLASTIC TUBE

Holder	G13
Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
6313 - 4000K DAY WHITE	VT-6077	18W	2500	18.5x549	10

NEW




HIGH LUMENS GRILL FITTING | CCT 3IN1

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.7
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic



SKU	Model	Watts	Lumens	Size	Box Qty
24213 - 3IN1	VT-8310CCT	10W	1200	300x76x24	
24218 - 3IN1	VT-8320CCT	20W	2400	566x76x24	30
23680 - 3IN1	VT-8340CCT	40W	4800	1166x76x24	30
23681 - 3IN1	VT-8350CCT	50W	6000	1466x76x24	30
23682 - 3IN1	VT-8360CCT	60W	7200	1800x76x26	30

NEW



HIGH LUMENS SLIM GRILL FITTING

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.7
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic

120
LUMEN/W
EFFICIENCY

03
YEAR
WARRANTY

IP20
RATING

SKU	Model	Watts	Lumens	Size	Box Qty
23783 - 3000K WARM WHITE 23784 - 4000K DAY WHITE 23785 - 6500K WHITE	VT-8310	10W	3000K-1000 4000K-1200 6500K-1200	300x76x24	30
23786 - 4000K DAY WHITE 23787 - 6500K WHITE	VT-8320	20W	2400	566x76x24	30
23788 - 3000K WARM WHITE 8048 - 4000K DAY WHITE 8049 - 6500K WHITE	VT-8340	40W	3000K-4300 4000K-4800 6500K-4800	1200x75x24	30
8050 - 4000K DAY WHITE 8054 - 6500K WHITE	VT-8350	50W	6000	1500x75x24	30
23713 - 4000K DAY WHITE 23714 - 6500K WHITE	VT-8-60-1	60W	7200	1800x76x26	30

LED BATTEN FITTINGS

Introducing our range of IP65-rated waterproof batten fittings. Built with a durable, air-tight body allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

WATERPROOF FITTING-X SERIES



AC:220-240V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

PC+ABS Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10223 - 4000K DAY WHITE	VT-1254	48W	5760	1500x64x60	12



EMERGENCY & SENSOR WATERPROOF FITTING



AC:200-240V, 50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

PC Body

20,000 hr lifespan

Emergency

9.6V, Ni-Cd 2200mAh Battery

Charging Time: 24 Hours


Working Time: 3 Hours

Sensor

Sensor Type: Microwave

Detection Distance: 4-10 Meters

Time Delay: 5s/1 min/3 min/10 min



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24012 - 6500K WHITE	VT-120137E	36W Emergency	4320	1200x78x72	12
24014 - 6500K WHITE	VT-150149E	48W Emergency	5760	1500x78x72	12
24013 - 4000K DAY WHITE 24016 - 6500K WHITE	VT-120137S	36W Sensor	4320	1200x78x72	12
24015 - 4000K DAY WHITE 24017 - 6500K WHITE	VT-150149S	48W Sensor	5760	1500x78x72	12

WATERPROOF FITTING-LINKABLE SERIES



AC:220-240V,50/60Hz


120° Beam Angle

>0.7 to >0.9 PF

>80 CRI

PC Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)
23087 - 4000K DAY WHITE 23088 - 6500K WHITE	VT-80060	18W	1900	600x59x47
23083 - 4000K DAY WHITE 23084 - 6500K WHITE	VT-80120	36W	3900	1200x59x47
23085 - 4000K DAY WHITE 23086 - 6500K WHITE	VT-80150	48W	5200	1500x59x47

WATERPROOF FITTING WITH TUBES



AC:200-240V,50/60Hz


120° Beam Angle

>0.5 to >0.7 PF

>80 CRI

Plastic+ABS Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6459 - 4000K DAY WHITE 6460 - 6400K WHITE	VT-12028	18W Single Tube	1700	1276x68x58	16
6462 - 6400K WHITE	VT-15028	22W Single Tube	2000	1576x68x58	16
6387 - 4000K DAY WHITE 6399 - 6400K WHITE	VT-12023	36W Double Tube	3400	1276x96x58	10
6388 - 4000K DAY WHITE 6400 - 6400K WHITE	VT-15022	44W Double Tube	4000	1576x96x58	10

WATERPROOF FITTING-G SERIES



AC:220-240V,50/60Hz


120° Beam Angle

>0.7 to >0.9 PF

>80 CRI

PC Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216283 - 4000K DAY WHITE 216282 - 6500K WHITE	VT-6076-N	18W	2160	600x66x58	12
216285 - 4500K DAY WHITE 216284 - 6400K WHITE	VT-1249-N	36W	4320	1200x65x58	12
216287 - 4500K DAY WHITE 216286 - 6400K WHITE	VT-1574-N	48W	5760	1500x65x58	12

HERMETIC FITTINGS




Hermetic fitting (tubes not included) is easy to install, yet provide praiseworthy protection from dampness and rainfall making it suitable for indoor and outdoor lighting.

SKU	Model	Body Type	Size(mm)	Box Qty
6709	VT-12023-N	Plastic+ABS	1576x68x58	16

LED HIGHBAY LIGHTS

V-TAC's new UFO and Linear Highbays are designed for widespread, efficient illumination and resistance to harsh conditions. The UFO highbays, powered with Meanwell drivers for performance, are encased in a sturdy, IP65 rated body to ensure endurance. Two beam angle options available for even light distribution.

NEW HIGH LUMEN LED UFO-HIGHBAY | WATTS CHANGEABLE



AC:220-240V, 50/60Hz

90° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

50,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23736 - 4000K DAY WHITE 23737 - 5000K WHITE 23738 - 6500K WHITE	VT-9-154	150/120/80W	27000	250x110mm	1
23739 - 5000K WHITE 24361 - 6500K WHITE	VT-9-212	200W	42000	280x118mm	1

NEW



EMERGENCY KIT

- Operation Time: 2 Hrs
- LiFePO4 3.2V, 6.0Ah Battery
- Charging Time: 24 Hrs

SKU	Box Qty
23740	10

NEW



ADJUSTABLE STEEL BRACKET

SKU	Box Qty
23744	50

NEW



60° LENS

SKU	Box Qty
23751	40

NEW



110° LENS

SKU	Box Qty
23750	40

NEW



DIMMABLE MICROWAVE SENSOR

- DC:12V
- 0-10V Dimmable
- >3m/9 feet Detection

SKU	Box Qty
23741	100

NEW



DIMMABLE PIR SENSOR

- DC:12V
- 0-10V Dimmable

SKU	Box Qty
23742	100

NEW




REMOTE CONTROL FOR SENSORS

SKU	Box Qty
23743	50



HIGH LUMEN UFO Highbay | 155LM/W



208x96mm

AC:220-240V, 50/60Hz

90° Beam Angle

>0.9 PF

>70 CRI

Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24075 - 4000K DAY WHITE 24074 - 6500K WHITE	VT-91102	100W	15500	208x96mm	1
24077 - 4000K DAY WHITE 24076 - 6500K WHITE	VT-91152	150W	23250	248x96mm	1
24079 - 4000K DAY WHITE 24078 - 6500K WHITE	VT-91202	200W	31000	288x96mm	1

HIGH LUMEN LED UFO Highbay 3IN1



AC:100-277V, 50/60Hz


120° Beam Angle

>0.9 PF

>80 CRI

Die Cast Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10467 - 3IN1	VT-90202	120W 150W 200W	27000	320x125	1

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER



AC:175-265V, 50/60Hz

100° Beam Angle

>0.9 PF


>70 CRI

Aluminium Body

25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7655 - 4000K DAY WHITE	VT-9119	100W	18500	233x161mm	1
7656 - 4000K DAY WHITE 7657 - 6500K WHITE	VT-9219	200W	37000	305x221mm	1
11361	Remote Control				

LED HIGHBAY LIGHTS 3IN1



AC:220-240V,50/60Hz

90° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23622 - 3IN1	VT-91100CCT	100W	8300	ø235x32x68mm	10
23623 - 3IN1	VT-91150CCT	150W	12300	ø277x32x68mm	10

NEW LED LINEAR HIGHBAY



AC:220-240V,50/60Hz

115° Beam Angle

>0.9 PF

>70 CRI

Aluminium Body


25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7892 - 4000K DAY WHITE 7893 - 6500K WHITE	VT-91100	100W	8700	510x97x53.2	1

LED STREET LIGHTS

LED street lights are specifically designed to illuminate streets, roads, highways and other public areas. They have become increasingly popular in recent years thanks to the numerous advantages they have over traditional incandescent and fluorescent lights. Here are some key characteristics and benefits of LED street lights:

NEW LED SLIM STREETLIGHTS



AC:120-240V,50/60Hz

90° Beam Angle

>0.9 PF


>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23831 - 4000K DAY WHITE 23832 - 6500K WHITE	VT-35ST	30W	4050	368x136x92	8
23833 - 4000K DAY WHITE 23834 - 6500K WHITE	VT-106ST	100W	13500	514x173x92	4
23835 - 4000K DAY WHITE 23836 - 6500K WHITE	VT-155ST	150W	20250	577x195x92	4

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz

115° Beam Angle

>0.9 PF


>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7886 - 4000K DAY WHITE 7887 - 6500K WHITE	VT-150030ST	30W	2505	333x138.4x92	1
7888 - 4000K DAY WHITE 7889 - 6500K WHITE	VT-150050ST	50W	4270	386.5x149.4x92	1
7890 - 4000K DAY WHITE 7891 - 6500K WHITE	VT-150100ST	100W	8700	480x179.4x92	1

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF

>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10206 - 4000K DAY WHITE 10207 - 6500K WHITE	VT-15035ST	30W	2510	266x129x37	30
10208 - 4000K DAY WHITE 10209 - 6500K WHITE	VT-15057ST	50W	4270	306x150x37	24
10210 - 4000K DAY WHITE 10211 - 6500K WHITE	VT-15110ST	100W	8700	437x200x40	12

LED STRIP LIGHTS

Add an extensive array of lights and colors to any setting, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space required makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

INDOOR STRIP LIGHTS

Indoor strip lights are a versatile and popular lighting solution used to enhance the ambiance, aesthetics, and functionality of indoor spaces. Indoor strip lights come in various colors, lengths, and styles, making them suitable for a wide range of applications in residential and commercial settings.

These indoor strip lights comes with an IP20 rating.



MAGIC STRIP SET-5050 60 LEDs



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width



SKU	Model	Watts/m
23145 - RGB	VT-5050-60-24V-M	13W

BED LIGHTS-PIR SENSOR



DC:12V	SMD LED
30 LEDs/m	120° :BA
IP20 Rating	1.2 x1 mm Width
25 Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212549 - 4000K DAY WHITE	VT-8067-N	3W	260lm	LM

STRIP SET-5050 300 LEDs



AC:100-240V, 50/60Hz	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
20 Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2630 - RGB	VT-5050-300-EU-Plug	4.8W	500lm	14-16lm

STRIP SETS-5050 60 LEDs



AC:100-265V,50/60Hz	SMD LED
60 LEDs/m	0.92A /M
IP20 Rating	120° :BA
20 Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
212546 - 6000K WHITE	VT-5050-60-Set-N-BS-Plug	11W	1000lm	14-16lm
212558 - RGB	VT-5050-60-RGB-EU-Plug	7W	1000lm	14-16lm

STRIP-2835 60 LEDs



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	6 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212559 - 3000K WARM WHITE	VT-2835-60 -N	4.2W	420lm	6-7lm
212560 - 4000K DAY WHITE				
212561 - 6500K WHITE				



STRIP LIGHTS 2835 120L ULTRA LONG



DC:24V	SMD LED
120 LEDs/m	0.34A /M
IP20 Rating	120° :BA
50 Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
24320 - 3000K WARM WHITE	VT-2835-120L-24V	8W	785lm	24-26lm
24321 - 4000K DAY WHITE				
24323 - 6500K WHITE				
23024 - 3000K WARM WHITE	VT-2835-120-24V	8W	800lm	20-22lm
23025 - 4000K DAY WHITE				
23026 - 6500K WHITE				

STRIP LIGHTS 2835 240 DOUBLE PCB



DC:24V	SMD LED
240 LEDs/m	120° :BA
IP20 Rating	15 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m
10554 - 3IN1	VT-2835 240-24V	21W	1100lm - 3000K 2340lm - 4000K 1200lm - 6500K

STRIP LIGHTS 2835 120 RUNNING STRIP 24V



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
800 m Box Qty	

10
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23607 - 3000K WARM WHITE 23608 - 4000K DAY WHITE 23609 - 6500K WHITE	VT-2835 120 24V	10W	800lm

STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
800 m Box Qty	10 mm Width

10
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212622 - 3000K WARM WHITE 212623 - 4000K DAY WHITE 212624 - 6500K WHITE	VT-2835 120-N	8W	750lm	6-7lm

STRIP LIGHTS-3535 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m
10556 - RGB	VT-3535-120-24V	12W

LED STRIP-2835 48 LEDS



DC:24V	SMD LED
48 LEDs/m	170° :BA
IP20 Rating	11 mm Width
240 Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23334 - 3000K WARM WHITE 23335 - 4000K DAY WHITE 23336 - 6500K WHITE	VT-2835 48	16.5W	1320lm

LED STRIP-2835 126 LEDS -HIGH LUMEN



DC:24V	SMD LED
126 LEDs/m	0.33A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150
LUMEN/W
EFFICIENCY

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212593 - 3000K WARM WHITE 212594 - 4000K DAY WHITE 212595 - 6500K WHITE	VT-2835-126-24V-N	8W	1100lm	8-9lm

LED STRIP-4040-60



DC:12V	SMD LED
60 LEDs/m	0.66A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width



5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2931 - 3000K WARM WHITE 2932 - 4000K DAY WHITE 2933 - 6400K WHITE	VT-4040-60	8W	800lm	13-14lm

LED STRIP-2835 168 LEDS-HIGH LUMEN



DC:24V	SMD LED
168 LEDs/m	0.45A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150
LUMEN/W
EFFICIENCY

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212596 - 3000K WARM WHITE 212597 - 4000K DAY WHITE 212598 - 6500K WHITE	VT-2835-168-24V-N	12W	1680lm	10-11lm

STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width



5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2895 - RGB+CCT	VT-5050-60-24V-CCT	24W	1400lm	23-24lm

STRIP LIGHTS 2835 - CCT 3IN1



DC:24V	SMD LED
120 LEDs/m	0.6A /M
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



5
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M	Lumen/LED
2897 -3IN1	VT-2835-120--24V	14W	1750lm	14-15lm

LED STRIP-2835 238 LEDS-HIGH LUMEN



DC:24V	SMD LED
238 LEDs/m	0.7A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212599 - 3000K WARM WHITE 212600 - 4000K DAY WHITE 212601 - 6500K WHITE	VT-2835-238-24V-N	18W	2430lm	10-11lm

LED STRIP LIGHTS-2835 204 LEDS



DC:12V	SMD LED
204 LEDs/m	1.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212461 - 3000K WARM WHITE 212462 - 4000K DAY WHITE 212463 - 6500K WHITE	VT-2835-204-N	17W	1700lm	8-9lm

LED STRIP-2835 128 LEDS



DC:24V	SMD LED
128 LEDs/m	0.37A /m
IP20 Rating	120° :BA
400 m Box Qty	4 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2906 - 3000K WARM WHITE 2907 - 4000K DAY WHITE 2908 - 6400K WHITE	VT-2835-128-24V	WW-8.5W/ DW- 8.5W/W-9W	1150lm 1200lm 1260lm	9-10lm

STRIP LIGHTS 2835 90-HIGH LUMEN



DC:24V	SMD LED
90 LEDs/m	0.16A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

200
LUMEN/W

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2697 - 4000K DAY WHITE 2698 - 6400K WHITE	VT-2835-90	4W	800lm	10-11lm

LED STRIP LIGHTS-2835 240 LEDS-HIGH LUMEN



DC:12V	1.66A /m
240 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212164 - 3000K WARM WHITE 212165 - 4000K DAY WHITE 212166 - 6500K WHITE	VT-2835-240-N	20W	2000lm	8-9lm

LED STRIP LIGHTS-5730 120 LEDS-HIGH LUMEN



DC:12V	1.66A /m
120 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL


IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212162 - 3000K WARM WHITE 212163 - 4000K DAY WHITE 212161 - 6500K WHITE	VT-5730-120-N	20W	2000lm	16-17lm

STRIP LIGHTS 2110 700



DC:24V	SMD LED
700 LEDs/m	0.875A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2603 - 4000K DAY WHITE 2604 - 6400K WHITE	VT-2110 700	21W	2000lm	8-10lm
212602 - 3000K WARM WHITE	VT-2110 700-N	22W	2100lm	6-8lm

STRIP-2216 360 LEDS



DC:24V	SMD LED
360 LEDs/m	1.25A /m
IP20 Rating	120° :BA
250 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2582 - 6000K WHITE	VT-2216 360	30W	2400lm	6-7lm

COB STRIP LIGHTS IP20



DC:24V	0.42A /m
280 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212652 - 3000K WARM WHITE 212653 - 4000K DAY WHITE 212654 - 6500K WHITE	VT-COB-280-N	10W	950lm	3-4lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
320 LEDs/m	120° :BA
IP20 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
6862 - 3000K WARM WHITE 6863 - 4000K DAY WHITE	VT-COB-320 -24V	10.5W	1050lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
420 LEDs/m	0.42A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2669 - 6400K WHITE	VT-COB-421	10W/M	1000	2-3lm
212667 - 3000K WARM WHITE	VT-COB-421-N	10W	960lm	2-3lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
512 LEDs/m	0.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

CRI
90

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2650 - 4000K DAY WHITE 2651 - 6000K WHITE	VT-512	12W	1000lm	2-3lm
212649 - 3000K WARM WHITE	VT-512-N	13W	1050lm	2-3lm
212651 - 6500K WHITE				

COB STRIP LIGHTS IP20



5
METER
ROLL

IP20
RATING

DC:24V	COB LED
560 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 Box Qty	

SKU	Model	Watts/m	Lumen/m
10555 - 3IN1	VT-COB 560-CCT	2700K - 9W 4000K - 18W 6500K - 9W	500lm - 2700K 1135lm - 4000K 700lm - 6500K

COB STRIP LIGHTS IP20



DC:24V	COB LED
672 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m
2880 - RGB	VT-COB 422	13W/M

LED STRIP LIGHTS-3528 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212016 - 3000K WARM WHITE 212041 - 4000K DAY WHITE 212005 - 6500K WHITE 212015 - RED 212013 - BLUE 212011 - GREEN 212009 - YELLOW	VT-3528 -60-N	4.2W	420lm	7-8lm

LED STRIP LIGHTS-3528 120 LEDS



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212025 - 3000K WARM WHITE 212042 - 4000K DAY WHITE 212002 - 6500K WHITE	VT-3528 120-N	8W	800lm	6-7lm

LED STRIP LIGHTS-5050 30 LEDS



DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212135 - 3000K WARM WHITE 212133 - 6500K WHITE 212124 - RGB	VT-5050 30-N	6W	500lm	16-17lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212122 - 3000K WARM WHITE 212143 - 4000K DAY WHITE 212126 - 6400K WHITE 212120 - RGB 212128 - RED 212137 - BLUE 212138 - GREEN 212156 - YELLOW 212547 - 2200K WARM WHITE	VT-5050-60-N	10.8W	900lm	14-15lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.66A /m
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212159 - RGB+6500K 212552 - RGB+4000K 212553 - RGB+3000K	VT-5050-60-RGBW-N	8W	357lm	5-6lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212431 - 3000K WARM WHITE 212459 - 4000K DAY WHITE 212430 - 6500K WHITE 212591 - RGB	VT-5050-60-24V-N-5m	10W	830lm	13-14lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.29A /M
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M	Lumen/LED
212592 - RGB	VT-5050-60-24V-N	7W	140lm	2-3lm

NEW

MAGIC NEON FLEX IP20-RGB



DC:5V	SMD LED
30 LEDs/m	0.6A /M
IP20 Rating	120° :BA
20 Box Qty	



5
METER
ROLL

SKU	Model	Watts	Lumen/M	Lumen/LED
24050 - RGB	VT-562	3W	NA	NA

NEW

NEON FLEX IP65




DC:24V	SMD LED
288 LEDs/m	0.38A /M
IP65 Rating	120° :BA
400 Box Qty	6.5 mm Width

10
METER
ROLL



SKU	Model	Watts	Lumen/M	Lumen/LED
24329 - 3000K WARM WHITE 24330 - 4000K DAY WHITE 24322 - 6500K WHITE	VT-564	9W	755lm	45-50lm

NEON FLEX IP65



DC:24V	SMD LED
240 LEDs/m	360° :BA
IP65 Rating	25 mm Width
20 Box Qty	



10
METER
ROLL



SKU	Model	Watts
6869 - 4000K DAY WHITE 6870 - 6500K WHITE 6873 - AMBER 6872 - BLUE 6871 - GREEN 6874 - PINK	VT-551	12W

NEON FLEX IP65



DC:24V	SMD LED
192 LEDs/m	360° :BA
IP65 Rating	25 mm Width
10 Box Qty	



SKU	Model	Watts
6876 - RGB MAGIC	VT-561-M	24W

WEATHERPROOF STRIP LIGHTS

Outdoor strip lights are a versatile and effective lighting solution designed specifically for outdoor use. These flexible and weather-resistant lighting fixtures have gained popularity for their ability to enhance the aesthetics, safety, and functionality of outdoor spaces. One of the most crucial aspects of outdoor strip lights is their ability to withstand various weather conditions. They are typically designed with a high level of weather resistance, often carrying IP ratings like IP65 or higher. This ensures they can endure rain, snow, wind, and exposure to the sun without being damaged.



WP-MAGIC STRIP SET-5050 60 LEDS



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	10 mm Width



SKU	Model	Watts/m
23146 - RGB	VT-5050 60--60-24V	13W

WP-STRIP-2835-SENSOR



DC:6V	SMD 2835 LED
30 LEDs/m	120° :BA
IP65 Rating	1 mm Width
50 Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2573 - 2700K WARM WHITE	VT-8082	2.4W	200lm	5-6lm
212574 - 4000K DAY WHITE	VT-8082-N	2.4W	200lm	5-6lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB



DC:12V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

30
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6855 - 3000K WARM WHITE 6856 - 4000K DAY WHITE	VT-2835-60-12V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB



DC:24V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

30
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6857 - 3000K WARM WHITE 6858 - 4000K DAY WHITE	VT-2835-60-24V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212625 - 3000K WARM WHITE 212626 - 4000K DAY WHITE 212627 - 6500K WHITE	VT-2835 120-IP65-N	7.5W	750lm	6-7lm

WP-STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
200 m Box Qty	12 mm Width

5IN1 RGB
3000K
4000K
6400K

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2896 -5IN1	VT-5050-60-RGB	14W	1400lm	23-24lm

WP-STRIP LIGHTS 2835 - CCT



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2898 - 3IN1	VT-2835-120-IP65	14.5W	1750lm	14-15lm

WP-COB STRIP LIGHTS IP65



DC:12V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
6864 - 3000K WARM WHITE 6865 - 4000K DAY WHITE	VT-COB-320 -12V	10W	1200lm

WP-COB STRIP LIGHTS IP65



DC:24V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
6866 - 3000K WARM WHITE 6867 - 4000K DAY WHITE	VT-COB -320-24V	10.5W	1050lm

WP-COB STRIP LIGHTS IP67




DC:24V	COB LED
320 LEDs/m	120° :BA
IP67 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
23138 - 3000K WARM WHITE 23139 - 4000K DAY WHITE 23140 - 6500K WHITE 23141 - RED 23142 - BLUE 23143 - GREEN 23144 - AMBER	VT-COB-320 -24V-IP67	10W	840lm

NEW

WP-LED STRIP LIGHTS-2025 286 LEDS 220V



AC:220-240V, 50/60Hz	SMD LED
286 LEDs/m	0.052A /M
IP65 Rating	120° :BA
100 Box Qty	8 mm Width



SKU	Model	Watts	Lumen/M
23715 - 3000K WARM WHITE 23716 - 4000K DAY WHITE 23717 - 6500K WHITE	VT-2025 286-5M Roll	12.5W	1100lm
23718 - 3000K WARM WHITE 23719 - 4000K DAY WHITE 23720 - 6500K WHITE	VT-2025 286-10M Roll	12.5W	1100lm
23721 - 3000K WARM WHITE 23722 - 4000K DAY WHITE 23723 - 6500K WHITE	VT-2025 286-50M Roll	12.5W	1100lm

NEW

WP-LED STRIP LIGHTS-2835 121 LEDS 220V



AC:220-240V, 50/60Hz	SMD LED
121 LEDs/m	0.044A /M
IP65 Rating	120° :BA
100 Box Qty	8 mm Width



SKU	Model	Watts	Lumen/M
23727 - 3000K WARM WHITE 23728 - 4000K DAY WHITE 23729 - 6500K WHITE 23724 - RED 23725 - BLUE 23726 - GREEN	VT-2835 121-10M Roll	10.5W	1000lm
23733 - 3000K WARM WHITE 23734 - 4000K DAY WHITE 23735 - 6500K WHITE 23730 - RED 23731 - BLUE 23732 - GREEN	VT-2835 121-50M Roll	10.5W	1000lm

WP-LED STRIP LIGHTS-3528 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP65 Rating	120° :BA
400 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212032 - 3000K WARM WHITE 212043 - 4000K DAY WHITE 212031 - 6500K WHITE 212036 - RED 212035 - BLUE 212034 - GREEN	VT-352-60-N	5W	420lm	7-8lm

WP-LED STRIP LIGHTS-3528 120 LEDS



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP65 Rating	9.2 mm Width
400 m Box Qty	

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212038 - 3000K WARM WHITE 212044 - 4000K DAY WHITE 212037 - 6500K WHITE	VT-3528-120-N	8W	800lm	6-7lm

WP-LED STRIP LIGHTS-5050 30 LEDS



DC:12V	SMD LED
30 LEDs/m	0.4A /M
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

5
METER
ROLL

IP65
RATING

SKU	Model	Watts	Lumen/M	Lumen/LED
2144 - 6000K WHITE	VT-5050-30	4.8W	500lm	14 -16lm
212144 - 6500K WHITE	VT-5050-30-12V	6W	500lm	19-22lm
212460 - 4000K DAY WHITE 212145 - 3000K WARM WHITE 212118 - RGB	VT-5050-30-N	6W - 3000K 4.8W - 4000K 4W - RGB	500lm-3000K 500lm-4000K 70lm-RGB	14 -16lm

WP-LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.9A /M
60 LEDs/m	120° :BA
IP65 Rating	11.4 mm Width
400 m Box Qty	

5
METER
ROLL

IP65
RATING

SKU	Model	Watts	Lumen/M	Lumen/LED
212149 - 3000K WARM WHITE 212150 - 4000K DAY WHITE 212148 - 6500K WHITE 212155 - RGB	VT-5050 60-N	11W	900lm	14-15lm

WP-TAPE-5050 60 LEDS




DC:24V	SMD LED
60 LEDs/m	0.375A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212562 - 3000K WARM WHITE 212563 - 4000K DAY WHITE 212564 - 6500K WHITE	VT-5050 60-24V-N	10W	830lm	13-14lm

WP-NEON FLEX IP68



DC:24V	SMD LED
126 LEDs/m	0.27A /m
IP68 Rating	120° :BA
50 m Box Qty	8 mm Width

10
METER
ROLL

IP68
RATING

SKU	Model	Watts/m	Lumen/m
2614 - 6400K WHITE	VT-554	6.5W	260lm

WP-NEON FLEX SILICON COVER



DC:24V	SMD LED
238 LEDs/m	0.34A /m
IP65 Rating	120° :BA
200 m Box Qty	4 mm Width

5
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2621 - 6000K WHITE	VT-560	8W	530lm

WP-NEON FLEX-RED



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2516 - RED	VT-555R	8W	320

WP-BACKLITE SILICON NEON FLEX



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP65 Rating	8 mm Width
200 m Box Qty	

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2569 - 4000K DAY WHITE	VT-559	13W	1000

BAR 4014 144 LEDS



DC:12V	SMD LED
IP20 Rating	1.5A /m
125 Box Qty	1 mm Height

SKU	Model	Watts/m	Lumen/m	Lumen/LED	
2538 - 3000K WARM WHITE	VT-4014 144-10Pc	18W	1700lm	20-24lm	10 PCS PACK


STRIP CONNECTORS



SKU	Model	Box Qty
2587	<u>Flexible Connector – LED Strip 5050 RGB+White</u>	2500
2588	<u>Flexible Connector – 5050 RGB+White With Pin</u>	2000
2589	<u>Connector – LED Strip 5050 RGB+White</u>	3000
3500	<u>Flexible Connector – LED Strip 3528</u>	100
3501	<u>Flexible Connector – LED Strip 5050</u>	100
3502	<u>Flexible Connector – LED Strip 5050 RGB</u>	100
3503	<u>Connector – LED Strip 3528</u>	100
3504	<u>Connector – LED Strip 5050</u>	1000
3505	<u>Connector – LED Strip 5050 RGB</u>	1000
3507	<u>Flexible Connector – LED Strip 3528 DC Female</u>	100
3508	<u>Flexible Connector – LED Strip 5050 DC Female</u>	100
3512	<u>Connector – LED Strip DC Female</u>	100




MOUNTING KIT SILVER WITH DIFFUSER



Model	SKU	Size(mm)	Color	Box Qty
VT-71001	24100	2000x39.8x9.8	Silver	40




MOUNTING KIT SILVER WITH DIFFUSER



Model	SKU	Size(mm)	Color	Box Qty
VT-71002	24101	2000x55.01x9.8	Silver	40



MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71003	24102	2000x49.8x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71004	24103	2000x65.01x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71005	24104	2000x17.7x13	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71006	24105	2000x25.2x13	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71007	24106	2000x24.01x10	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71008	24107	2000x17x10	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81129	24296	2000x14.8x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81130	24297	2000x14.8x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81131	24298	2000x12x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81132	24299	2000x18x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81133	24300	2000x13.2x7	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81134	24301	2000x19.2x7	Silver	100




NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81135	24302	2000x30x30	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER FLEXIBLE



Model	SKU	Size(mm)	Color	Box Qty
VT-81127	24215	2000x35.46x14.8	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER FLEXIBLE

Model	SKU	Size(mm)	Color	Box Qty
VT-81128	24216	2000x38.05x18	Silver	40



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8113	2873	2000x17.4x7	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8109	2874	2000x15.8x15.8	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8106	2875	2000x24.7x7	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8108	2876	2000x23.5x10	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8114	2877	2000x19x19	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8110	2878	2000x17.2x14.4	Black	box



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8156	10320	2000x24.7x7	Silver	100




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8157	10321	2000x17.4x7	Silver	100




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8158	10322	2000x15.8x15.8	Silver	100




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8201	23173	2000x55x15	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8202	23174	2000x20x10	Silver




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8203	23175	2000x20x10	Silver




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8204-S	23176	2000x30x10	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8204-R	23177	2000x30x10	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8206-S	23178	2000x50x20	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8206-R	23179	2000x50x20	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8208	23180	2000x60x36	Silver



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8126	2871	2000x50x35	White	20



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8127	2872	2000x50x75	White	10




MOUNTING KIT WITH DIFFUSER SURFACED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8136	2903	2000x7.8x9	Silver	box



MOUNTING KIT WITH DIFFUSER RECESSED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8137	2904	2000x12.4x9	Silver	box



MOUNTING KIT BENDABLE SILVER

Model	SKU	Size(mm)	Color	Box Qtt
VT-8138	2909	2000x18x6	Silver	box

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8106-M	3350	2000x24.7x7	Silver	180
VT-8122-W	3368	2000x24.7x7	White	180

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8108-M	3352	2000x23.5x10	Silver	120
VT-8108-W	3367	2000x23.5x10	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8109-M	3353	2000x15.8x15.8	Silver	160
VT-8123-W	3369	2000x15.8x15.8	White	160

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8110-M	3354	2000x17.2x14.4	Silver	120
VT-8110-W	3366	2000x17.2x14.4	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8113-M	3355	2000x17.4x7	Silver	180
VT-8113-W	3365	2000x17.4x7	White	180

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
VT-8114-M	3356	2000x19x19	Silver	120
VT-8114-W	3364	2000x19x19	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8107	3351	2000x23x15.5	Silver	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-9327	3370	2000x16x7	Silver	200

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qtt
VT-8115	3357	2000x24.5x12.2	Silver	120

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qtt
VT-8116	3358	2000x17.4x12.1	Silver	120

MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qtt
VT-8101	3359	2000	Silver	30

MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qtt
VT-8102	3360	2000	Silver	50



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qty
VT-8103	3361	2000	Silver	40



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qty
VT-8104	3362	2000	Silver	30



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qty
VT-8105	3363	2000	Silver	30



MOUNTING KIT

Model	SKU	Size(mm)	Color	Box Qty
VT-8118	3371	2000x30x20	Silver	50




MOUNTING KIT

Model	SKU	Size(mm)	Color	Box Qty
VT-8119	3372	2000x32x20	Silver	60



MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-7104	9956	19x19x2000	Silver	40

SINGLE COLOR CONTROLLER

SKU	Model
2911	VT-2431



- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB CONTROLLER

SKU	Model
2912	VT-2432



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB+W CONTROLLER

SKU	Model
2913	VT-2434



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

5 CHANNEL AMPLIFIER

SKU	Model
2914	VT-2435



- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode

WALL CONTROLLER - 3 IN 1

SKU	Model
2915	VT-2433



- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20-60°C
- Panel Size: 86x86mm"
- Compatible with RGB/RGBW/RGB+CCT strips

4 ZONE CONTROLLER

SKU	Model
2916	VT-2439



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

4 ZONE RGB+W CONTROLLER

SKU	Model
2917	VT-2437



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

TOUCH DIMMER-WHITE

SKU	Model
2919	VT-2440-W



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 7mW
- Standby Power: 20uA
- Control Distance: 30m

TOUCH DIMMER-BLACK

SKU	Model
2920	VT-2440-B



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

8 ZONE REMOTE CONTROL

SKU	Model
2921	VT-2438



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 47x19x153mm

4 ZONE REMOTE CONTROL

SKU	Model
2918	VT-2436



- Voltage: 3V(sevition 2 batteries)
- Control Distance: 30m
- Size: 53x21x110.5mm

TOUCH REMOTE CONTROL RGB+CCT

SKU	Model
2922	VT-2441



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 56x20x138mm

TOUCH REMOTE CONTROL RGB+W-WHITE

SKU	Model
2923	VT-2442-W



- Voltage: 3V(sevition 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

TOUCH REMOTE CONTROL RGB+W-BLACK

SKU	Model
2924	VT-2442-B



- Voltage: 3V(sevition 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

STRIP-CONTROLLER-DIMMER



SKU	Model	Voltage
3300	VT-2402	DC:12/24V

**RUNNING STRIP
CONTROLLER**



SKU	Model	Voltage
23610	23610	DC:24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3303	VT-2404	DC:12/24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3312	VT-2405	DC:12/24V

STRIP-CONTROLLER-INFRARED



SKU	Model	Voltage
3625	VT-2472	DC:12/24V

STRIP-CONTROLLER-RGB + CCT



SKU	Model	Voltage
2899	VT-2428	DC:12V/24V

STRIP-CONTROLLER-CCT



SKU	Model	Voltage
2901	VT-2425	DC:12V/24V

STRIP-AMPLIFIER-5050



SKU	Model	Voltage
3018	3018	DC:12V

**STRIP CONTROLLER- WIFI -
RGB + CCT**



SKU	Model	Voltage
2900	VT-2429	DC:12V/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3327	VT-2408	DC:12/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3309	VT-2407	DC:12/24V

HEAD DOOR SENSOR



SKU	Model	Voltage
23457	VT-82060	DC:12V-24V

BED LIGHT-SENSOR

Sensing Distance:2-5m
DeLay Time:3s-6min



SKU	Model	Voltage
2554	VT-8069	DC:12V

SURFACE-TOUCH SENSOR



SKU	Model	Voltage
2556	VT-8071	DC:12V

HAND WAVE SENSOR



SKU	Model	Voltage
2557	VT-8072	DC:12V

LED SYNC CONTROLLER- DIMMER



SKU	Model	Voltage
3337	VT-2414	DC:12/24V

LED SYNC CONTROLLER- RGBW/WW



SKU	Model	Voltage
3338	VT-2424	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3339	VT-2420	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3340	VT-2421	DC:12/24V

STRIP DIMMER- TOUCH REMOTE CONTROL



SKU	Model	Voltage
2590	VT-5115	DC:12/24V

CONTROLLER FOR NEON FLEX(VT-561)



SKU	Model	Voltage
7805	7805	DC:5-24V

STRIP WIFI CONTROLLER - CCT



SKU	Model	Voltage
2902	VT-2427	DC:12V/24V

STRIP-CONTROLLER-5050



SKU	Model	Voltage
3326	3326	DC:12/24V

STRIP-CONTROLLER-DIMMER- RECESSED



SKU	Model	Voltage
3341	VT-2411	DC:12V

**HIDDEN TOUCH DIMMER SWITCH
WHITE**



SKU	Model	Voltage
23465	VT-2412-W	DC:12V-24V

**HIDDEN TOUCH DIMMER SWITCH
BLACK**



SKU	Model	Voltage
23466	VT-2412-B	DC:12V-24V



**2P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
6877	1000



**3P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
7852	1000



**4P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
6878	1000



22END CAP

SKU	Box Qty
6879	2000



**FIXING CLIP + SCREWS FOR
220V STRIP LIGHT**

SKU	Box Qty
2642	2000



22HEAD CAP

SKU	Box Qty
6880	2000



CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2655	5000



**CONNECTOR FOR STRIP 8MM
SINGLE HEAD**

SKU	Box Qty
2656	2500



**CONNECTOR FOR STRIP 8MM
DUAL HEAD**

SKU	Box Qty
2657	2500



**L SHAPE CONNECTOR FOR
STRIP 8MM**

SKU	Box Qty
2658	5000



**CONNECTOR FOR STRIP
10MM**

SKU	Box Qty
2659	5000



**CONNECTOR FOR STRIP
10MM SINGLE HEAD**

SKU	Box Qty
2660	2500



**CONNECTOR FOR STRIP
10MM DUAL HEAD**

SKU	Box Qty
2661	2500



**L SHAPE CONNECTOR FOR
STRIP 10MM**

SKU	Box Qty
2662	5000



**CONNECTOR FOR COB STRIP
8MM SINGLE HEAD**

SKU	Box Qty
2663	1000



**CONNECTOR FOR COB STRIP
8MM DUAL HEAD**

SKU	Box Qty
2664	1000



**CONNECTOR FOR COB STRIP
10MM SINGLE HEAD**

SKU	Box Qty
2665	1000



**CONNECTOR FOR COB STRIP
10MM DUAL HEAD**

SKU	Box Qty
2666	1000



**QUICK CONNECT WIRE FOR
LED STRIP LIGHT**

SKU	Box Qty
11341	1000



**QUICK MIDDLE CONNECTOR
FOR LED STRIP LIGHT**

SKU	Box Qty
11342	1000



**QUICK MIDDLE CONNECTOR
WITH WIRE FOR LED STRIP
LIGHT**

SKU	Box Qty
11343	500

MODULES-3 SMD-IP67



DC:12V
66lm
>75 CRI
160° Beam Angle
67x15x8.5
2000 Box Qty



SKU	Model	Watts
5116 - 6000K WHITE 5117 - RED 5118 - BLUE 5119 - GREEN	VT-50503	0.72W

MODULES-3 SMD-IP67



DC:12V
100lm
>75 CRI
120° Beam Angle
53x12x4.6
200 Box Qty



SKU	Model	Watts
5120 - 6000K WHITE 5121 - RED 5123 - GREEN	VT-28353	1W

MODULES-3 SMD-IP67



DC:12V
120-150lm
>75 CRI
120° Beam Angle
87x15x10
2000 Box Qty



SKU	Model	Watts
5124 - 3000K WARM WHITE 5127 - BLUE 5128 - GREEN	VT-28356	1.5W

MODULES-4 SMD-IP68



DC:12V
120-135lm
>75 CRI
160° Beam Angle
37x37x6.8
100 Box Qty



SKU	Model	Watts
5130 - 6000K WHITE 5129 - 3000K WARM WHITE 5131 - RED 5132 - BLUE 5133 - GREEN	VT-28358	1.44W

MODULES-3 SMD-IP67



DC:12V
20lm
>75 CRI
120° Beam Angle
68x19.5x5.7
100 Box Qty



SKU	Model	Watts
5134 - RGB	VT-50506	0.72W

MODULES-SMD-IP68



DC:12V
20lm
>75 CRI
120° Beam Angle
12x22
320 Box Qty



SKU	Model	Watts
5136 - 6000K WHITE 5141 - 4000K DAY WHITE 5135 - 3000K WARM WHITE 5137 - RED 5139 - BLUE 5140 - GREEN	VT-50501	0.24W

NEW

SLIM POWER SUPPLY

24V



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24235	VT-24035-S	36W	1.5A	AC:176-264V, 50/60Hz	DC:24V	116x35x24	100
24236	VT-24062-S	60W	2.5A	AC:176-264V, 50/60Hz	DC:24V	145x50x24	80
24237	VT-24075-S	75W	3.1A	AC:176-264V, 50/60Hz	DC:24V	200x50x24	60
24238	VT-24122-S	120W	5A	AC:176-264V, 50/60Hz	DC:24V	200x50x24	60
24239	VT-24152-S	150W	6.25A	AC:176-264V, 50/60Hz	DC:24V	209x63x25	50
24240	VT-24202-S	200W	8.25A	AC:176-264V, 50/60Hz	DC:24V	209x63x25	50
24241	VT-24250-S	250W	10.5A	AC:176-264V, 50/60Hz	DC:24V	246x63x30	30
24242	VT-24361-S	360W	15A	AC:176-264V, 50/60Hz	DC:24V	208x82x32	30

NEW

SLIM POWER SUPPLY

12V



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24254	VT-13036-S	36W	3A	AC:176-264V, 50/60Hz	DC:12V	116x35x24	100
24255	VT-13060-S	60W	5A	AC:176-264V, 50/60Hz	DC:12V	145x50x24	80
24256	VT-13075-S	75W	6.25A	AC:176-264V, 50/60Hz	DC:12V	200x50x24	60
24257	VT-13120-S	120W	10A	AC:176-264V, 50/60Hz	DC:12V	200x50x24	60
24258	VT-13150-S	150W	12.5A	AC:176-264V, 50/60Hz	DC:12V	209x63x25	50
24259	VT-13200-S	200W	16.5A	AC:176-264V, 50/60Hz	DC:12V	209x63x25	50
24260	VT-13250-S	250W	20.83A	AC:176-264V, 50/60Hz	DC:12V	246x63x30	30
24261	VT-13360-S	360W	30A	AC:176-264V, 50/60Hz	DC:12V	208x82x32	30

SLIM POWER SUPPLY




SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3246	VT-20062	60W	5A	AC:85-265V,50/60Hz	DC:12V	130x50x31	36
3247	VT-20077	75W	6A	AC:85-265V,50/60Hz	DC:12V	130x50x31	60
3243	VT-20122	120W	10A	AC:85-265V,50/60Hz	DC:12V	190x50x31	80
3244	VT-20152	150W	12.5A	AC:85-265V,50/60Hz	DC:12V	200x62x31	60
3261	VT-24061	60W	2.5A	AC:85-265V,50/60Hz	DC:24V	130x50x31	36
3262	VT-24120	120W	5A	AC:85-265V,50/60Hz	DC:24V	190x50x31	80
3253	VT-20153	150W	6.5A	AC:85-265V,50/60Hz	DC:24V	200x62x31	50
3273	VT-22250	250W	10A	AC:200-265V, 50Hz	DC:24V	225x60x30	30

LED POWER SUPPLY-METAL



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3259	VT-20352	350W	30A	AC:200-240V,50/60 Hz	DC:12V	208x82x32	30
3263	VT-24350	350W	15A	AC:200-240V,50/60 Hz	DC:24V	208x82x32	30

METAL POWER SUPPLY



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3274	VT-21360	360W	30A	AC:200-240V,50Hz	DC:12V	208x82x32	24
3275	VT-21361	360W	15A	AC:200-240V,50Hz	DC:24V	208x82x32	24

LED POWER SUPPLY-METAL




SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3228	VT-20026	25W	2.1A	AC:85-265V,50/60Hz	DC:12V	115x40x25	100

LED POWER SUPPLY-TRIAC DIMMABLE



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3256	VT-20101D	100W	8.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3257	VT-20154D	150W	12.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3258	VT-20155D	150W	6.25A	AC:200-240V,50/60 Hz	DC:24V	199x62x31	50

LED POWER SUPPLY-RAINPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3231	VT-21151	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	207x74x42	40
3232	VT-21251	250W	20A	AC: 100-264V,50/60Hz	DC:12V	218x95x50	25
3233	VT-21401	400W	33A	AC: 100-264V,50/60Hz	DC:12V	223x118x50	20
3265	VT-26400	400W	16.6A	AC: 100-264V,50/60Hz	DC:24V	223x118x50	20

LED POWER SUPPLY-WATERPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3236	VT-22101	100W	8.0A	AC: 100-264V,50/60Hz	DC:12V	201x30.5x20	20
3101	VT-22101-24	100W	4.2A	AC: 100-264V,50/60Hz	DC:24V	192x52x37	20

NEW

LED POWER SUPPLY-WATERPROOF

12V



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24262	VT-13036	36W	3A	AC:100-240V,50/60Hz	DC:12V	140x35x21	50
24263	VT-13060	60W	5A	AC:100-240V,50/60Hz	DC:12V	159x50x25	40
24264	VT-13100	100W	8.3A	AC:100-240V,50/60Hz	DC:12V	219x50x25	30
24265	VT-13150	150W	12.5A	AC:176-264V, 50/60Hz	DC:12V	224x65x25	30
24266	VT-13200	200W	16.5A	AC:220-240V, 50/60Hz	DC:12V	244x65x25	20
24267	VT-13300	300W	25A	AC:220-240V, 50/60Hz	DC:12V	244x80x29	20

LED POWER SUPPLY-WATERPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3271	VT-21030	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	150x40x30	60
3234	VT-22061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3235	VT-22075	75W	6A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3248	VT-22153	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	15

LED POWER SUPPLY-PLASTIC

05
YEAR
WARRANTY



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3252	VT-22065	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3251	VT-22105	100W	8.3A	AC: 100-264V,50/60Hz	DC:12V	192x52x37	25
3250	VT-22155	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	20

NEW

LED POWER SUPPLY-PLASTIC

24V

IP44
RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension
24249	VT-24037	36W	1.5A	AC: 220-240V,50/60Hz	DC:24V	160x41x30
24250	VT-24063	60W	2.5A	AC: 220-240V,50/60Hz	DC:24V	220x41x30
24251	VT-24103	100W	4.15A	AC: 220-240V,50/60Hz	DC:24V	300x41x30
24252	VT-24203	200W	8.25A	AC: 220-240V,50/60Hz	DC:24V	320x41x30
24253	VT-24303	300W	12.5A	AC: 220-240V,50/60Hz	DC:24V	353x57x35

NEW

LED POWER SUPPLY-PLASTIC

12V

IP44
RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension
24268	VT-13035	36W	3A	AC: 220-240V,50/60Hz	DC:12V	160x41x30
24269	VT-13061	60W	5A	AC: 220-240V,50/60Hz	DC:12V	220x41x30
24270	VT-13101	100W	8.3A	AC: 220-240V,50/60Hz	DC:12V	300x41x30
24271	VT-13201	200W	16.5A	AC: 220-240V,50/60Hz	DC:12V	320x41x30
24272	VT-13301	300W	25A	AC: 220-240V,50/60Hz	DC:12V	353x57x35

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3237	VT-23019	18W	1.5A	AC: 100-264V,50/60Hz	DC:12V	73x27x43	120

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3238	VT-23031	30W	2.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3249	VT-23043	42W	3.5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50
3239	VT-23061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3240	VT-23079	78W	6.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3264	VT-25060	60W	2.5A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50
3272	VT-22078	78W	3.25A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50

POWER SUPPLY - PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Box Qty
2671	VT-23032	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	100
2672	VT-23044	42W	3.5A	AC:100-240V,50/60Hz	DC:12V	100




V-TAC
Meaningful Innovation.

LED TRACK LIGHTS

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

COB TRACK LIGHTS




05
YEAR
WARRANTY

AC:220-240V,50/60Hz Input Voltage
24° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1334 - 6000K WHITE	VT-4512	10W	800	209x65x163	40
1337 - 6000K WHITE	VT-4528	25W	2100	209x85x187	20
1340 - 6000K WHITE	VT-4537	35W	2850	224x100x215	10

COB TRACK LIGHTS




05
YEAR
WARRANTY

CRI
95

AC:220-240V,50/60Hz Input Voltage
24° Beam Angle
>0.9 PF
>95 CRI
Aluminium Body
30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1303 - 6400K WHITE	VT-4615B	15W	1350	180x97x155	20
1297 - 6400K WHITE	VT-4635B	30W	2700	180x140x215	10

COB 4 LINE TRACK LIGHTS




CRI
90

3-IN-1
COLOR
CHANGING

AC:220-240V, 50Hz Input Voltage
35° Beam Angle
>90 CRI
ABS+Aluminium Body
20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8078 - 3IN1	VT-47030-B	30W	2900	253x71x71	20
8842 - 3IN1	VT-47050-B	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

35° Beam Angle


>90 CRI

ABS+Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8142 - 3IN1	VT-47030-W	30W	2900	253x71x71	20
8843 - 3IN1	VT-47050-W	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

35° Beam Angle


>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
10371 - 3IN1	VT-4633	30W	3000	105x150x141

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

30° Beam Angle


>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10281 - 4000K DAY WHITE	VT-4235-B	35W	3000	91x151x159	20

COB 4 LINE TRACK LIGHTS



AC:100-240V,50/60Hz Input Voltage

25° Beam Angle

>0.9 PF


>95 CRI

Die Cast Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1235 - 5000K WHITE	VT-4535	33W	1800	112x165x205	8
1238 - 5000K WHITE	VT-4545	45W	2300	123x165x218	8


COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
10° Beam Angle
>0.9 PF
>80 CRI
PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211255 - 3000K WARM WHITE 211256 - 4000K DAY WHITE 211257 - 6400K WHITE	VT-4536W-N	35W	3000	208x195xØ93.5	20


COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
10° Beam Angle
>0.9 PF
>80 CRI
PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211285 - 3000K WARM WHITE 211286 - 4000K DAY WHITE 211287 - 6000K WHITE	VT-4536B-N	35W	3000	208x195xØ93.5	20

COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
22° Beam Angle
>0.9 PF
>70 CRI
Aluminium Body
20,000 hr lifespan


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
	VT-4540T	40W	2600	225x185x138	8



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body


SKU	Box Qty
6783	20



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body

SKU	Box Qty
6784	20





**Connector
4T**

SKU	Box Qty
3524	25



**Connector
4T**

SKU	Box Qty
3525	25



**Connector
4X**

SKU	Box Qty
3526	10



**4 Wired
Y Series
Connector**

SKU	Box Qty
3655	100



**4 Wired
Y Series
Connector**

SKU	Box Qty
3656	100



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3659	50



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3660	50



**Connector
4X**

SKU	Box Qty
3527	10



**Connector
4L**

SKU	Box Qty
3528	25



**Connector
4L**

SKU	Box Qty
3529	25



**Flexible
Joint 4
Line**

SKU	Box Qty
3559	20



**Flexible
Joint 4
Line**

SKU	Box Qty
3560	20



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3565	100



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3566	100



**4 Core
Track 1
Meter**

SKU	Box Qty
9944	10



**4 Core
Track 1
Meter**

SKU	Box Qty
9945	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9952	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9953	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9954	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9955	10

NEW **MAGNETIC TRACKLIGHTS-GRILLE LIGHT**



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24415 - 3000K WARM WHITE 24368 - 4000K DAY WHITE 24369 - 6400K WHITE	VT-41008	Black	5W	425	115x22x44
24370 - 3000K WARM WHITE 24371 - 4000K DAY WHITE 24372 - 6400K WHITE	VT-41021	Black	10W	860	221x22x44
24373 - 3000K WARM WHITE 24374 - 4000K DAY WHITE 24375 - 6400K WHITE	VT-41022	Black	15W	1215	330x22x44
24376 - 3000K WARM WHITE 24377 - 4000K DAY WHITE 24378 - 6400K WHITE	VT-41023	Black	20W	1660	437x22x44

NEW **MAGNETIC LINEAR TRACK LIGHTS**



DC:48V Input Voltage

120° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24379 - 3000K WARM WHITE 24380 - 4000K DAY WHITE 24381 - 6400K WHITE	VT-41026	Black	10W	1110	300x22x43
24382 - 3000K WARM WHITE 24383 - 4000K DAY WHITE 24384 - 6400K WHITE	VT-41027	Black	20W	2230	600x22x43
24385 - 3000K WARM WHITE 24386 - 4000K DAY WHITE 24387 - 6400K WHITE	VT-41036	Black	28W	3265	900x22x43
24388 - 3000K WARM WHITE 24389 - 4000K DAY WHITE 24390 - 6400K WHITE	VT-41048	Black	36W	4325	1200x22x43



MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24391 - 3000K WARM WHITE 24392 - 4000K DAY WHITE 24393 - 6400K WHITE	VT-41028	Black	5W	400	115x22x105
24394 - 3000K WARM WHITE 24395 - 4000K DAY WHITE 24396 - 6400K WHITE	VT-41029	Black	10W	840	223x22x105
24397 - 3000K WARM WHITE 24398 - 4000K DAY WHITE 24399 - 6400K WHITE	VT-41031	Black	15W	1220	330x22x105



MAGNETIC TACKLIGHTS



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body


30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24400 - 3000K WARM WHITE 24401 - 4000K DAY WHITE 24402 - 6400K WHITE	VT-40012	Black	10W	950	115x60x152
24403 - 3000K WARM WHITE 24404 - 4000K DAY WHITE 24405 - 6400K WHITE	VT-40020	Black	12W	1140	115x70x165

NEW **MAGNETIC TACKLIGHT-PENDANT**



DC:48V Input Voltage

30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24409 - 3000K WARM WHITE 24410 - 4000K DAY WHITE 24411 - 6400K WHITE	VT-40006	Black	5W	360	115x50x1400
24412 - 3000K WARM WHITE 24413 - 4000K DAY WHITE 24414 - 6400K WHITE	VT-40011	Black	10W	735	115x50x1400

NEW **MAGNETIC TACKLIGHT-PENDANT**



DC:48V Input Voltage

40° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24406 - 3000K WARM WHITE 24407 - 4000K DAY WHITE 24408 - 6400K WHITE	VT-40009	Black	7W	840	115x80x1060

LED MAGNETIC TRACK LIGHTS FLEXIBLE TUBE

DC:48V Input Voltage

200° Beam Angle

>80 CRI

Silicone Body



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
10277 - 3000K WARM WHITE 10278 - 4500K DAY WHITE	VT-42112	Black	11W	1270	1066x150x26
10279 - 3000K WARM WHITE 10280 - 4500K DAY WHITE	VT-42024	Black	23W	2760	2066x150x26

MAGNETIC TRACKLIGHTS-GRILLE LIGHT

DC:48V Input Voltage



5W=39°/12-22W=35° Beam Angle

>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10234 - 3000K WARM WHITE 10233 - 4000K DAY WHITE 10235 - 6400K WHITE	VT-4225	Black	5W	550	160x26x24	100
10237 - 3000K WARM WHITE 10236 - 4000K DAY WHITE 10238 - 6400K WHITE	VT-4212	Black	12W	1100	273x26x24	50
10240 - 3000K WARM WHITE 10239 - 4000K DAY WHITE 10241 - 6400K WHITE	VT-4222	Black	22W	1900	501x26x24	50

MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE



DC:48V Input Voltage


34° Beam Angle

>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10258 - 3000K WARM WHITE 10257 - 4000K DAY WHITE 10259 - 6400K WHITE	VT-4205	Black	5W	600	145x33x52	30
10261 - 3000K WARM WHITE 10260 - 4000K DAY WHITE 10262 - 6400K WHITE	VT-42012	Black	12W	1300	260x33x52	30

MAGNETIC LINEAR TRACK LIGHTS



DC:48V Input Voltage


82° Beam Angle

>80 CRI

Aluminium+PC Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10243 - 3000K WARM WHITE 10242 - 4000K DAY WHITE 10244 - 6400K WHITE	VT-4211	Black	14W	1500	278x26x24	50
10246 - 3000K WARM WHITE 10245 - 4000K DAY WHITE 10247 - 6400K WHITE	VT-4218	Black	18W	2000	385x26x24	50
10249 - 3000K WARM WHITE 10248 - 4000K DAY WHITE 10250 - 6400K WHITE	VT-42022	Black	22W	2500	615x26x24	50

MAGNETIC TACKLIGHT-L SHAPE



03
YEAR
WARRANTY

DC:48V Input Voltage

82° Beam Angle


>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating

DC
48V



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10267 - 3000K WARM WHITE 10266 - 4000K DAY WHITE 10268 - 6400K WHITE	VT-42025	25W	2850	280x255x24	20

MAGNETIC TACKLIGHT-PENDANT



03
YEAR
WARRANTY

DC:48V Input Voltage

30° Beam Angle

>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating

DC
48V



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10264 - 3000K WARM WHITE 10263 - 4000K DAY WHITE 10265 - 6400K WHITE	VT-4214	15W	1600	40x128x1155	35

COB MAGNETIC TACKLIGHTS



03
YEAR
WARRANTY

DC:48V Input Voltage

34° Beam Angle


>80 CRI

Aluminium Body

20,000 hr lifespan

IP20 Rating

DC
48V



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10252 - 3000K WARM WHITE 10251 - 4000K DAY WHITE 10253 - 6400K WHITE	VT-42010	11W	1300	46x128x176	30
10255 - 3000K WARM WHITE 10254 - 4000K DAY WHITE 10256 - 6400K WHITE	VT-4221	20W	2200	56x128x210	30

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7959 4000K DAY WHITE	VT-4141	1W	35	45x35x59mm	40

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7960 3000K WARM WHITE	VT-4143	3W	240	106x35x59mm	36
7961 4000K DAY WHITE					

MAGNETIC LINEAR TRACK LIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7962 3000K WARM WHITE	VT-4210	10W	700	137x35x180mm	16
7963 4000K DAY WHITE					
7964 3000K WARM WHITE	VT-4220	20W	1200	270x35x180mm	8
7965 4000K DAY WHITE					

MAGNETIC SPOTLIGHT



03
YEAR
WARRANTY

DC:24V Input Voltage

36° Beam Angle

>90 CRI

Aluminium Body


30,000 hr lifespan

IP20 Rating

CRI
90

DC
24V

UGR
<19



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7966 3000K WARM WHITE 7967 4000K DAY WHITE	VT-4215	15W	900	166x100x55mm	16

MAGNETIC PENDANT LIGHT



03
YEAR
WARRANTY

DC:24V Input Voltage

36° Beam Angle

>90 CRI

Aluminium Body


30,000 hr lifespan

IP20 Rating

CRI
90

DC
24V

UGR
<19



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7968 3000K WARM WHITE 7969 4000K DAY WHITE	VT-4315	15W	1000	300x55mm	12

MAGNETIC LINEAR LIGHT



03
YEAR
WARRANTY

DC:24V Input Voltage

100° Beam Angle

>90 CRI


Aluminium Body

30,000 hr lifespan

IP20 Rating

CRI
90

DC
24V



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7954 3000K WARM WHITE 7955 4000K DAY WHITE	VT-4121	20W	1600	652x35x59mm	12
7956 3000K WARM WHITE 7957 4000K DAY WHITE	VT-4131	30W	2700	970x35x59mm	12

ACCESSORIES FOR DC:48V



Drivers-100W - DC:48V

SKU	Box Qty
10272	50



Drivers-200W - DC:48V

SKU	Box Qty
10273	50



I Shape Straight Connector

SKU	Box Qty
10269	200



I Shape Right Angle Turn Connector

SKU	Box Qty
10270	200



L Shape Connector

SKU	Box Qty
10271	30



Ultra Thin Magnetic Track Rail-1M

SKU	Box Qty
10232	25

ACCESSORIES FOR DC:24V



Track Rail-1M

SKU	Box Qty
7951	9



Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75



Track Connector

SKU	Box Qty
7971	298



90'D Corner Connector

SKU	Box Qty
7972	27



Outer Corner Connector

SKU	Box Qty
7973	27



Pendant Track Rail Accessory

SKU	Box Qty
7977	64



Track Cover

SKU	Box Qty
7978	180



Live End Connector

SKU	Box Qty
7979	180



COB DOWNLIGHTS

Swap out antiquated CFL Lights with high-quality for achieve long-lasting and energy-efficient lighting. Choose from a wide range of 3w to 40w variations.

NEW HONEY COMB COB DOWNLIGHT-BRIDGELUX CHIP




AC:100-240V,50/60Hz

24° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23671 - 3IN1	VT-17012-B	Black	12W	1180	86x44	40
23673 - 3IN1	VT-17018-B	Black	18W	1860	106x46	40
23675 - 3IN1	VT-17024-B	Black	24W	2540	135x51	20
23672 - 3IN1	VT-17012-W	White	12W	1180	86x44	40
23674 - 3IN1	VT-17018-W	White	18W	1860	106x46	40
23676 - 3IN1	VT-17024-W	White	24W	2540	135x51	20

COB DOWNLIGHT




AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
10578 - 3IN1	VT-2512-B	Black	12W	785	Ø120x43	20
10580 - 3IN1	VT-2520-B	Black	20W	1408	Ø165x50	20
10582 - 3IN1	VT-2532-B	Black	28W	2500	Ø200x58	10
10579 - 3IN1	VT-2512-W	White	12W	785	Ø120x43	20
10581 - 3IN1	VT-2520-W	White	20W	1408	Ø165x50	20
10583 - 3IN1	VT-2532-W	White	28W	2500	Ø200x58	10

COB DOWNLIGHT-SURFACE




AC:100-240V,50/60Hz

90° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23156 - 3IN1	VT-2825-B	Black	20W	1408	Ø148x75	20
23158 - 3IN1	VT-2833-B	Black	28W	2500	Ø178x87	10
23155 - 3IN1	VT-2825-W	White	20W	1408	Ø148x75	20
23157 - 3IN1	VT-2833-W	White	28W	2500	Ø178x87	10

NEW

TILTABLE LED DOWNLIGHT CCT



AC:220-240V,50Hz

38° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23837 - 3 IN 1	VT-2707CCT	White	7W	510	88x45	100

HIGH LUMEN REFLECTOR COB DOWNLIGHTS



Cutting Size
Ø207mm



AC:200-240V, 50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

PKW Body

SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
211278 - 6500K WHITE	VT-26301-N	White	30W	3100	Ø221x107	12
211279 - 4000K DAY WHITE 211280 - 6500K WHITE	VT-26451-N	PKW	40W	4200	Ø221x107	12

COB FIRE RATED DOWNLIGHT WITH WHITE BEZEL

3 BEZELS

INTERCHANGEABLE
(OPTIONAL)



AC:220-240V,50Hz

38° Beam Angle

Aluminium Body

30,000 hr lifespan

IP65 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1424 - 3 IN 1	VT-7710	10W	850	Ø83x57	40
1426	1426	Brush Nickel Bezel			100
1427	1427	Chrome Bezel			100

LED DUAL WALL LIGHT



AC:100-240V,50/60Hz

120° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211489 - 3000K WARM WHITE	VT-2963-N	3+6W	180+500	140x30	30

LED DUAL WALL LIGHT



AC:100-240V,50/60Hz

120° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211488 - 3000K WARM WHITE	VT-2953-N	3+6W	180+500	300x50x35	30

LED WALL LIGHT



AC:100-240V,50/60Hz

30° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211486 - 3000K WARM WHITE	VT-2913-N	3W	180	90x60x30	40

LED WALL LIGHT WITH SWITCH & USB PORT



AC:100-240V,50/60Hz

30° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211487 - 3000K WARM WHITE	VT-2943-N	3W	150	120x120x45	20



LED DOME LIGHTS

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.



NEW



05
YEAR
WARRANTY

120
LUMEN/W
EFFICIENCY

IP65
RATING

POLYCARBONATE
PC

LED DOME LIGHTS - CCT 3IN1

8W
3000K-1050
4000K-1100
6500K-1100

16W
3000K-2100
4000K-2250
6500K-2300

20W
3000K-2550
4000K-2600
6500K-2500

3 VARIABLE CCT
VARIABLE WATTS



**MICROWAVE
SENSOR**

CCT Bulkhead

- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable functin: Yes,0,10%20%30% Optional
- Time Delay: 5s, 30s, 90s, 3min, 20min, 30min
- Daylight Sensor: Day,2lux,10lux,50lux Optional
- Detection Range: 6mx3m (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch



**EMERGENCY
BATTERY
BACKUP**

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.2 Watts
- Battery Charging Current: 250mA
- Battery Discharging Current: 410mA
- Battery Type: LiFePO4, 3.2V 2Ah Battery

SKU	Model	Watts	Name	Box Qty	Size
801-27 - 3IN1	VT-8603	8W/16W/20W	LED Dome Lights - CCT 3IN1	10	320x100
804-27 - 3IN1	VT-8613	8W/16W/20W	LED Dome Lights - CCT 3IN1-Sensor	10	320x100
806-27 - 3IN1	VT-8623	8W/16W/20W	LED Dome Lights - CCT 3IN1-Emergency	10	320x100
812-27 - 3IN1	VT-8633	8W/16W/20W	LED Dome Lights - CCT 3IN1-Sensor+Emergency	10	320x100

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23585 - 3IN1	VT-8559-W	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23586 - 3IN1	VT-8559-WG	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

LED DOME LIGHT PLUM BLOSSOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23587 - 3IN1	VT-8561	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø400x70	5
23588 - 3IN1	VT-8562	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø500x85	5

LED DOME LIGHT ELEGANT WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23589 - 3IN1	VT-8563	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø395x66	5
23590 - 3IN1	VT-8564	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x66	6

LED DOME LIGHT VICTORY WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23591 - 3IN1	VT-8565	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø390x80	5
23592 - 3IN1	VT-8566	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x85	5

LED DOME LIGHT PHANTOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23593 - 3IN1	VT-8567	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø450x65	5
23594 - 3IN1	VT-8568	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø550x65	5

LED DOME LIGHT BEEHIVE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23595 - 3IN1	VT-8569	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø490x70	5

LED DOME LIGHTS -WHITE FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76151 - 3000K WARM WHITE 76161 - 4000K DAY WHITE 76171 - 6500K WHITE	VT-8618W-RD-N	Round	18W	1830	Ø250x63
76181 - 3000K WARM WHITE 76191 - 4000K DAY WHITE 76201 - 6500K WHITE	VT-8624W-RD-N	Round	24W	2500	Ø295x60
76211 - 3000K WARM WHITE 76221 - 4000K DAY WHITE 76231 - 6500K WHITE	VT-8630W-RD-N	Round	36W	3820	Ø350x61
76241 - 3000K WARM WHITE 76251 - 4000K DAY WHITE 76261 - 6500K WHITE	VT-8618W-SQ-N	Square	18W	1830	250x250x65
76271 - 3000K WARM WHITE 76281 - 4000K DAY WHITE 76291 - 6500K WHITE	VT-8624W-SQ-N	Square	24W	2500	295x295x65
76301 - 3000K WARM WHITE 76311 - 4000K DAY WHITE 76321 - 6500K WHITE	VT-8630W-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS - BLACK FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76331 - 3000K WARM WHITE 76341 - 4000K DAY WHITE 76351 - 6500K WHITE	VT-8618B-RD-N	Round	18W	1830	Ø250x63
76361 - 3000K WARM WHITE 76371 - 4000K DAY WHITE 76381 - 6500K WHITE	VT-8624B-RD-N	Round	24W	2500	Ø295x60
76391 - 3000K WARM WHITE 76401 - 4000K DAY WHITE 76411 - 6500K WHITE	VT-8630B-RD-N	Round	36W	3820	Ø350x61
76421 - 3000K WARM WHITE 76431 - 4000K DAY WHITE 76441 - 6500K WHITE	VT-8618B-SQ-N	Square	18W	1830	250x250x65
76451 - 3000K WARM WHITE 76461 - 4000K DAY WHITE 76471 - 6500K WHITE	VT-8624B-SQ-N	Square	24W	2500	295x295x65
76481 - 3000K WARM WHITE 76491 - 4000K DAY WHITE 76501 - 6500K WHITE	VT-8630B-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating



SKU	Model	Shape	Watts	Lumens	Size(mm)
76591 - 3000K WARM WHITE 76601 - 4000K DAY WHITE 76611 - 6500K WHITE	VT-8618S-W-RD-N	Round	18W	1830	Ø295x60
76621 - 3000K WARM WHITE 76631 - 4000K DAY WHITE 76641 - 6500K WHITE	VT-8624S-W-RD-N	Round	24W	2500	Ø350x61
76651 - 4000K DAY WHITE	VT-8630S-W-RD-N	Round	36W	3820	Ø420x65
76661 - 4000K DAY WHITE	VT-8618SW-SQ-N	Square	18W	1830	295x295x65
76681 - 4000K DAY WHITE	VT-8630SW-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS WITH SENSOR - BLACK FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76691 - 4000K DAY WHITE	VT-8618S-B-RD-N	Round	18W	1830	Ø295x60
76701 - 4000K DAY WHITE	VT-8624S-B-RD-N	Round	24W	2500	Ø350x61
76711 - 4000K DAY WHITE	VT-8630S-B-RD-N	Round	36W	3820	Ø420x65
76721 - 4000K DAY WHITE	VT-8618S-B-SQ-N	Square	18W	1830	295x295x65
76741 - 4000K DAY WHITE	VT-8630S-B-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



AC:220-240V,50Hz

120° Beam Angle

>0.7 PF

>80 CRI

PC Body

25,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7667 - 4000K DAY WHITE	VT-8624S-W-SQ	Square	24W	2400	295x295x65
7673 - 4000K DAY WHITE	VT-8624S-B-SQ	Square	24W	2400	295x295x65

LED DOME LIGHT STARRY COVER



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217602 - 3IN1	VT-8412-S-N	12W	1200	260x55	5
217604 - 3IN1	VT-8418-S-N	18W	1800	Ø310x55	5
217606 - 3IN1	VT-8424-S-N	24W	2600	Ø350x55	5
217608 - 3IN1	VT-8436-S-N	36W	3900	Ø500x80	5

LED DOME LIGHT MILKY COVER



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217603 - 3IN1	VT-8412-M-N	12W	1200	Ø260x55	5
217605 - 3IN1	VT-8418-M-N	18W	1800	Ø310x55	5
217607 - 3IN1	VT-8424-M-N	24W	2600	Ø350x55	5
217609 - 3IN1	VT-8436-M-N	36W	3900	Ø500x80	5

LED DOME LIGHT STARRY COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114741- 3IN1	VT-8401-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø465x75	5
2114551- 3IN1	VT-8555-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø565x75	5
2114951- 3IN1	VT-8472-N	3000K- 36W 4000K- 72W 6400K- 36W	7200	Ø670x80	5

LED DOME LIGHT DIAMOND COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114931 - 3IN1	VT-8404-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø388.5x75	5
2114921- 3IN1	VT-8557-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114941- 3IN1	VT-8405-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø393x80	5
2114911 - 3IN1	VT-8556-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø493.9x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114761- 3IN1	VT-8402-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø410x75	5
2114751- 3IN1	VT-8502-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø510x80	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114601- 3IN1	VT-8403-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø395x80	5
2114611- 3IN1	VT-8503-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x90	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114621- 3IN1	VT-8504-N	3000K- 30W 4000K- 60W 6500K- 30W	3000K 2100 4000K 4200 6500K 2100	Ø490x85	5

LED ROUND DOMELIGHTS-BULKHEAD



AC:220-240V,50/60Hz

110° Beam Angle

>0.7 PF

>80 CRI

25,000 hr lifespan

IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10195 - 3000K WARM WHITE 10196 - 4000K DAY WHITE 10197 - 6500K WHITE	VT-8095	12W	1160	151x38	80
10198 - 3000K WARM WHITE 10199 - 4000K DAY WHITE 10200 - 6500K WHITE	VT-8096	18W	1820	195x38	40
23596 - 3000K WARM WHITE 23597 - 4000K DAY WHITE 23598 - 6500K WHITE	VT-80024	24W	2500	240x38	

LED DOME LIGHTS WITH SENSOR



Detection Range:	180°/ 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Wall 5-15 Meters,Ceiling 2-8 Meters Adjustable
Ambient Light:	5lux,15lux,50lux,2000lux optional
Body Type:	PC
Dimension:	300x87
Time Delay:	10s,90s,3min,10min optional



SKU	Model	Shape	Watts	Lumens	Size(mm)
23160 - 3IN1	VT-8222	Round	20W	1850	300x87

LED OVAL DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1350 - 3000K WARM WHITE	VT-8010-B	12W	840	Ø242x96	10

LED ROUND DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.7 PF
>70 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1349 - 3000K WARM WHITE	VT-8015-B	12W	840	Ø220x105	10



LED WALL LIGHTS

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
23405 - 3000K WARM WHITE	VT-10111	8W	900	Black	265x155x98mm

LED ROTABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23406 - 3000K WARM WHITE	VT-10112	8W	900	Black	265x140x88mm	

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2934 - 3000K WARM WHITE 2935 - 4000K DAY WHITE	VT-11020-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2936 - 3000K WARM WHITE 2937 - 4000K DAY WHITE	VT-11020-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2938 - 3000K WARM WHITE 2939 - 4000K DAY WHITE	VT-11020S-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2940 - 3000K WARM WHITE 2941 - 4000K DAY WHITE	VT-11020S-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2942 - 3000K WARM WHITE 2943 - 4000K DAY WHITE	VT-11020-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2944 - 3000K WARM WHITE 2945 - 4000K DAY WHITE	VT-11020-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2946 - 3000K WARM WHITE 2947 - 4000K DAY WHITE	VT-11020S-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2948 - 3000K WARM WHITE 2949 - 4000K DAY WHITE	VT-11020S-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2950 - 3000K WARM WHITE 2951 - 4000K DAY WHITE	VT-11020-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2952 - 3000K WARM WHITE 2953 - 4000K DAY WHITE	VT-11020-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2954 - 3000K WARM WHITE 2955 - 4000K DAY WHITE	VT-11020S-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2956 - 3000K WARM WHITE 2957 - 4000K DAY WHITE	VT-11020S-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTATABLE WALL LIGHTS-SWITCH




AC:220-240V,50Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10447 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-W	5W	600	White	153x183x185	20
10448 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-B	5W	600	Black	153x183x185	20

LED ROTATABLE WALL LIGHTS-2WAY




AC:220-240V,50/60Hz

90° Beam Angle

Aluminium+Glass Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10473 - 3000K WARM WHITE 23049 - 4000K DAY WHITE	VT-1186-B	6W	620	Black	172x105x253	4
10474 - 3000K WARM WHITE 23050 - 4000K DAY WHITE	VT-1186-W	6W	620	White	172x105x253	4

LED SINGLE HEAD ROTATABLE WALL LIGHTS



AC:220-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218286 - 3000K WARM WHITE 218287 - 4000K DAY WHITE	VT-816-W-N	5W	722	White	115x50x100	20
218288 - 3000K WARM WHITE 218289 - 4000K DAY WHITE	VT-816-B-N	6W	722	Black	115x50x100	20
218291 - 4000K DAY WHITE	VT-816-G-N	6W	800	Grey	115x50x100	20

LED DOUBLE HEAD ROTATABLE WALL LIGHTS



AC:110-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218292 - 3000K WARM WHITE	VT-814-W-N	12W	1444	White	230x54x96	20
8293 - 3000K WARM WHITE	VT-814-B	12W	1320	Black	230x54x97	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz

120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218684 - 4000K DAY WHITE	VT-815-B-N	9W	1280	Black	200x130x100	20
218683 - 4000K DAY WHITE	VT-815-W-N	10W	1280	White	200x130x100	20

LED WALL LIGHTS



AC:220-240V,50/60Hz

41° Beam Angle

>0.4 PF

>80 CRI

Nylon Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218561 - 3000K WARM WHITE 218563 - 6400K WHITE	VT-844-B-N	4W	400	Black	83x123x30	50
218560 - 3000K WARM WHITE 218562 - 6400K WHITE	VT-844-W-N	4W	400	White	83x123x30	50

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218609 - 3000K WARM WHITE	VT-831-CRD-N	7W	610	Round	133x133x67	20
218610 - 3000K WARM WHITE	VT-831-CSQ-N	7W	670	Square	133x133x67	20
218537 - 3000K WARM WHITE 218538 - 4000K DAY WHITE	VT-827-RD-N	12W	1155	Round	169x100	20
218539 - 3000K WARM WHITE 218540 - 4000K DAY WHITE	VT-827-SQ-N	12W	1160	Square	160x160x100	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218612 - 3000K WARM WHITE	VT-831-SQ-N	7W	700	Square	133x133x67	20
8541 - 3000K WARM WHITE	VT-828-RD	12W	900	Round	169x100	20
218543 - 3000K WARM WHITE 218544 - 4000K DAY WHITE	VT-828-SQ-N	12W	3000K - 1200 4000K - 1280	Square	160x160x100	20

LED OUTDOOR BOLLARD LAMP



AC:100-240V,50/60Hz


72° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
128317 - 4000K DAY WHITE 128318 - 6400K WHITE	VT-830-W-N	10W	1000	White	Ø148x250 mm	8
128319 - 3000K WARM WHITE 128320 - 4000K DAY WHITE 128321 - 6400K WHITE	VT-830-G-N	10W	1000	Grey	Ø148x250 mm	8
128322 - 3000K WARM WHITE 128323 - 4000K DAY WHITE 128324 - 6400K WHITE	VT-830-B-N	10W	1000	Black	Ø148x250 mm	8

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50Hz

110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8327 - 6400K WHITE	VT-820-W	10W	450	White	Ø148x800 mm	4
128325 - 3000K WARM WHITE 128326 - 4000K DAY WHITE	VT-820-W-N	10W	1000	White	Ø148x800 mm	4
128333 - 6400K WHITE	VT-820-B-N	10W	1000	Black	Ø148x800 mm	4
218328 - 3000K WARM WHITE	VT-820-G-N	10W	1000	Grey	Ø148x800 mm	4

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50/60Hz

180° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218682 - 4000K DAY WHITE	VT-896-B-N	5W	810	Black	150x95x805	12
218681 - 4000K DAY WHITE	VT-896-G-N	6W	810	Grey	95x150x805	12

LED BOLLARD LIGHTS



AC:220-240V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRI

Die Cast Aluminium+PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20116 3000K WARM WHITE 20117 4000K DAY WHITE 20118 6400K WHITE	VT-33-White	10W	900	White	163x57x800mm	5
20113 3000K WARM WHITE 20115 6400K WHITE	VT-33-Black	10W	650	Black	163x57x800mm	5
2120114 4000K DAY WHITE	VT-33-Black-N	10W	650	Black	163x57x800mm	5

LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz


Up150° / Down150° Beam Angle

>0.6 PF

>80 CRI

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218615 - 3000K WARM WHITE 218616 - 4000K DAY WHITE	VT-846-B-N	5W	630	Black	170x40x80	20
218613 - 3000K WARM WHITE 218614 - 4000K DAY WHITE	VT-846-W-N	5W	630	White	170x40x80	20
218619 - 3000K WARM WHITE 218620 - 4000K DAY WHITE	VT-848-B-N	7W	3000K-870lm 4000K-940lm	Black	220x48x90	20
218617 - 3000K WARM WHITE 218618 - 4000K DAY WHITE	VT-848-W-N	7W	3000K-870lm 4000K-940lm	White	220x48x90	20

LED WALL LIGHTS




AC:220-240V, 50Hz

167° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10284 - 3000K WARM WHITE 10285 - 4000K DAY WHITE	VT-732-B	8W	800	Brown	120x120x92	20

LED WALL LIGHTS




AC:220-240V, 50Hz

167° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10282 - 3000K WARM WHITE 10283 - 4000K DAY WHITE	VT-708	8W	800	Brown	120x120x92	20

LED WALL LIGHTS



AC:100-240V,50/60Hz


170° Beam Angle

>0.7 PF

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218334 - 3000K WARM WHITE 218335 - 4000K DAY WHITE	VT-822-W-N	12W	1350	White	130x108x160mm	20
8338 - 4000K DAY WHITE	VT-822-G	12W	750	Grey	130x108x160mm	20
218338 - 4000K DAY WHITE	VT-822-G-N	12W	1350	Grey	130x108x160mm	20
218341 - 4000K DAY WHITE	VT-822-B-N	12W	1350	Black	130x108x160mm	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217079 - 3000K WARM WHITE 217088 - 4000K DAY WHITE	VT-759-W-N	5W	700	White	100x100x100	20
217078 - 3000K WARM WHITE 217087 - 4000K DAY WHITE	VT-759-B-N	5W	700	Black	100x100x100	20
217080 - 3000K WARM WHITE 217089 - 4000K DAY WHITE	VT-759-G-N	5W	700	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS




AC:200-240V, 50Hz

Adjustable 5°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6820 - 3000K WARM WHITE	VT-759-12-C	11W	1360	Corten	100x100x100	20
218527 - 3000K WARM WHITE 218528 - 4000K DAY WHITE	VT-759-12-W-N	11W	1360	White	100x100x100	20
218529 - 3000K WARM WHITE 218530 - 4000K DAY WHITE	VT-759-12-B-N	11W	1360	Black	100x100x100	20
218531 - 3000K WARM WHITE 218532 - 4000K DAY WHITE	VT-759-12-G-N	11W	1360	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS




AC:200-240V, 50Hz

90° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10443 - 3000K WARM WHITE 10444 - 4000K DAY WHITE	VT-1179-W	5W	465	White	90x70x130	20
10445 - 3000K WARM WHITE 10446 - 4000K DAY WHITE	VT-1179-B	5W	465	Black	90x70x130	20
23007 - 3000K WARM WHITE	VT-7504-B	10W	950	Black	135x100	10
23008 - 3000K WARM WHITE	VT-7504-W	10W	950	White	135x100	10

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*60° Beam Angle

>0.5 PF

>80 CRI


Aluminium+Acrylic Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218209 - 3000K WARM WHITE 218210 - 4000K DAY WHITE	VT-704-W-N	4W	428	White	150x150x50	20
218211 - 3000K WARM WHITE	VT-704-B-N	4W	428	Black	150x150x50	20

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*60° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Acrylic Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8213 - 3000K WARM WHITE	VT-706-W	4W	440	White	150x50	20
218214 - 4000K DAY WHITE	VT-706-W-N	4W	428	White	150x45	20
218215 - 3000K WARM WHITE	VT-706-B-N	4W	428	Black	150x150x50	20

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*90° Beam Angle

>0.45 PF

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8551 - 3000K WARM WHITE 8552 - 4000K DAY WHITE	VT-834-W	4W	440	White	Ø112	20
218553 - 3000K WARM WHITE 218554 - 4000K DAY WHITE	VT-834-B-N	4W	428	Black	Ø112	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8281 - 4000K DAY WHITE	VT-825-W	5W	550	White	170x170x75	20
218280 - 3000K WARM WHITE	VT-825-W-N	5W	568	White	170x170x75	20
218282 - 3000K WARM WHITE 218283 - 4000K DAY WHITE	VT-825-B-N	5W	645	Black	170x170x75	20
218284 - 3000K WARM WHITE 218285 - 4000K DAY WHITE	VT-825-G-N	5W	3000K-568lm 4000K-645lm	Grey	170x170x75	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Up15°-Down120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218295 - 3000K WARM WHITE	VT-826-W-N	6W	450	White	90x200x90	20
218297 - 3000K WARM WHITE 218298 - 4000K DAY WHITE	VT-826-B-N	6W	3000K-450lm 4000K-476lm	Black	90x200x90	20
218299 - 3000K WARM WHITE	VT-826-G-N	6W	450	Grey	90x200x90	20

LED UP-DOWN WALL LIGHTS




AC:220-240V,50/60Hz

Adjustable 0°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2975 - 3000K WARM WHITE 2976 - 4000K DAY WHITE	VT-8125-W	24W	2720	White	200x100x100	10
2977 - 3000K WARM WHITE 2978 - 4000K DAY WHITE	VT-8125-B	24W	2720	Black	200x100x100	10
2979 - 3000K WARM WHITE 2980 - 4000K DAY WHITE	VT-8125-G	24W	2720	Grey	200x100x100	10

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217082 - 3000K WARM WHITE 217091 - 4000K DAY WHITE	VT-756-W-N	5W	700	White	140x115x100	20
217081 - 3000K WARM WHITE 217090 - 4000K DAY WHITE	VT-756-B-N	5W	700	Black	140x115x100	20
7083 - 3000K WARM WHITE	VT-756-G	6W	660	Grey	140x115x100	20
217092 - 4000K DAY WHITE	VT-756-G-N	5W	700	Grey	140x115x100	20

LED CEILING-BLADE LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8218 - 4000K DAY WHITE	VT-707-W	7W	770	White	110x120x170	20
218217 - 3000K WARM WHITE	VT-707-W-N	6W	645	White	110x120x170	20
8219 - 3000K WARM WHITE	VT-707-B	7W	770	Black	110x120x170	20
218220 - 4000K DAY WHITE	VT-707-B-N	6W	645	Black	110x120x170	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Up-Down 90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218301 - 3000K WARM WHITE 218302 - 4000K DAY WHITE	VT-836-W-N	4W	450	White	112x112x100	20
218305 - 3000K WARM WHITE 218306 - 4000K DAY WHITE	VT-836-G-N	4W	450	Grey	112x112x100	20

NEW **LED WALL LIGHTS**



AC:220-240V,50Hz

360° Beam Angle

>80 CRI

Stainless Steel Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24311 - 3000K WARM WHITE	VT-10179	6W	900	Black	93x60x275

NEW **LED WALL LIGHTS**



AC:220-240V,50Hz


360° Beam Angle

>80 CRI

Stainless Steel+Aluminium

Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24312 - 3000K WARM WHITE	VT-10180	8W	1100	Black	106x82x228

NEW **LED UP-DOWN WALL LIGHTS**



AC:220-240V, 50Hz


295° Beam Angle

>0.5 PF

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23760 - 4000K DAY WHITE	VT-91008	8W	960	Black	250x85x31	20

NEW **LED UP-DOWN WALL LIGHTS CCT**




AC:220-240V, 50Hz

Adjustable 0°-90° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24345 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-W	10W	1250	White	71x71x171
24346 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-B	10W	1250	Black	71x71x171
24347 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-C	10W	1250	Corten	71x71x171

NEW **LED UP-DOWN WALL LIGHTS CCT**




AC:220-240V, 50Hz

Adjustable 0°-90° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24348 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-W	10W	1250	White	71x96x171
24349 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-B	10W	1250	Black	71x96x171
24350 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-C	10W	1250	Corten	71x96x171

COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23028 - 3000K WARM WHITE 23030 - 4000K DAY WHITE	VT-2503-B	2W	200	Black	50x40x40	100
23029 - 3000K WARM WHITE 23031 - 4000K DAY WHITE	VT-2503-W	2W	200	White	50x40x40	100

COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10584 - 3000K WARM WHITE 10586 - 4000K DAY WHITE	VT-2502-B	2W	200	Black	42x40	100
10585 - 3000K WARM WHITE 10587 - 4000K DAY WHITE	VT-2502-W	2W	200	White	42x40	100

COB 4 SIDES LIGHT WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10588 - 3000K WARM WHITE 10590 - 4000K DAY WHITE	VT-2544-B	4W	390	Black	50x50x30	100
10589 - 3000K WARM WHITE 10591 - 4000K DAY WHITE	VT-2544-W	4W	390	White	50x50x30	100

LED CEILING & WALL LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.55 PF

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7525 - 4000K DAY WHITE	VT-741	6W	660	White	Ø135	20
217524 - 3000K WARM WHITE	VT-741-N	5W	710	White	Ø135x40	20
217527 - 4000K DAY WHITE	VT-743-N	8W	1280	White	Ø180x40	20

LED CEILING & WALL LIGHTS




AC:220-240V,50Hz

105° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7853 - 3IN1	VT-83012-B	12W	1200	Black	160x160x60	20
7854 - 3IN1	VT-83012-W	12W	1200	White	160x160x60	20

LED CEILING & WALL LIGHTS




AC:220-240V,50/60Hz

105° Beam Angle

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6787 - 3000K WARM WHITE 6788 - 4000K DAY WHITE	VT-8612-B	12W	1400	Black	160x160x60	50
6785 - 3000K WARM WHITE 6786 - 4000K DAY WHITE	VT-8612-W	12W	1400	White	160x160x60	50

LED UP-DOWN WALL LIGHTS




AC:220-240V,50Hz

340° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10559 - 3000K WARM WHITE 10560 - 4000K DAY WHITE	VT-1189	12W	1250	Black	160x65x200	

LED UP-DOWN WALL LIGHTS




AC:200-240V,50Hz

100° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10564 - 3000K WARM WHITE 23027 - 4000K DAY WHITE	VT-1192	15W	1950	Black	160x165x164	

LED OUTDOOR WALL LIGHTS




AC:220-240V,50Hz

140° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10558 - 3000K WARM WHITE	VT-1188	20W	2300	Black	200x50x400	

NEW **LED OUTDOOR WALL LIGHTS CCT**



AC:220-240V,50Hz

190° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23758 - 3IN1	VT-9112CCT-B	12W	1500	Black	92.5x129x203	20

NEW **LED OUTDOOR WALL LIGHTS CCT**



AC:220-240V,50Hz

190° Beam Angle

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23759 - 3IN1	VT-9112CCT-W	12W	1500	White	92.5x129x203	20

LED OUTDOOR WALL LIGHTS




AC:200-240V,50Hz

350° Beam Angle

>80 CRI

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10562 - 3000K WARM WHITE 10563 - 4000K DAY WHITE	VT-1191	15W	1650	Black	330x150x44	

LED LINEAR WALL LIGHTS



AC:220-240V,50Hz

150° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10427 - 3000K WARM WHITE 10428 - 4000K DAY WHITE	VT-1173-B	10W	1300	Black	510x60x50	20
10429 - 3000K WARM WHITE 10430 - 4000K DAY WHITE	VT-1173-A	10W	1300	Anthracite	510x60x50	20
10431 - 3000K WARM WHITE 23022 - 4000K DAY WHITE	VT-1176-B	16W	2250	Black	1010x60x50	10
10434 - 3000K WARM WHITE 10435 - 4000K DAY WHITE	VT-1176-A	16W	2250	Anthracite	1010x60x50	10
10436 - 3000K WARM WHITE 10437 - 4000K DAY WHITE	VT-1178-B	23W	3150	Black	1410x60x50	10
10438 - 3000K WARM WHITE 10439 - 4000K DAY WHITE	VT-1178-A	23W	3150	Anthracite	1410x60x50	10

LED OUTDOOR WALL LIGHTS



AC:220-240V,50/60Hz

>90 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6828 - 3000K WARM WHITE 6829 - 4000K DAY WHITE	VT-11117-C	17W	2330	Corten	85x54x625	10
6830 - 3000K WARM WHITE 6831 - 4000K DAY WHITE	VT-11117-B	17W	2330	Black	85x54x625	10

LED OUTDOOR WALL LIGHTS




AC:220-240V,50/60Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6832 - 3000K WARM WHITE 6833 - 4000K DAY WHITE	VT-11112-W	12W	1400	White	16x72x650	10
6834 - 3000K WARM WHITE 6835 - 4000K DAY WHITE	VT-11112-B	12W	1590	Black	16x72x650	10

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


90° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218239 - 3000K WARM WHITE 218240 - 4000K DAY WHITE 218241 - 6400K WHITE	VT-8056-N	9W	850	Grey	173x81x46	20
218242 - 3000K WARM WHITE 218243 - 4000K DAY WHITE 218244 - 6400K WHITE	VT-8057-N	12W	1155	Grey	230x100x90	20

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


130° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218245 - 3000K WARM WHITE 218246 - 4000K DAY WHITE 218247 - 6400K WHITE	VT-8058-N	12W	1160	Grey	230x110x76	20

LED OUTDOOR SOFT LIGHTS



AC:220-240V, 50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6807 - 3000K WARM WHITE 6808 - 4000K DAY WHITE 6809 - 6400K WHITE	VT-8054-B	12W	1250	Black	265x120x81	20
6813 - 3000K WARM WHITE 6814 - 4000K DAY WHITE 6815 - 6400K WHITE	VT-8054-W	12W	1250	White	265x120x81	20
8234 - 4000K DAY WHITE	VT-8054	12W	600	Grey	265x120x81	20
218233 - 3000K WARM WHITE 218234 - 4200K DAY WHITE 218235 - 6400K WHITE	VT-8054-N	12W	1250	Grey	265x120x81	20
6810 - 3000K WARM WHITE 6811 - 4000K DAY WHITE 6812 - 6400K WHITE	VT-8055-B	20W	2045	Black	319x170x114	20
6816 - 3000K WARM WHITE 6817 - 4000K DAY WHITE 6818 - 6400K WHITE	VT-8055-W	20W	2045	White	319x170x114	20
218236 - 3000K WARM WHITE 218237 - 4200K DAY WHITE 218238 - 6400K WHITE	VT-8055-N	20W	2050	Grey	319x170x114	20

LED ROTATABLE WALL LIGHT



AC:110-240V,50/60Hz


10-360° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217093 - 4000K DAY WHITE	VT-757-N	5W	645	White	Ø 120	20

LED WALL LIGHTS



AC:110-240V, 50/60Hz


360° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218309 - 3000K WARM WHITE	VT-811-B-N	9W	1070	Black	300x215x60	20

LED WALL LIGHTS




AC:220-240V, 50Hz

>90 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6840 - 3000K WARM WHITE	VT-11120-C	20W	2400	Corten	420x60x290	5
6842 - 3000K WARM WHITE	VT-11120-B	20W	2400	Black	420x60x290	5

ADJUSTABLE LED WALL LIGHTS



AC:220-240V,50/60Hz

Adjustable 5°-90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP44 IP Rating

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218533 - 3000K WARM WHITE 218534 - 4000K DAY WHITE	VT-819-W-N	16W	2340	White	600x100x42	10

LED WALL LIGHTS



AC:220-240V,50/60Hz


150° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218535 - 3000K WARM WHITE 218536 - 4000K DAY WHITE	VT-821-W-N	17W	2300	White	610x90x35	20

LED WALL LIGHT WITH SWITCH



AC:220-240V, 50Hz

38° Beam Angle


>80 CRI

Aluminium Body

IP20 IP Rating



With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10286 - 3000K WARM WHITE 10287 - 4000K DAY WHITE	VT-402-B	2W	150	Black	145x150x60	50
10288 - 3000K WARM WHITE 10289 - 4000K DAY WHITE	VT-402-W	2W	150	White	145x150x60	50

LED SINGLE HEAD WALL LIGHTS



AC:220-240V, 50Hz

38° Beam Angle

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10290 - 3000K WARM WHITE 10291 - 4000K DAY WHITE	VT-412-B	2W	150	Black	140x60x60	50
10292 - 3000K WARM WHITE 10293 - 4000K DAY WHITE	VT-412-W	2W	150	White	140x60x60	50

LED WALL LIGHT WITH SWITCH



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF


>80 CRI

Plastic+Metal Body

IP20 IP Rating



With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218675 - 3000K WARM WHITE	VT-805-N-W-N	4.5W	420	White	100x94x45	12
218676 - 3000K WARM WHITE	VT-805-N-B-N	4.5W	420	Black	100x94x45	24

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218262 - 3000K WARM WHITE 218264 - 4000K DAY WHITE	VT-805-W-N	4.5W	420	White	100x94x45	24
218263 - 3000K WARM WHITE 218265 - 4000K DAY WHITE	VT-805-B-N	4.5W	420	Black	100x94x45	24

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218266 - 3000K WARM WHITE	VT-810-W-N	9W	840	White	400x100x94	12
8267 - 3000K WARM WHITE	VT-810-B	9W	720	Black	400x100x94	12
218269 - 4000K DAY WHITE	VT-810-B-N	9W	840	Black	400x100x94	12

LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.7 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218270 - 3000K WARM WHITE 218272 - 4000K DAY WHITE	VT-813-W-N	13.5W	1260	White	600x100x94	12
218271 - 3000K WARM WHITE 218273 - 4000K DAY WHITE	VT-813-B-N	13.5W	1260	Black	600x100x94	12

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz

100° Beam Angle

>0.5 PF

>80 CRI


Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218250 - 3000K WARM WHITE 218252 - 4000K DAY WHITE	VT-806-W-N	5W	540	White	71x93x100	24

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI


Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218254 - 3000K WARM WHITE 218256 - 4000K DAY WHITE	VT-812-W-N	10W	1080	White	405x100x93	12
218255 - 3000K WARM WHITE 218257 - 4000K DAY WHITE	VT-812-B-N	10W	1080	Black	405x100x93	12

LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.7 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218258 - 3000K WARM WHITE 218260 - 4000K DAY WHITE	VT-818-W-N	15W	1620	White	605x100x93	12
218259 - 3000K WARM WHITE 218261 - 4000K DAY WHITE	VT-818-B-N	15W	1620	Black	605x100x93	12

CABINET LIGHTS WITH SENSOR




DC:5V, 1A

270° Beam Angle

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2961 - 3000K WARM WHITE 2958 - 4000K DAY WHITE	VT-8141-S	1.5W	110	Silver	300x40x9	50
2960 - 3000K WARM WHITE 2959 - 4000K DAY WHITE	VT-8141-B	1.5W	110	Black	300x40x9	50
2965 - 3000K WARM WHITE 2962 - 4000K DAY WHITE	VT-8142-S	2W	160	Silver	400x40x9	50
2964 - 3000K WARM WHITE 2963 - 4000K DAY WHITE	VT-8142-B	2W	160	Black	400x40x9	50
2969 - 3000K WARM WHITE 2966 - 4000K DAY WHITE	VT-8143-S	2.5W	260	Silver	600x40x9	30
2968 - 3000K WARM WHITE 2967 - 4000K DAY WHITE	VT-8143-B	2.5W	260	Black	600x40x9	30

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10376 - 3000K WARM WHITE	VT-1128	3W	180	White	58x58x45	100

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI



Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10377 - 3000K WARM WHITE	VT-1129	5W	380	White	84x84x50	50

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10378 - 3000K WARM WHITE	VT-1130	3W	180	White	58x103x45	100

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


62° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24230 - 3000K WARM WHITE	VT-44002RD	3W	230	White	55x85x85

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


62° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24231 - 3000K WARM WHITE	VT-44002SQ	3W	230	White	55x85x85

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


65°/55° Beam Angle

>0.5 PF

>80 CRI

Aluminium+PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
24010 - 3IN1	VT-10184	3W	170	Black	81.5x48.5	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


15° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211209 - 3000K WARM WHITE 211210 - 4000K DAY WHITE	VT-1109	3W	270	Black+White	80x80x51	50
211207 - 3000K WARM WHITE 211208 - 4000K DAY WHITE	VT-1109RD	3W	270	Black+White	Ø80x51	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211326 - 4000K DAY WHITE	VT-1162-W	3W	110	White	230x80x28	50
211329 - 3000K WARM WHITE 211328 - 4000K DAY WHITE	VT-1162-B	3W	110	Black	230x80x28	50
211331 - 3000K WARM WHITE 211330 - 4000K DAY WHITE	VT-1162-G	3W	110	Grey	230x80x28	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211315 - 3000K WARM WHITE 211314 - 4000K DAY WHITE	VT-1142-W	3W	80	White	150x27	50
211317 - 3000K WARM WHITE 211316 - 4000K DAY WHITE	VT-1142-B	2W	80	Black	150x27	50
211319 - 3000K WARM WHITE	VT-1142-G	2W	80	Grey	150x27	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211323 - 3000K WARM WHITE 211322 - 4000K DAY WHITE	VT-1152-B-N	2W	70	Black	124x124x27	50

LED STEP LIGHTS



AC:100-240V,50/60Hz

90° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1398 - 3000K WARM WHITE 1399 - 4000K DAY WHITE	VT-1172-B	3W	210	Black	151x72x154	20
1401 - 4000K DAY WHITE	VT-1172-G	3W	210	Grey	151x72x154	20
121402 - 3000K WARM WHITE 121403 - 4000K DAY WHITE	VT-1172-W-N	3W	70	White	151x72x154	20

LED STEP LIGHTS



AC:100-240V,50/60Hz

90° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1405 - 4000K DAY WHITE	VT-1182-B	3W	210	Black	Ø166x94	20
1406 - 3000K WARM WHITE	VT-1182-G	3W	210	Grey	Ø166x94	20



LED EMERGENCY LIGHTS

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Complete with easily readable legends, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset in many applications including but not limited to offices, hotels, hospitals and residential areas.

SELF TEST LED EMERGENCY LIGHTS



SKU	Model	Watts	Lumens	Box Qty
7817 - 6500K WHITE	7817	4W	80	10
7818	Legend -Arrow Down			10
7819	Legend -Arrow Left			10
7820	Legend -Arrow Right			10

Input Voltage:	AC:220-240V
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	30M(EU) / 24M(AU)
Emergency Operation Time:	>3 Hours
Battery:	LiFePo4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	Arrow Up Sticker
Legends:	Arrow Up Legend
Mode Of Operation:	Maintained
Size:	330x30x186

SELF TEST LED EMERGENCY LIGHTS



SKU	Model	Watts	Lumens	Box Qty
7687 - 6400K WHITE	VT-996	3W	130	20

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	LiFePO4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56


SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



SKU	Model	Watts	Lumens	Box Qty
7688 - 6400K WHITE	VT-997	3W	120	20
11368	Remote Control for VT-997			

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-CD SC, 3.6V 1.2Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

4IN1 SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



SKU	Model	Watts	Lumens	Box Qty
7675 - 6000K WHITE	VT-995	2.5W	100	20
11362	Remote Control for VT-995			

No. Of LED:	20 SMD LEDs
Input Voltage:	AC:200-240V,50/60Hz
Protection Rating:	IP20
Material :	PC+PMMA
Exit Lamp Type:	Ceiling, Hanging, Sidewall and Wall Mounting
Viewing Distance:	30 Meters From Both Sides
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd AA, 3.6V, 0.6Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350x29x195

LED EMERGENCY LIGHTS BULKHEAD



SKU	Model	Watts	Lumens	Box Qty
83111 - 6400K WHITE	VT-543	3W	140	12

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60

LED EMERGENCY LIGHTS BULKHEAD



SKU	Model	Watts	Lumens	Box Qty
8437 - 6400K WHITE	VT-533	3W	140	10
8437-0 - 6400K WHITE	VT-533-N	3W	140	10
8027	Legend -Arrow Up			100

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	346x104x58

LED EMERGENCY LIGHTS DOWNLIGHT



SKU	Model	Watts	Lumens	Box Qty
8274 - 5500K WHITE	VT-503	3W	140	20


Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	Poly Carbonate & Aluminium
Exit Lamp Type:	Ceiling Recessed
Emergency Operation Time:	>3 Hours
Battery:	3.6V 1800mAh Ni-cd Battery
Charging Indicator:	Green Light Indicator Test
Mode Of Operation:	Non Maintained
Size:	38.5x22x25



MOTION SENSORS

Many areas like lobbies, parking garages, staircases remain unused for long hours but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24355	VT-8153	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.6m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 65.6x53mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)

NEW INFRARED SENSOR



SKU	Model	Unit Color
24356	VT-8154	White

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.15m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 116x72x75mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)


NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24357	VT-8159	White	100

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: 5-6cm
Body Type: PC
IP Rating: IP20
Dimension: 78.2x35.5x20.4mm
Rated Load: Max 200W(LED)


NEW INFRARED TOUCH SENSOR



SKU	Model	Unit Color	Box Qty
24358	VT-8165	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Body Type: PC
IP Rating: IP20
Dimension: 78.2x35.5x20.4mm
Rated Load: Max 600W(LED)


NEW **MICROWAVE SENSOR-E27**
HOLDER



SKU	Model	Unit Color	Box Qty
24359	VT-8178	White	5

Sensor Type: Microwave
Voltage: AC:220-240V,50/60Hz
Detection Distance: Wall:6M/Ceiling:2-8M(Diameter)
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC+PMMA
IP Rating: IP44
Dimension: 277x112.4mm
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: Max 300W(LED)


NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24108	VT-81041	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 76x44.8mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 600W(LED)

NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24109	VT-81044	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 83x48.2mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 600W(LED)

NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24110	VT-81040	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.12m (<24°C)
Ambient Light: <3-2000LUX (adjustable)
Body Type: PC
IP Rating: IP44
Dimension: 80.2x55.5x68mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 600W(LED)


NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24111	VT-81008	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8-14m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 100.3x75x62mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)

NEW REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
24112	VT-81042	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: 2-6m(diameter)adjustable
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP54
Dimension: 76x71.4mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)

NEW REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
24113	VT-81005	White	50

Sensor Type: Infrared
Voltage: AC:220-240V,50/60Hz
Detection Distance: 2-6m(diameter)adjustable
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 115x24.3mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)

REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
23429	VT-81013	White	50

Sensor Type: Infrared
Detection Angle: 360°
Voltage: AC:110-240V,50/60Hz
Detection Distance: Max. 3m(radius)
Ambient Light: <3—2000LUX (adjustable)
IP Rating: IP54
Dimension: 76x66.2mm
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: Max. 1200W/Max.600W(LED)

REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
23430	VT-81014	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max. 3m(radius)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max. 2000W/Max.1000W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23425	VT-81009	White	50

Sensor Type: Infrared
 Detection Angle: 120°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.10m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 80x80x43.5mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 200W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23427	VT-81011	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 102x24.9mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)

COB INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23426	VT-81010	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type:
 IP Rating: IP20
 Dimension: 76x49mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 600W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5090	VT-8029-W	White	50
23679	VT-8029-B	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 6m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 76x75.6mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 300W(LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23161	VT-80300	White	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.12m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP65
 Dimension: 119.5x80x51.5mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 300W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23162	VT-81000	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 30m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 IP Rating: IP20
 Dimension: 103x53.5mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 1000W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23163	VT-81001	White	50

Sensor Type: Microwave
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 115x24.3mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max 1000W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23164	VT-80301	White	50

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-12m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 119.5x80x51.5mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max 300W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23165	VT-80360	White	50

Sensor Type: Microwave
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 80x66.6mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max 300W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
6606	VT-8091-W	White	100
6607	VT-8091-B	Black	100

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: Ø76x20.2mm
 Time Delay: 10sec±3sec to 7min±2min(adjustable)
 Rated Load: Max.200W /100W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
6608	VT-8092-W	White	100
6609	VT-8092-B	Black	100

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: Ø50x62mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 400W (LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
6611	VT-8093-W	White	50
6610	VT-8093-B	Black	50

Sensor Type: Infrared
 Detection Angle: 180°/360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.12m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 76x92x62.5mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 600W (LED)


INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
6613	VT-8094-W	White	50
6612	VT-8094-B	Black	50

Sensor Type: Infrared
 Detection Angle: 240°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.10m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 125.2x71.4x72.7mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 600W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5086	VT-8027-W	White	50
5087	VT-8027-B	Black	50
23677	VT-8027-B-N	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 8m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 115x25mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)

INFRARED SENSOR-MOVING HEAD-IP44



SKU	Model	Unit Color	Box Qty
5088	VT-8028-W	White	50
5089	VT-8028-B	Black	50
23678	VT-8028-B-N	Black	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 445X345X19mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)

INFRARED SENSOR-IP44



SKU	Model	Unit Color	Box Qty
4967	VT-8003-W	White	50
5077	VT-8003-B	Black	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 86.4x60.4x98mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 300W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
15011	VT-8083-B	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.20m(<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 86.5x172.5x56mm
 Time Delay: Min.10sec±3sec, Max. 30min±2min
 Rated Load: 1000w(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
15001	VT-8083-W	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.20m(<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 86.5x172.5x56mm
 Time Delay: Min.10sec±3sec, Max. 30min±2min
 Rated Load: 1000w(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
15031	VT-8084-B	Black	50

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-15m
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC+Glass
 IP Rating: IP20
 Dimension: 95x50x95mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: 300w(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
15021	VT-8084-W	White	50

Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-15m
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC+Glass
IP Rating:	IP65
Dimension:	95x50x95mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	300w(LED)

MICROWAVE SENSOR-IP65



SKU	Model	Unit Color	Box Qty
5571	VT-8036-W	White	100

Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m/10m
Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 200W(LED)


MICROWAVE SENSOR-IP65



SKU	Model	Unit Color	Box Qty
5572	VT-8036-B	Black	100

Sensor Type:	Microwave
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m/10m
Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 200W(LED)


INFRARED SENSOR-MOVING HEAD



SKU	Model	Unit Color	Box Qty
5091	VT-8030	White	50

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 8m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	98x73x82mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 400W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
4968	VT-8004	White	50

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR-E27



SKU	Model	Unit Color	Box Qty
4982	VT-8005	White	50

Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Rated Load:	Max 60W(LED)

INFRARED SENSOR-IP44




SKU	Model	Unit Color	Box Qty
1354	VT-8048	White	50

Sensor Type:	Infrared
Detection Angle:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x86.4x60.4mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)X20

INFRARED SENSOR



SKU	Model	Box Qty
1355	VT-8049	50




Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
1356	VT-8051	50



Sensor Type:	Infrared
Detection Angle:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

DAY LIGHT SENSOR - 1-10V



SKU	Model	Box Qty
1369	VT-8059	100

Sensor Type:	Day Light
Detection Angle:	360°
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20

Daylight Sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.


The illumination level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient, then gradually back to 100% level when it is getting darker.

INFRARED-HAND GESTURE DETECTION



SKU	Model	Box Qty
5084	VT-8025	100




Sensor Type:	Infrared
Detection Angle:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Rated Load:	Max 200W(LED)

INFRARED-DOOR DETECTION



SKU	Model	Box Qty
5085	VT-8026	100




Sensor Type:	Infrared
Detection Angle:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Rated Load:	Max 200W(LED)

MICROWAVE SENSOR



SKU	Model	Box Qty
5078	VT-8018	100




Sensor Type: Microwave
Detection Angle: 180° / 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 1-8m(radius) adjustable
Ambient Light: <3-2000LUX(adjustable)
Body Type: Plastic
IP Rating: IP20
Dimension: 37x25x61.5mm
Time Delay: Min. 10sec±3sec, Max. 12min±1min
Rated Load: Max 300W(LED)

PHOTOCELL SENSOR-IP44



SKU	Model	Box Qty
5081	VT-8019	100




Sensor Type: Photocell
Detection Angle: 360°
Voltage: AC:220-240V,50Hz
Ambient Light: <5-15LUX(adjustable)
Body Type: Plastic
IP Rating: IP44
Dimension: 35.5x46x44.1mm
Time Delay: 5 sec to 8 min (adjustable)
Rated Load: Max 500W(LED)

INFRARED SENSOR





SKU	Model	Box Qty
5082	VT-8022	100



Sensor Type: Infrared
Detection Angle: 120°/360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 3/6m(<24°C)
Ambient Light: 10LUX/2000LUX(choice)
Body Type: Plastic
IP Rating: IP65
Dimension: 36.8x25.5x55.4mm
Time Delay: 5s,30s,1min,3min,5min,8min(choice)
Rated Load: Max 400W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
1446	VT-8077	White	100

Sensor Type: Microwave
Detection Angle: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 1-8m(radius) Adjustable
Ambient Light: 0<3-2000LUX(Adjustable)
Body Type: Plastic
IP Rating: IP20
Dimension: 80.7x42.1x43.8mm
Time Delay: Min. 10sec±3sec, Max.12min±1min
Rated Load: Max 300W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
5083	VT-8023	White	100

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5m-15m(adjustable)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 80x80x32mm
 Time Delay: 10 sec to 12 min (adjustable)
 Rated Load: Max 300W(LED)

PHOTOCELL SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23423	VT-81007	White	50

Sensor Type: Photocell
 Voltage: AC:220-240V,50/60Hz
 Ambient Light: <3-500LUX(adjustable)
 IP Rating: IP65
 Dimension: 70x108.8mm

INFRARED-DOOR DETECTION



SKU	Model	Unit Color	Box Qty
23428	VT-81012	White	100

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-6 Meters
 IP Rating: IP20
 Dimension: 90x40.2x16.8mm
 Rated Load: Max 200W(LED)



OUTDOOR LIGHTS & FITTINGS

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

RECHARGEABLE FLAME WORK CAMPING LIGHT



Battery Type	3.7V 2000mAh
Charging Time	2.5 hr
Working Time	6-8 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23337 - 2700K+6500K WARM WHITE+WHITE	VT-9903D	3W LED+2W Flame Light	230	147x100x207mm	20

RECHARGEABLE TORCH LIGHT



Battery Type	3.7V 2000mAh
Charging Time	4.5 hr
Working Time	



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23338	VT-9910	10W	1000	35x175x195mm	24

RECHARGEABLE HEADLIGHT WITH BELT



Battery Type	3.7V 750mAh
Charging Time	2.5 hr
Working Time	4-27 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23339	VT-9902	3W	190	68x31x45mm	100

RECHARGEABLE SMD+COB SILICON HEADLIGHT WITH BELT



Battery Type	3.7V 550mAh
Charging Time	2.5 hr
Working Time	2-5 hr




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23340	VT-9901	3W SMD+5W COB	470	605x46x27mm	80



NEW UNDERGROUND LIGHT

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	24°
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24219 - 3000K WARM WHITE 24220 - 4000K DAY WHITE	VT-84106	6W	387	50x100mm	20



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211463 - 3000K WARM WHITE	VT-1141-N	0.5W	37	Ø26X82mm	100



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211464 - 6500K WHITE	VT-1151-N	1W	50	Ø48X82mm	100



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE 211467 - 6400K WHITE	VT-1161-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1W	10	Ø60X93mm	50
211466 - 3000K WARM WHITE 211468 - 6400K WHITE	VT-1161-B-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1W	10	Ø60X93mm	50
211469 - 3000K WARM WHITE 211471 - 6400K WHITE	VT-1171-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211470 - 3000K WARM WHITE 211472 - 6400K WHITE	VT-1171-B-N	1W	50	Ø60X93mm	50



POOL LIGHTS-PAR56

Voltage/Frequency	AC/DC:12V
Beam Angle	120°



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8024 - 6500K WHITE	VT-12118	18W	2000	178x110mm	18
8025 - 6500K WHITE	VT-12125	25W	2850	178x110mm	18
8026 - 6500K WHITE	VT-12135	35W	4100	178x110mm	18



POOL LIGHTS-PAR56

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217556 - 3000K WARM WHITE 217555 - 6500K WHITE	VT-1258-N	8W	800	178x110mm	18
217560 - 3000K WARM WHITE 217559 - 6500K WHITE	VT-1262-N	12W	1260	178x110mm	18



POOL LIGHTS-PAR56-RGB

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217558 - RGB	VT-1268-N	8W	800	178x110mm	18
217562 - RGB	VT-1263-N	12W	1260	178x110mm	18

WALL FITTINGS-E27



SKU	Model	Box Qty
93573	VT-967	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130x100x228mm



WALL FITTINGS-E27



SKU	Model	Box Qty
93574	VT-968	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150x91x228mm



NEW WALL FITTING



SKU	Model
24306	VT-10174PIR

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 68x108x162mm



NEW WALL FITTING



SKU	Model	Box Qty
24166	VT-10174	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 86x100x137mm



NEW UP-DOWN WALL FITTING



SKU	Model
24307	VT-10175PIR

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 68x108x238mm



NEW UP-DOWN WALL FITTING



SKU	Model	Box Qty
24167	VT-10175	12

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 86x100x194mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2970	VT-11015-W	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2971	VT-11015-B	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



WALL FITTING



SKU	Model	Box Qty
7502	VT-7621PIR	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x67x163mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7503	VT-7622PIR	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x67x220mm



WALL FITTING



SKU	Model	Box Qty
7501	VT-7621	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93x85x118mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7500	VT-7622	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



WALL FITTING



SKU	Model	Box Qty
7505	VT-7631	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x60x125mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7504	VT-7632	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x60x178mm



WALL FITTING



SKU	Model	Box Qty
7506	VT-7641	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105x76x118mm

WALL FITTING



SKU	Model	Box Qty
7508	VT-7651RD	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7509	VT-7652RD	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



WALL FITTING



SKU	Model	Box Qty
7510	VT-7651SQ	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

NEW WALL FITTING



SKU	Model
24314	VT-10186

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 60x88x160mm



NEW UP-DOWN WALL FITTING



SKU	Model
24315	VT-10187

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x88x314mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7511	VT-7652SQ	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7512	VT-7662	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7569	VT-7622-B	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



WALL FITTING



SKU	Model	Box Qty
7539	VT-7651SQ-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

WALL FITTING



SKU	Model	Box Qty
7540	VT-7651RD-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7541	VT-7652SQ-W	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7542	VT-7652RD-W	16

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 92x68x80mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7543	VT-7662-W	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7570	VT-7622-W	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



NEW GARDEN BOLLARD FITTING



SKU	Model
24308	VT-10176

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x500mm



NEW GARDEN BOLLARD FITTING



SKU	Model
24309	VT-10177

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x800mm



NEW GARDEN BOLLARD FITTING WITH SOCKET



SKU	Model
24310	VT-10178

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x800mm



NEW **GARDEN BOLLARD FITTING**



SKU	Model
24316	VT-10188

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 100x100x800mm



NEW **GARDEN SPIKE BLACK-IP65**



SKU	Model	Box Qty
24227	VT-44005-B	50

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 56x90x285mm



NEW **GARDEN SPIKE BLACK-IP65**



SKU	Model	Box Qty
24228	VT-44005-W	50

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 56x90x285mm



WALL FITTING



SKU	Model	Box Qty
7553	VT-7611	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100x66x92mm



WALL FITTING



SKU	Model	Box Qty
7554	VT-7612	6

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 1170x50mm



WALL FITTING



SKU	Model	Box Qty
8626	VT-841	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x120mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
8627	VT-842	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x170mm



SENSOR UP-DOWN WALL FITTING



SKU	Model	Box Qty
5157	VT-7632S	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x110x215mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8567	VT-7678-1	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8568	VT-7678-2	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS



SKU	Model
10374	VT-1127RD

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x102mm



UNDERGROUND FITTINGS



SKU	Model
10375	VT-1127SQ

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x80x102mm



UNDERGROUND FITTINGS



SKU	Model	Box Qty
7515	VT-7677RD	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm



UNDERGROUND FITTINGS



SKU	Model	Box Qty
7516	VT-7677SQ	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm



GARDEN SPIKE



SKU	Model	Box Qty
7517	VT-769	12

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95x95x335mm



GARDEN SPIKE BLACK-IP65



SKU	Model
10372	VT-1119

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x88x245mm



GARDEN SPIKE BLACK-IP65



SKU	Model
10373	VT-1126

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x106x245mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7571	VT-7701	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x92x270mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7572	VT-7704	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x130x270mm





GARDEN LIGHTS & FITTINGS

V-TAC presents an elegant series of garden lighting, makes your garden glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors, and ceilings with our modern designs.

2IN1 BOLLARD LAMPS



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	24°
PF	>0.5
CRI	>90



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6836 - 3000K WARM WHITE 6837 - 4000K DAY WHITE	VT-11107-W	6W	620	White	120x180x1025mm	10
6838 - 3000K WARM WHITE 6839 - 4000K DAY WHITE	VT-11107-B	6W	620	Black	120x180x1025mm	10

NEW BOLLARD LAMPS-ADJUSTABLE HEAD




Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	90°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10475 - 3000K WARM WHITE 23051 - 4000K DAY WHITE	VT-1187-B	4W	390	Black	129x159x1000mm	4
10476 - 3000K WARM WHITE 23052 - 4000K DAY WHITE	VT-1187-W	4W	390	White	129x159x1000mm	4

NEW GARDEN LIGHT-2PC PACK



Voltage/Frequency	DC:24V
Beam Angle	360°
PF	
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24286 - 3000K WARM WHITE	VT-84042	3W	300	228x1170mm	2



GARDEN LIGHT 2IN1 (LAMP POST + SPIKE)



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
20316 3000K WARM WHITE 20317 4000K DAY WHITE 20318 6400K WHITE	VT-907	7W	420	200x714mm	20



2IN1 BOLLARD LAMP



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	180°
CRI	>90



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23021 - 3000K WARM WHITE 10426 - 4000K DAY WHITE	VT-1160	12W	1135	150x800mm	10



NEW GARDEN SPIKE LIGHT-DOUBLE HEAD



Voltage/Frequency	DC:24V
Beam Angle	30°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24229 - 4000K DAY WHITE	VT-44044	4W	315	822x65x68mm	

NEW **GARDEN SPIKE LIGHT**



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	40°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24004 - 3000K WARM WHITE 24005 - 4000K DAY WHITE	VT-80070	10W	880	248x78x100mm	20

NEW **GARDEN SPIKE LIGHT**



Voltage/Frequency	DC:24V
Beam Angle	30°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24006 - 3000K WARM WHITE 24007 - 4000K DAY WHITE	VT-10182-Round	2W	60	192x66x22mm	100
24008 - 3000K WARM WHITE 24009 - 4000K DAY WHITE	VT-10182-Square	2W	60	192x66x22mm	100

NEW **BOLLARD LAMP**



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	360°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24313 - 3000K WARM WHITE	VT-10181	24W	3400	60x800mm	

BOLLARD LAMPS



Voltage/Frequency	AC:100-240V 50/60Hz
Beam Angle	300°
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5155 - 4000K DAY WHITE	VT-909	9W	500	200x80x300mm	8

GARDEN LIGHT



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23053 - 4000K DAY WHITE	VT-10121	120W	9800	380x380x120mm	1

GARDEN SPIKE LIGHT



Voltage/Frequency	AC:100-240V,50/60Hz
Beam Angle	200°
PF	>0.6
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7546 - GREEN	VT-857-B	12W	720	Black	73x255mm	50
217544 - 3000K WARM WHITE 217545 - 4000K DAY WHITE	VT-857-B-N	12W	3000K - 880lm 4000K - 875lm	Black	73x255mm	50
7549 - GREEN	VT-857-W	12W	720	White	73x255mm	50
217547 - 3000K WARM WHITE 217548 - 4000K DAY WHITE	VT-857-W-N	12W	3000K - 920lm 4000K - 970lm	White	73x255mm	50
7552 - GREEN	VT-857-G	12W	720	Grey	73x255mm	50
217550 - 3000K WARM WHITE 217551 - 4000K DAY WHITE	VT-857-G-N	12W	3000K - 875lm 4000K - 930lm	Grey	73x255mm	50

NEW WALL LAMPS E27



SKU	Model	Box Qty
24087	VT-81050	10
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 120x145x265mm		

NEW WALL LAMPS E27



SKU	Model	Box Qty
24088	VT-81040	10
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 135x100x230mm		

GARDEN SPIKE




SKU	Model	Box Qty
7518	VT-770	8
Material: Stainless Steel		
Max.Watts: 35w		
Holder: GU10		
IP Rating: IP44		
Dimension: 60x60x420mm		

WALL FITTINGS-E27




SKU	Model	Box Qty
10470	VT-1183	6
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 400x76mm		

WALL FITTINGS-E27



SKU	Model	Box Qty
8623	VT-832	12
Material: Stainless Steel+PC		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x375mm		

WALL FITTINGS-E27



SKU	Model	Box Qty
8624	VT-833	12
Material: Stainless Steel+PC		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x140x335mm		

BOLLARD LAMPS




SKU	Model	Box Qty
10471	VT-1184	4
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x119x450mm		

BOLLARD LAMPS



SKU	Model	Box Qty
10472	VT-1185	4
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x119x1000mm		


BOLLARD LAMP



SKU	Model	Box Qty
8625	VT-838-S80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		



BOLLARD LAMPS



SKU	Model	Box Qty
8962	VT-838-S110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		




BOLLARD LAMPS



SKU	Model
23061	VT-1195
Material: Aluminium+Iron+Glass	
Max.Watts: 60W	
Holder: E27	
IP Rating: IP65	
Dimension: 155x155x790mm	




BOLLARD LAMPS



SKU	Model	Box Qty
8978	VT-838-B80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		

BOLLARD LAMPS



SKU	Model	Box Qty
8594	VT-838-B110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS




SKU	Model	Box Qty
8959	VT-838-G45	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		

BOLLARD LAMPS



SKU	Model	Box Qty
8961	VT-838-G80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		

BOLLARD LAMPS



SKU	Model	Box Qty
8963	VT-838-G110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS GU10




SKU	Model	Box Qty
7564	VT-7614	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x500mm



BOLLARD LAMPS GU10



SKU	Model	Box Qty
7565	VT-7615	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x800mm



WALL FITTINGS GU10



SKU	Model	Box Qty
7566	VT-7616	6

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm



BOLLARD LAMPS GU10




SKU	Model	Box Qty
7567	VT-7617	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x500mm



BOLLARD LAMPS GU10



SKU	Model	Box Qty
7568	VT-7618	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x800mm



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8984	VT-838-BS80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8983	VT-838-BS110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8964	VT-838-SE45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm




BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8960	VT-838-SS80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		

BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8967	VT-838-SE110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8965	VT-838-GS45	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x450mm		

BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8966	VT-838-GS80	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x800mm		

BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8968	VT-838-GS110	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x1100mm		

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8979	VT-838-BSS60	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60w		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x600mm		

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8976	VT-838-GS60	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x600mm		

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8977	VT-838-SS60	6
Material: Stainless Steel+PC Diffuser		
Max.Watts: 60W		
Detection Angle: 100°		
Detection Range: 2-8M		
Ambient Light: 2-200Lux		
Time Delay: 5sec to 5min		
Holder: E27		
IP Rating: IP44		
Dimension: 76x110x600mm		

WALL LAMPS E14



SKU	Model
10561	VT-1190

Material: Iron
Max.Watts: 30W
Holder: E14
IP Rating: IP65
Dimension: 200x168x350mm




WALL LAMP



SKU	Model	Box Qty
8517	VT-837-B	10

Material: Aluminium+Clear Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 113x236x113mm




WALL LAMP



SKU	Model	Box Qty
7513	VT-7670	12

Material: Stainless Steel+PC
Max.Watts: 14W
Holder: E27
IP Rating: IP44
Dimension: 250x90x100mm




WALL LAMP



SKU	Model	Box Qty
7077	VT-754-MW	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x180x93mm




WALL LAMP



SKU	Model	Box Qty
8628	VT-835	6

Material: Stainless Steel+PC
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 148x165x245mm



WALL LAMP



SKU	Model	Box Qty
10422	VT-1158	20

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x305x340mm




WALL LAMP



SKU	Model	Box Qty
7519	VT-760-B	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm




WALL LAMP



SKU	Model	Box Qty
7520	VT-760-W	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm



WALL LAMP



SKU	Model	Box Qty
10420	VT-1150	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x280x260mm

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
11823	VT-1223	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x325x250mm

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
11824	VT-1224	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x240x365mm


03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
7521	VT-761-B	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm




WALL LAMP



SKU	Model	Box Qty
7522	VT-761-W	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm



WALL LAMP



SKU	Model
23060	VT-1194

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP54
Dimension: 170x220x215mm

IP54
RATING

WALL LAMP



SKU	Model	Box Qty
10417	VT-1149-B	20

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
23020	VT-1149-W	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

03
YEAR
WARRANTY

WALL LAMP



SKU	Model	Box Qty
8686	VT-843	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 235x225mm




WALL LAMP



SKU	Model	Box Qty
7068	VT-750-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 208x360x170mm



CEILING LAMP



SKU	Model	Box Qty
11825	VT-1226	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x870mm



CEILING LAMP



SKU	Model	Box Qty
7072	VT-752-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




CEILING LAMP



SKU	Model	Box Qty
7073	VT-752-W	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm



CEILING LAMP



SKU	Model	Box Qty
7058	VT-735	10

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x740mm



STAND LAMP



SKU	Model	Box Qty
7059	VT-736	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x600mm



CEILING LAMP



SKU	Model	Box Qty
7529	VT-850	8

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x890mm



POLE LAMP



SKU	Model	Box Qty
8629	VT-839	6

Material: Stainless Steel+PC
Max.Watts: 40w
Holder: E27
IP Rating: IP44
Dimension: Ø148X800mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
10421	VT-1157	1

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x360x1050mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
10423	VT-1159	8

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x975mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
11827	VT-1231	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x970mm

03
YEAR
WARRANTY

POLE LAMP



SKU	Model	Box Qty
7530	VT-851	1

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x1110mm

03
YEAR
WARRANTY

STAND LAMP



SKU	Model	Box Qty
11826	VT-1230	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x330mm

03
YEAR
WARRANTY

STAND LAMP



SKU	Model	Box Qty
23353	VT-7657	1

Material: Iron
Max.Watts: 60W
Holder: E27
IP Rating: IP65
Dimension: 230x230x365mm


IP65
RATING

STAND LAMP




SKU	Model	Box Qty
7057	VT-734	10

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x290mm



POLE LAMP



SKU	Model	Box Qty
8687	VT-845	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 175x950mm



POLE LAMP



SKU	Model	Box Qty
8688	VT-847	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 522x2320mm



STAND LAMP



SKU	Model	Box Qty
11828	VT-1232	1

Material: Aluminium+Plastic
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 515x1990mm



STAND LAMP



SKU	Model	Box Qty
7061	VT-738	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 480x1410mm

STAND LAMP



SKU	Model	Box Qty
7062	VT-739	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm

STAND LAMP




SKU	Model	Box Qty
7063	VT-740	1

Material: Aluminium+Glass
Max.Watts: 60Wx3
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm

DECORATIVE LIGHTS

Offering cutting edge designs as per your mood. From warm to bright task lighting, Our selection of mirror lights, LED pendant lights, and chandeliers will light up any decor.

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7992 - 3000K WARM WHITE	VT-7794-G	8.5W	850	100x1620mm	Light Grey	10
7993 - 3000K WARM WHITE	VT-7794-W	8.5W	850	100x1620mm	White	10
7994 - 3000K WARM WHITE	VT-7794-B	8.5W	850	100x1620mm	Brown	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7995 - 3000K WARM WHITE	VT-7795-G	8.5W	850	100x1600mm	Light Grey	10
7996 - 3000K WARM WHITE	VT-7795-W	8.5W	850	100x1600mm	White	10
7997 - 3000K WARM WHITE	VT-7795-B	8.5W	850	100x1600mm	Brown	10

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7998 - 3000K WARM WHITE	VT-7796-B	8.5W	850	120x1620mm	Black	10
7999 - 3000K WARM WHITE	VT-7796-W	8.5W	850	120x1620mm	White	10
8000 - 3000K WARM WHITE	VT-7796-CG	8.5W	850	120x1620mm	Champagne Gold	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8001 - 3000K WARM WHITE	VT-7797-B	8.5W	850	120x1600mm	Black	10
8002 - 3000K WARM WHITE	VT-7797-W	8.5W	850	120x1600mm	White	10
8003 - 3000K WARM WHITE	VT-7797-CG	8.5W	850	120x1600mm	Champagne Gold	10

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10084 - 3000K WARM WHITE 10083 - 4000K DAY WHITE	VT-7832-B	9W	1000	300x1400mm	Black
10086 - 3000K WARM WHITE 10085 - 4000K DAY WHITE	VT-7832-BG	9W	1000	300x1400mm	Black+Gold

LED PENDANTS-ADJUSTABLE UP DOWN FUNCTION



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

Metal Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23101 - 3000K WARM WHITE	VT-7832M-WB	9W	1000	300x1370mm	White+Black
23102 - 3000K WARM WHITE	VT-7832M-W	9W	1000	300x1370mm	White
23103 - 3000K WARM WHITE	VT-7832M-WG	9W	1000	300x1370mm	White+Grey

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10078 - 3000K WARM WHITE 10077 - 4000K DAY WHITE	VT-7830-B	9W	1000	100x1230mm	Black
10080 - 3000K WARM WHITE 10079 - 4000K DAY WHITE	VT-7830-W	9W	1000	100x1230mm	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10046 - 3000K WARM WHITE 10045 - 4000K DAY WHITE	VT-7821-B	24W	3000	800x200x1040mm	Black
10048 - 3000K WARM WHITE 10047 - 4000K DAY WHITE	VT-7821-W	24W	3000	800x200x1040mm	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10074 - 3000K WARM WHITE 10091 - 4000K DAY WHITE	VT-7829-W	13W	1500	100x70x1530mm	White
10076 - 3000K WARM WHITE 10075 - 4000K DAY WHITE	VT-7829-B	13W	1500	100x70x1530mm	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14998 - 3000K WARM WHITE 14999 - 4000K DAY WHITE	VT-7917-B	12W	1300	280x1960mm	Black	10
15000 - 3000K WARM WHITE 15338 - 4000K DAY WHITE	VT-7917-W	12W	1300	280x1960mm	White	10

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24129 - 3000K WARM WHITE	VT-89023	3x10W	3600	120x150x250mm	White+Brushed Nickel	4

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24134 - 3000K WARM WHITE	VT-89026-SBG	2x5W	1200	150x200x1770mm	Sandy Black+Gold	6

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24135 - 3000K WARM WHITE	VT-89026-SWG	2x5W	1200	150x200x1770mm	Sandy White+Gold	6

NEW LED PENDANTS



AC:220-240V,50Hz

40° Beam Angle

>80 CRI

Aluminium Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24232 - 3000K WARM WHITE	VT-89009	9W	900	1130x80x80mm	White	20

NEW LED PENDANTS



AC:220-240V,50Hz

113° Beam Angle

>80 CRI

Aluminium+Iron Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24233 - 3IN1	VT-89112	12W	1215	1396x150x150mm	White	20

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24283 - 3000K WARM WHITE	VT-84038	20W	1900	180x170x1800mm	Smoke	1
24282 - 3000K WARM WHITE	VT-84037	20W	1900	230x226x1800mm	Smoke	1

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24284 - 3000K WARM WHITE	VT-84039	8W	1100	150x500x1870mm	Amber+White	1

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24285 - 3000K WARM WHITE	VT-84041	10W	1300	128x580x1600mm	Smoke+Amber+White	1

DESIGNER SOFT LIGHTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23381 - 3000K WARM WHITE	VT-7991	5W	600	55x1390mm	White	8

DESIGNER SOFT LIGHTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23382 - 3000K WARM WHITE	VT-7992	10W	1300	1000x1400mm	White	8

LED PENDANTS



AC:220-240V,50/60Hz

180° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23378 - 3000K WARM WHITE	VT-7988	6W	750	330x1350mm	Amber	6

LED PENDANTS



AC:220-240V,50/60Hz

180° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23379 - 3000K WARM WHITE	VT-7989	6W	750	230x1440mm	Amber	6

LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23409 - 3000K WARM WHITE	VT-10114	5W	450	200x1950mm	Clear Glass	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3936 - 3000K WARM WHITE	VT-7444-G	7W	400	Ø250xH190mm	Gold	8

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3937 - 3000K WARM WHITE 3931 - 4000K DAY WHITE	VT-7444-WH	7W	400	Ø250xH190mm	White	8

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3938 - 3000K WARM WHITE 3932 - 4000K DAY WHITE	VT-7666-G	7W	400	Ø340xH190mm	Gold	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3939 - 3000K WARM WHITE 3933 - 4000K DAY WHITE	VT-7666-WH	7W	400	Ø340xH190mm	White	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3934 - 3000K WARM WHITE 3928 - 4000K DAY WHITE	VT-7333-G	7W	400	Ø120xH190mm	Gold	20

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10082 - 3000K WARM WHITE 10081 - 4000K DAY WHITE	VT-7831	9W	1000	200x1300	Black

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6903 - 3000K WARM WHITE 6904 - 4000K DAY WHITE	VT-7755	48W	5000	485x1030	White	5

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PS Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6962 - 4000K DAY WHITE	VT-7793-W	90W	11000	1000x1000	White	1

LED PENDANTS



AC:220-240V, 50Hz

>80 CRI

Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6931 - 4000K DAY WHITE	VT-7765	12W	1280	240x500	Black	5

LED PENDANTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23363 - 3000K WARM WHITE	VT-7973	18W	2100	400x1400mm	Wood+White	5

LED PENDANTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23364 - 3000K WARM WHITE	VT-7974	25W	2800	500x1400mm	Wood+White	5

LED PENDANTS



AC:220-240V, 50Hz

120° Beam Angle

>80 CRI

Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23431 - 3000K WARM WHITE 23432 - 4000K DAY WHITE	VT-10126	45W	5500	620x1200mm	Brush Gold	1

LED PENDANTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI


Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23099 - 3000K WARM WHITE	VT-7581	25W	3000	500x1220	White

LED PENDANTS



AC:100-240V,50Hz

120° Beam Angle

>80 CRI

Steel+PC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3874 - 3000K WARM WHITE	VT-40-1	40W	2800	400X210X1000mm	1

LED PENDANTS-COLOR CHANGING



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

PC Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213959 -3IN1	VT-7605-N	36W	3900	600x2000mm	White	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V

120° Beam Angle

>80 CRI

PC + Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40011 - 3000K WARM WHITE	VT-7390	72W	6500	ø390x2000mm	White	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23372 - 3000K WARM WHITE	VT-7982	65W	7000	600x1070mm	Champagne Grey	10

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23368 - 3000K WARM WHITE	VT-7978	15W	1600	1200x120x1150mm	Wood+Black	6

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

360° Beam Angle

>80 CRI

Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23369 - 3000K WARM WHITE	VT-7979	10W	1300	600x1310mm	Wood	5



DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

360° Beam Angle

>80 CRI

Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24289 - 4000K DAY WHITE	VT-84045	25W	3250	400x600mm	Sandy Black	4

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23370 - 3000K WARM WHITE	VT-7980	30W	3350	560x1200mm	Gold+Black	1

DESIGNER SOFT LIGHTS CCT 3IN1



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23373 - 3IN1	VT-7983	40W	4800	600x1220mm	Black	5

DESIGNER SOFT LIGHTS CCT 3IN1



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23374 - 3IN1	VT-7984	40W	4800	600x1160mm	Black	6

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23434 - 3000K WARM WHITE 23435 - 4000K DAY WHITE	VT-10124	12W	1500	400x160x1650mm	Black	1
23436 - 3000K WARM WHITE 23437 - 4000K DAY WHITE	VT-10125	16W	2000	500x160x1700mm	Black	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PS Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6957 - 4000K DAY WHITE	VT-7760-B	50W	6100	600x1000	Black	5
6958 - 4000K DAY WHITE	VT-7760-W	50W	6100	600x1000	White	5
6959 - 4000K DAY WHITE	VT-7760-C	50W	6100	600x1000	Corten	5

LED PENDANTS-TRIAC DIMMABLE



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3992 -3000K WARM WHITE	VT-25-1-W	20W	1500	450mm	White	1
3993 -3000K WARM WHITE	VT-25-1-B	20W	1500	450mm	Black	1
3994 -3000K WARM WHITE	VT-25-1-C	20W	1500	450mm	Coffee	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body

25,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3996 -3000K WARM WHITE	VT-32-1-B	30W	2250	600mm	Black	1
3997 -3000K WARM WHITE	VT-32-1-C	30W	2250	600mm	Coffee	1

LED PENDANTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23098 - 3000K WARM WHITE	VT-7580	20W	2400	425x1100	Coffee
23097 - 3000K WARM WHITE	VT-7579	30W	3600	625x1100	Coffee

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10044 - 3000K WARM WHITE 10043 - 4000K DAY WHITE	VT-7820	38W	4560	974x260x1100	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10052 - 3000K WARM WHITE 10051 - 4000K DAY WHITE	VT-7823	19W	2160	400x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10054 - 3000K WARM WHITE 10053 - 4000K DAY WHITE	VT-7824	57W	6840	1510x910x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3986 - 3000K WARM WHITE	VT-101-2-W	115W	1510	600/400	White	1
213986 - 3000K WARM WHITE	VT-101-2-W-N	113W	6300	600x1200mm	White	1
213987 - 3000K WARM WHITE	VT-101-2-B-N	113W	6300	600x1200mm	Black	1
213988 - 3000K WARM WHITE	VT-101-2-C-N	113W	6300	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213989 - 3000K WARM WHITE	VT-82-3-W-N	86W	4550	600x1200mm	White	1
213990 - 3000K WARM WHITE	VT-82-3-B-N	86W	4550	600x1200mm	Black	1
213991 - 3000K WARM WHITE	VT-82-3-C-N	86W	4550	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15345 - 3000K WARM WHITE	VT-7924	46W	4900	800x1660	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23096 - 3000K WARM WHITE	VT-7578	50W	5850	625x1100	Coffee

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14986 - 3000K WARM WHITE 14987 - 4000K DAY WHITE	VT-7908	48W	5150	840x1200	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14988 - 3000K WARM WHITE 14989 - 4000K DAY WHITE	VT-7909	48W	5150	600x1230	White	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14992 - 3000K WARM WHITE 14993 - 4000K DAY WHITE	VT-7914	48W	5150	1160x1180	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14996 - 3000K WARM WHITE 14997 - 4000K DAY WHITE	VT-7916	48W	5150	900x1200	White	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone

Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15340 - 3000K WARM WHITE	VT-7919	49W	5220	700x1200	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8012 - 3000K WARM WHITE	VT-7799-B	20W	2540	500x1000	Black	5
8013 - 3000K WARM WHITE	VT-7799-W	20W	2540	500x1000	White	5
8014 - 3000K WARM WHITE	VT-7799-PG	20W	2540	500x1000	Paint Gold	5

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8010 - 3000K WARM WHITE	VT-7798-B	24W	3240	720x300	Black	1
8011 - 3000K WARM WHITE	VT-7798-CG	24W	3240	720x300	Champagne Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
8020 - 3000K WARM WHITE	VT-7817-B	18W	2260	700x1000	Black
8021 - 3000K WARM WHITE	VT-7817-PG	18W	2260	700x1000	Paint Gold

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8022 - 3000K WARM WHITE	VT-7818-B	16W	1820	860x300	Black	5
8023 - 3000K WARM WHITE	VT-7818-PG	16W	1820	860x300	Paint Gold	5

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8017 - 3000K WARM WHITE	VT-7816-B	32W	3880	600x1000	Black	5
8018 - 3000K WARM WHITE	VT-7816-W	32W	3880	600x1000	White	5
8019 - 3000K WARM WHITE	VT-7816-PG	32W	3880	600x1000	Paint Gold	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Aluminum+PC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6906 - 3000K WARM WHITE	VT-7756	45W	4470	1140x160x1580	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone

Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6933 - 4000K DAY WHITE	VT-7766	30W	3200	890x250	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6935 - 4000K DAY WHITE	VT-7767	15W	1500	915x215	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6937 - 4000K DAY WHITE	VT-7768	12W	1280	915x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6939 - 4000K DAY WHITE	VT-7769	12W	1200	905x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6941 - 4000K DAY WHITE	VT-7770	24W	2500	1525x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6943 - 4000K DAY WHITE	VT-7771	23W	2130	1230x1100	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Wood+PVC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23100 - 4000K DAY WHITE	VT-7532	12W	1440	800x1100	Wood

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23365 - 3000K WARM WHITE	VT-7975	10W	1250	900x1200mm	Wood	10

DESIGNER BEND GLASS HANGING PENDANT



AC:220-240V,50Hz

120° Beam Angle

>80 CRI


Stainless Steel+Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3898 - 4000K DAY WHITE	VT-7020	18W	1350	985x55x800mm	Chrome+Glass	6

DESIGNER SLEEK PENDANT CHROME



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Stainless Steel+Metal+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3892 - 4000K DAY WHITE	VT-7036	36W	2700	1820x55x800mm	Chrome	12

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10060 - 3000K WARM WHITE 10088 - 4000K DAY WHITE	VT-7827	19W	2160	800x1150	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10050 - 3000K WARM WHITE 10049 - 4000K DAY WHITE	VT-7822	30W	3450	1200x120x1150	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10056 - 3000K WARM WHITE 10055 - 4000K DAY WHITE	VT-7825	24W	2760	790x200x1080	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

360° Beam Angle

>80 CRI


Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23375 - 3000K WARM WHITE	VT-7985	12W	1440	1660x120x120mm	Brown	10

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10087 - 3000K WARM WHITE 10057 - 4000K DAY WHITE	VT-7826	20W	2500	1000x600x475	Black+Brass

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10090 - 3000K WARM WHITE 10089 - 4000K DAY WHITE	VT-7828	32W	4000	430x370x1120	White+Wood

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI



Steel Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15339 - 3000K WARM WHITE	VT-7918	28W	2700	1020x1210	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15341 - 3000K WARM WHITE	VT-7920	46W	4900	500x1500	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI


Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15343 - 3000K WARM WHITE	VT-7922	42W	4480	970x840	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15344 - 3000K WARM WHITE	VT-7923	45W	4800	1200x1580	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15346 - 3000K WARM WHITE	VT-7925	49W	5220	600x105	Black	1

LED CEILING LIGHTS



AC:220-240V

120° Beam Angle

>80 CRI

PC + Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40061 - 3000K WARM WHITE	VT-7503	40W	3100	ø500x215mm	White	1

DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213970 -3IN1	VT-7309-N	25W	2500	300x300x80mm	White	1
213971 -3IN1	VT-7463-N	40W	4000	460x460x95mm	White	1

DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213966 -3IN1	VT-7308-N	20W	2150	300x85mm	White	1
213967 -3IN1	VT-7462-N	45W	4050	460x100mm	White	1
213969 -3IN1	VT-7752-N	78W	8500	750x130mm	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6986 - 4000K DAY WHITE	VT-7779B-RD	18W	1280	350x62	Black	5
6988 - 4000K DAY WHITE	VT-7780B-RD	24W	2500	450x62	Black	5
6908 - 4000K DAY WHITE	VT-7757B-RD	38W	4050	400x62	Black	5
6911 - 4000K DAY WHITE	VT-7758B-RD	42W TRIAC Dimmable	4400	500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6990 - 4000K DAY WHITE	VT-7781B-SQ	18W	1490	350x350x62	Black	3
6992 - 4000K DAY WHITE	VT-7782B-SQ	24W	2450	450x450x62	Black	5
6914 - 4000K DAY WHITE	VT-7757B-SQ	38W	4000	400x400x62	Black	5
6917 - 4000K DAY WHITE	VT-7758B-SQ	48W TRIAC Dimmable	4480	500x500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6987 - 4000K DAY WHITE	VT-7779W-RD	18W	1280	350x62	White	5
6989 - 4000K DAY WHITE	VT-7780W-RD	24W	2500	450x62	White	5
6909 - 4000K DAY WHITE	VT-7757W-RD	38W	4050	400x62	White	5
6912 - 4000K DAY WHITE	VT-7758W-RD	42W TRIAC Dimmable	4400	500x62	White	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6991 - 4000K DAY WHITE	VT-7781W-SQ	18W	1490	350x350x62	White	5
6993 - 4000K DAY WHITE	VT-7782W-SQ	24W	2450	450x450x62	White	5
6915 - 4000K DAY WHITE	VT-7757W-SQ	38W	4000	400x400x62	White	5
6918 - 4000K DAY WHITE	VT-7758W-SQ	48W TRIAC Dimmable	4480	500x500x62	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-260V, 50Hz

120° Beam Angle

>80 CRI


Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24188 - 3IN1	VT-84023-B	48W	5760	450x110mm	Black	4
24189 - 3IN1	VT-84023-W	48W	5760	450x110mm	White	4
24190 - 3IN1	VT-84023-G	48W	5760	450x110mm	Gold	4
24191 - 3IN1	VT-84036-B	63W	7200	550x120mm	Black	4
24192 - 3IN1	VT-84036-W	63W	7200	550x120mm	White	4
24193 - 3IN1	VT-84036-G	63W	7200	550x120mm	Gold	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24185 - 3IN1	VT-84020-BG	48W	5760	500x80mm	Black+Grey	4
24186 - 3IN1	VT-84020-BWG	48W	5760	500x80mm	Black+Wood Grain	4
24187 - 3IN1	VT-84020-WWG	48W	5760	500x80mm	White+Wood Grain	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24202 - 3IN1	VT-85033-BL	30W/60W/30W	6000	495x72.2mm	Black	5
24203 - 3IN1	VT-85033-BR	30W/60W/30W	6000	495x72.2mm	Brown	5
24204 - 3IN1	VT-85033-GR	30W/60W/30W	6000	495x72.2mm	Grey	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

160° Beam Angle

>80 CRI

Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24139 - 3IN1	VT-7737	36W	3240	390x35mm	White	6
24140 - 3IN1	VT-7738	36W	2880	410x30mm	Wooden Painting	6

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24136 - 3IN1	VT-7736	50W	4000	505x50mm	White+Black	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

160° Beam Angle

>80 CRI

Plastic+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24137 - 3IN1	VT-7748	55W	4480	485x70mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Acrylic+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24138 - 3IN1	VT-7747	60W	4800	500x420x70mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24194 - 3IN1	VT-85030-DB	30W/60W/30W	6000	495x67.6mm	Dark Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24195 - 3IN1	VT-85030-G	30W/60W/30W	6000	495x67.6mm	Gold	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24196 - 3IN1	VT-85036-DB	30W/60W/30W	6000	491x80.1mm	White+Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24197 - 3IN1	VT-85031-B	30W/60W/30W	6000	480x57.6mm	White+Black	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24198 - 3IN1	VT-85031-DB	30W/60W/30W	6000	480x57.6mm	White+Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24199 - 3IN1	VT-85031-G	30W/60W/30W	6000	480x57.6mm	Grey	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24205 - 3IN1	VT-85034-DB	30W/60W/30W	6000	486x67.1mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24206 - 3IN1	VT-85034-WF	30W/60W/30W	6000	486x67.1mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24200 - 3IN1	VT-85035	20W/40W/20W	4000	391x63.6mm	White+ Wooden Finsih	5
24201 - 3IN1	VT-85045	30W/60W/30W	6000	493x67.6mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Metal+Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24119 - 3000K WARM WHITE	VT-89013	3X6W	2160	460x410x210mm	Matt Black	1

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Metal+Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24120 - 3000K WARM WHITE	VT-89012	2X6W	1440	585x82x211mm	Matt Black	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Metal+Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24121 - 3000K WARM WHITE	VT-89015	3X6W	2160	685x82x211mm	Matt Black	4

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI


Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24174 - 3IN1	VT-84035	70W	5600	500x500x43mm	White	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI


Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24175 - 3IN1	VT-84050	100W	8000	510x75mm	White	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24176 - 3IN1	VT-84040	80W	6400	500x450x67mm	White	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Acrylic +Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24177 - 3IN1	VT-84030	60W	5400	495x495x60mm	White	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Plastic +Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24178 - 3IN1	VT-84033	60W	5400	495x495x60mm	White+Black	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Acrylic +Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24182 - 3IN1	VT-84031	50W	4000	550x70mm	Grey	5

NEW **DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Acrylic +Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24184 - 3IN1	VT-84032	50W	4000	550x70mm	Grey	5

NEW **DESIGNER SERIES SURFACE LIGHT**



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24179 - 3IN1	VT-84025RD	70W	4000	495x480x65mm	Black	5

NEW **DESIGNER SERIES SURFACE LIGHT**



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24180 - 3IN1	VT-84025SQ	70W	4000	485x485x65mm	Black	5

SMART DECORATIVE CEILING LAMP- 3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15358 - 3IN1	VT-7960	95W	9900	520x500	White	5

SMART DECORATIVE CEILING LAMP- 3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15357 - 3IN1	VT-7959	120W	12800	500x500	White	5

SMART DECORATIVE CEILING LAMP- 3IN1-REMOTE CONTROL



AC:220-240V,50Hz


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15359 - 3IN1	VT-7961	125W	13100	500x500	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15360 - 3IN1	VT-7962	130W	13600	620x620	White	5

SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15356 - 3IN1	VT-7958	150W	15500	510x510	White	5

DESIGNER SERIES SURFACE LIGHT-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23394 - 3IN1	VT-7717	45W	3900	600x400x100mm	White	4

DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI


Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23395 - 3IN1	VT-7718	70W	6000	585x390x120mm	White	4

DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23397 - 3IN1	VT-7734	75W	6500	495x495x55mm	White	4

DESIGNER SERIES SURFACE LIGHT- REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23396 - 3IN1	VT-7719	77W	6700	495x495x55mm	White	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23371 - 3000K WARM WHITE	VT-7981	36W	4150	840x600x290mm	Gold+Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6994 - 4000K DAY WHITE	VT-7783B	24W	2560	310x60mm	Black	5
6920 - 4000K DAY WHITE	VT-7761B	38W	4050	465x60mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6995 - 4000K DAY WHITE	VT-7783W	24W	2560	310x60mm	White	5
6921 - 4000K DAY WHITE	VT-7761W	38W	4050	465x60mm	White	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6996 - 4000K DAY WHITE	VT-7784B	24W	2560	250x160mm	Black	5
6923 - 4000K DAY WHITE	VT-7762B	54W TRIAC Dimmable	5330	530x200mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6997 - 4000K DAY WHITE	VT-7784W	24W	2560	250x160mm	White	5
6924 - 4000K DAY WHITE	VT-7762W	54W TRIAC Dimmable	5330	530x200mm	White	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6926 - 4000K DAY WHITE	VT-7763B	20W	2130	250x130mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6927 - 4000K DAY WHITE	VT-7763W	20W	2130	250x130mm	White	5
6998 - 4000K DAY WHITE	VT-7785W	24W	2560	310x115mm	White	1
6929 - 4000K DAY WHITE	VT-7764W	43W	4580	520x165mm	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7000 - 3000K WARM WHITE	VT-7787	20W	2130	450x300x105mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7001 - 3000K WARM WHITE	VT-7788	12W	1280	945x60mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7002 - 3000K WARM WHITE	VT-7789	24W	2560	525x185x80mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7003 - 3000K WARM WHITE	VT-7790	24W	2500	125x445mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7004 - 3000K WARM WHITE	VT-7791	24W	2560	610x120x360mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7005 - 3000K WARM WHITE	VT-7792	20W	2130	460x410x125mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14990 - 3000K WARM WHITE 14991 - 4000K DAY WHITE	VT-7911	48W TRIAC Dimmable	5150	620x100mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14994 - 3000K WARM WHITE 14995 - 4000K DAY WHITE	VT-7915	38W	4100	880x870x105mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15342 - 3000K WARM WHITE	VT-7921	46W	4900	645x550x420mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15347 - 3000K WARM WHITE	VT-7926	47W	5010	905x670x100mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14984 - 3000K WARM WHITE 14985 - 4000K DAY WHITE	VT-7907	37W	4000	495mm	White	4

DESIGNER SERIES SURFACE LIGHT-TWO FRAME



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7006 - 3000K WARM WHITE	VT-7786	14W	1490	340x95x160mm	Satin Nickel	5

CEILING CRYSTAL LAMP FITTING-E14



AC:220-240V,50/60Hz

Crystal Body

IP20 Rating

2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23359	VT-7969	5xE14	400x240mm	Chrome	1

CEILING CRYSTAL LAMP FITTING-E14



AC:220-240V,50/60Hz

Crystal Body

IP20 Rating

2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23360	VT-7970	9xE14	600x290mm	Chrome	1

STEEL CANOPY-SURFACE-3 HOLES-RED COPPER



SKU: 15349
Material: Steel
Unit Color: Red Copper
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: 15350
Material: Steel
Unit Color: Matt White
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-RED COPPER



SKU: **15351**
Material: Steel
Unit Color: Red Copper
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-MATT WHITE



SKU: **15352**
Material: Steel
Unit Color: Matt White
Dimension: 300x25mm
Box Qty: 10

MAGNETISM CANOPY-SURFACE-8 HOLES-MATT WHITE



SKU: **15355**
Material: Steel
Unit Color: Matt White
Dimension: 150x36mm
Box Qty: 20

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: **15353**
Material: Steel
Unit Color: Matt White
Dimension: 800x70x43mm
Box Qty: 10

STEEL CANOPY-SURFACE-9 HOLES-MATT WHITE



SKU: **15354**
Material: Steel
Unit Color: Matt White
Dimension: 800x600x20mm
Box Qty: 2

MIRROR LIGHTS



AC:200-240V,50/60Hz

17W=120°/35-42W=110° Beam Angle

>80 CRI

IP44 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40441 - 6400K WHITE	VT-8505	17W	600	H:500xW:390xT:35mm	1
2140451 - 6400K WHITE	VT-8700-N	35W	95	H:700xW:500xT:35mm	1
2140471 - 6400K WHITE	VT-8800-N	42W	100	H:800xW:600xT:35mm	1

MIRROR LIGHTS TOUCH SWITCH



AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2140491 - 3IN1	VT-8602-N	25W	85	D:600x35mm	1

DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15348 - 3000K WARM WHITE	VT-7927	37W	3940	340x460mm	Gold	1

DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone

Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14981 - 3000K WARM WHITE 14980 - 4000K DAY WHITE	VT-7906-B	14W	1500	250x180mm	Black	10
14983 - 3000K WARM WHITE 14982 - 4000K DAY WHITE	VT-7906-W	14W	1500	250x180mm	White	10

LED MIRROR LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


Aluminium Body

20,000 hr lifespan

IP65 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
405811 - 3000K WARM WHITE 405821 - 4000K DAY WHITE	VT-7022-W	10W	1530	610x100x75mm	White	10
405831 - 3000K WARM WHITE 405841 - 4000K DAY WHITE	VT-7022-B	10W	1530	610x100x75mm	Black	10

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz

120° Beam Angle

>80 CRI


Metal+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213985 - 3000K WARM WHITE 213894 - 4000K DAY WHITE	VT-7008-N	9W	3000K-550 4000K-580	500x55x185mm	Chrome	12

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Stainless Steel+Aluminium+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213984 - 3000K WARM WHITE 213900 - 4000K DAY WHITE	VT-7009CH-N	9W	3000K-380 4000K-420	455x45x190mm	Chrome	11

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI


Metal+Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24122 - 3000K WARM WHITE	VT-89016	6W	720	211x82x147mm	Matt Black	12

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Ceramic+Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24128 - 3000K WARM WHITE	VT-89021	10W	1200	190x120x430mm	White+Brushed Nickel	4

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI


Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24290 - 4000K DAY WHITE	VT-84046	22W	2860	300x110mm	Sandy Black	4

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+PMMA Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3893 - 4000K DAY WHITE	VT-7037	36W	2700	940x120x60mm	Chrome	6


DESIGNER BEND SERIES CHROME



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3899 - 4000K DAY WHITE	VT-7038	36W	2700	985x120x75mm	Chrome	6


DESIGNER SERIES TRIAC DIMMABLE



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
PC Body
30,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3980 - 3000K WARM WHITE	VT-7027	18W	1200	ø125x2500mm	White	1
3981 - 3000K WARM WHITE	VT-7050	32W	2100	ø125x2900mm	White	1

WALL LAMP TRIAC DIMMABLE



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3974 - 3000K WARM WHITE	VT-7025	18W	1200	ø125x530mm	White	1

TABLE LAMP TOUCH DIMMABLE



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

PC Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3975 3000K WARM WHITE	VT-7026	18W	1200	130x480mm	White	1

DESIGNER TABLE LAMP



AC:220-240V,50Hz

1.5m Wire

Metal Body

IP20 Rating

5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40331	VT-7412	E27	150x420mm	Red Bronze	4

DESIGNER FLOOR LAMPS



AC:220-240V,50Hz

1.8m Wire

Fabric+Metal Body

IP20 Rating

5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40411	VT-7913	E27	450x285x1620mm	Ivory+Black-Round	1

OVAL BALL LIGHT



Lithium Battery 1000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP67 Rating

200x200x140mm Size

White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40141 - RGB	VT-7801	1W	18	8

STONE LIGHT



Lithium Battery 1000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP67 Rating

280x210x170mm Size

White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40151 - RGB	VT-7802	1W	18	8

POT LIGHT



Lithium Battery 1000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating

280x280x290mm Size

White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40181 - RGB	VT-7805	1W	18	1

POT LIGHT



Lithium Battery 2000mAh

AC:100-240V,50Hz

LLDPE Body

50,000 hr lifespan

IP54 Rating

355x355x325mm Size

White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40211 - RGB	VT-7808	1.5W	54	1

ICE BUCKET LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan



IP54 Rating
290x330x350mm Size
White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40191 - RGB	VT-7806	1.5W	54	1

BALL LIGHT



Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan



IP54 Rating
500x500x260mm Size
White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40221 - RGB	VT-7809	6W	108	1

STOOL LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan




IP54 Rating
400x400x360mm Size
White Unit Color



SKU	Model	Watts	Lumens	Box Qty
40231 - RGB	VT-7810	3W	54	1

TABLE LIGHT



Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan



IP54 Rating
720x720x580mm Size
White Unit Color




SKU	Model	Watts	Lumens	Box Qty
40251 - RGB	VT-7812	6W	108	1



LED Table & Floor Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring you an exclusive range of LED table lamps. Elegantly designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.



DECORATIVE FLOOR LAMP



Watts:	10W
Lumens:	1200
Beam Angel:	280°

Material:	Ceramic+Metal+Acrylic
Dimension:	250x180x1410
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24131 - 3000K WARM WHITE	VT-89024	White+Brushed Nickel



DECORATIVE FLOOR LAMP




Watts:	25W
Lumens:	3250
Beam Angel:	360°

Material:	Metal+Silicone
Dimension:	300x250x1420
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24292 - 4000K DAY WHITE	VT-84048	Matt Black

RECHARGEABLE & ADJUSTABLE FLOOR LAMP -TOUCH CONTROL



Watts:	4W
Lumens:	300
Beam Angle:	180°
Material:	Aluminium
Dimension:	140x1300
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	6 Hours
Box Qty:	4



SKU	Model	Unit Color
7007 - 3000K WARM WHITE	VT-7544-W	White
7008 - 3000K WARM WHITE	VT-7544-C	Corten
7009 - 3000K WARM WHITE	VT-7544-B	Black



Watts:	3W
Lumens:	70
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

RECHARGEABLE DESK LAMPS

SKU	Model	Unit Color
10187 - 3000K WARM WHITE 10188 - 4000K DAY WHITE	VT-7703-RB-G	Grey
10192 - 4000K DAY WHITE	VT-7703-RB-W	White
10194 - 4000K DAY WHITE	VT-7703-RB-B	Black



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø78.5x386
IP Rating:	IP54
Battery:	4400mA
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
7651 - 3000K WARM WHITE	VT-7522-W	White
7652 - 3000K WARM WHITE	VT-7522-B	Black
7653 - 3000K WARM WHITE	VT-7522-G	Grey
7654 - 3000K WARM WHITE	VT-7522-C	Corten



Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	70x275mm
IP Rating:	IP54
Battery:	1900mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3 Hours
Working Time:	8-10 Hours
Box Qty:	20

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
23445 - 3000K WARM WHITE	VT-7997-W	White
23446 - 3000K WARM WHITE	VT-7997-C	Corten
23447 - 3000K WARM WHITE	VT-7997-B	Black


RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x325
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7689 - 3000K WARM WHITE	VT-7562-W	White
6821 - 3000K WARM WHITE	VT-7562-C	Corten
7690 - 3000K WARM WHITE	VT-7562-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x366
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7691 - 3000K WARM WHITE	VT-7563-W	Black

2IN1 SOLAR AND USB CHARGING MAGNETIC TABLE LAMPS CCT



Watts:	5W
Lumens:	400
Beam Angle:	60°
Material:	Metal+ABS+PC
Dimension:	352x120
IP Rating:	IP65
Battery:	3600mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23412 - 3IN1	VT-10116-W	White
23413 - 3IN1	VT-10116-B	Black



Watts:	1W
Lumens:	120
Material:	Metal
Dimension:	420x305
IP Rating:	IP44
Battery:	Lin-ion 18650, 3.7V, 4000mAh
Charing Time:	8-10 Hours
Working Time:	12 Hours
Box Qty:	1 Pc

SOLAR DESIGNER TABLE LAMP-CCT

SKU	Model	Unit Color
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	Black
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	Grey




Watts:	0.5W
Lumens:	21
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	Lin-ion 18650, 3.7V, 1200mAh
Charing Time:	6-8 Hours
Working Time:	10 Hours
Box Qty:	20 Pc

SOLAR DESIGNER TABLE LAMP WITH HANDLE

SKU	Model	Unit Color
23385 - 3000K WARM WHITE	VT-7994	Black



MAGNETIC UP/DOWN TABLE LAMP-RECHARGEABLE-TOUCH CONTROL



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	300
Beam Angle:	45°
Material:	Metal+ABS+PC
Dimension:	353x110mm
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	4-15 Hours
Box Qty:	20

SKU	Model	Unit Color
23410 - 3IN1	VT-10115-W	White
23411 - 3IN1	VT-10115-B	Black

MAGNETIC TABLE LAMP-RECHARGEABLE



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	300
Beam Angle:	120°
Material:	ABS+PC+Metal
Dimension:	130x350
IP Rating:	IP20
Battery:	1500mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	2-3 Hours
Box Qty:	

SKU	Model	Unit Color
23041 - 4000K DAY WHITE	VT-7413-W	White
23043 - 4000K DAY WHITE	VT-7413-R	Red
23042 - 4000K DAY WHITE	VT-7413-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL




BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	100
Beam Angle:	180°
Material:	Metal
Dimension:	120x360
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours

SKU	Model	Unit Color
23092 - 3000K WARM WHITE	VT-7574-W	White
23093 - 3000K WARM WHITE	VT-7574-B	Black



Watts:	1W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	150x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

SKU	Model	Unit Color
7940 - 3000K WARM WHITE	VT-1049-B	Black
7941 - 3000K WARM WHITE	VT-1049-W	White
7942 - 3000K WARM WHITE	VT-1049-V	Blue
7943 - 3000K WARM WHITE	VT-1049-CG	Champagne Gold
7944 - 3000K WARM WHITE	VT-1049-G	Grey
7945 - 3000K WARM WHITE	VT-1049-SB	Sand Brown



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	2W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Glass
Dimension:	140x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7988 - 3IN1	VT-1056-BT	Black+Transparent



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	2.7W
Lumens:	110
Beam Angle:	180°
Material:	Iron
Dimension:	105x340
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	3-4 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23354 - 3IN1	VT-7967-BR	Brown
23355 - 3IN1	VT-7967-W	White
23356 - 3IN1	VT-7967-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø130x372
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10324 - 3IN1	VT-1034-W	White
10330 - 3IN1	VT-1034-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø115x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10326 - 3IN1	VT-1028-W	White
10325 - 3IN1	VT-1028-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.6W
Lumens:	130
Beam Angle:	120°
Material:	Metal
Dimension:	105x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3.5-4.5 Hours
Working Time:	6-8 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
10329 - 3IN1	VT-1073-W	White
10328 - 3IN1	VT-1073-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE


TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	40
Beam Angle:	180°
Material:	Metal
Dimension:	95x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10569 - 3IN1	VT-7566-W	White
10568 - 3IN1	VT-7566-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	210
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	120x255
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
10571 - 3IN1	VT-7567-W	White+Transparent
10570 - 3IN1	VT-7567-B	Black+Transparent


RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	1W
Lumens:	55
Beam Angle:	120°
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
7895 - 3IN1	VT-1041-B	Black
7896 - 3IN1	VT-1041-W	White
7897 - 3IN1	VT-1041-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	150x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7898 - 3IN1	VT-1047-B	Black
7899 - 3IN1	VT-1047-W	White
7937 - 3IN1	VT-1047-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	135x265
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10


SKU	Model	Unit Color
7938 - 3IN1	VT-1048-FG	French Gold
7939 - 3IN1	VT-1048-CH	Chrome



Watts:	3W
Lumens:	240
Beam Angle:	100°
Material:	Leather Cloak+Metal
Dimension:	200x330mm
IP Rating:	IP20
Battery:	4000mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	6

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
23414 - 3IN1	VT-10117-BL	Blue
23415 - 3IN1	VT-10117-Y	Yellow
23416 - 3IN1	VT-10117-BR	Brown
23417 - 3IN1	VT-10117-B	Black



Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
7947 - 3IN1	VT-1051-B	Black
7948 - 3IN1	VT-1051-W	White
7949 - 3IN1	VT-1051-G	Grey

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	115x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7985 - 3IN1	VT-1052-B	Black
7986 - 3IN1	VT-1052-W	White
7987 - 3IN1	VT-1052-G	Grey

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	86x210
IP Rating:	IP54
Battery:	2200mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
10449 - 2700K+5700K WARM WHITE+WHITE	VT-1181-W	White
10450 - 2700K+5700K WARM WHITE+WHITE	VT-1181-B	Black

DESIGNER TABLE LAMP WITH TOUCH DIMMABLE



TOUCH DIMMING

Beam Angle:	120°
Material:	PC + Iron
Dimension:	ø200x335mm
IP Rating:	IP20

SKU	Model	Watts	Size(mm)	Box Qty
40071 - 3000K WARM WHITE	VT-7204	12w	ø200x335mm	6
40081 - 3000K WARM WHITE	VT-7353	25w	ø350x365mm	1



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7946 - 3IN1	VT-1050-GB	Painted Gold+Black



TABLE LAMP WITH WOOD HANDLE-FABRIC



BATTERY
RECHARGEABLE

Watts:	1.5W
Lumens:	100
Material:	Fabric+Wood
Dimension:	160x320
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23091 - 3000K WARM WHITE	VT-7570	Wood+Beige



TABLE LAMP-FABRIC




BATTERY
RECHARGEABLE

Watts:	3W
Lumens:	110
Material:	Fabric+Wood
Dimension:	120x175
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23090 - 3000K WARM WHITE	VT-7569	Wood+Beige

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	40
Beam Angle:	180°
Material:	Iron+Cloth Cover
Dimension:	140x280
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	8-9 Hours
Box Qty:	10

SKU	Model	Unit Color
23357 - 3IN1	VT-7968-CG	Chrome+Green
23358 - 3IN1	VT-7968-CB	Chrome+Brown

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	2.4W
Lumens:	210
Beam Angle:	120°
Material:	Acrylic+Metal
Dimension:	130x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	18

SKU	Model	Unit Color
10327 - 3IN1	VT-1033-NS	Sand Nickel

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	50
Beam Angle:	180°
Material:	PS
Dimension:	160x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7894 - 3IN1	VT-1040-T	Transparent

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal
Dimension:	80x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23683 - 3IN1	VT-75001-B	Black

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal
Dimension:	80x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23684 - 3IN1	VT-75001-W	White

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal+Acrylic
Dimension:	130x285
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23685 - 3IN1	VT-75002-B	Black

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal+Acrylic
Dimension:	130x285
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23686 - 3IN1	VT-75002-W	White

NEW



DECORATIVE TABLE LAMPS



Watts:	10W
Lumens:	1200
Beam Angel:	280°
Material:	Ceramic+Metal+Acrylic
Dimension:	160x120x440
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24130 - 3000K WARM WHITE	VT-89022	White+Brushed Nickel

NEW



DECORATIVE TABLE LAMPS



Watts:	25W
Lumens:	3250
Beam Angel:	360°
Material:	Metal+Silicone
Dimension:	300x150x470
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24291 - 4000K DAY WHITE	VT-84047	Matt Black

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL



Watts:	3W
Lumens:	310
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	106x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	3-4 Hours

SKU	Model	Unit Color
23094 - 3000K WARM WHITE	VT-7576-B	Black
23095 - 3000K WARM WHITE	VT-7576-W	White


TABLE LAMPS



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	150x445
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
10345 - 3000K WARM WHITE	VT-7506-B	Black
10346 - 3000K WARM WHITE	VT-7506-W	White

HANGING LAMP



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	100x2000
IP Rating:	IP20
Box Qty:	10

SKU	Model	Unit Color
10341 - 3000K WARM WHITE	VT-7508-B	Black
10342 - 3000K WARM WHITE	VT-7508-W	White

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	120x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7989 - 3IN1	VT-1057-FG	French Gold
7990 - 3IN1	VT-1057-CH	Chrome
7991 - 3IN1	VT-1057-AB	Antique Bronze

CANDLE TABLE LAMP WITH TOUCH CONTROL



BATTERY
RECHARGEABLE

Watts:	1W
Lumens:	40
Material:	Metal
Dimension:	85x130
IP Rating:	IP20
Battery:	2400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10566 - 3000K WARM WHITE	VT-7564-CA	Champagne Gold+Amber Glass
10567 - 3000K WARM WHITE	VT-7564-BS	Black Lamp+Smoky Glass

TABLE TOP FLAMELESS CANDLE LAMP




SKU	Model	Size
10572 - 2700K WARM WHITE	VT-7568-110	53x110
10573 - 2700K WARM WHITE	VT-7568-125	53x125
10574 - 2700K WARM WHITE	VT-7568-150	53x150
10575 - 2700K WARM WHITE	VT-7568-175	53x175
10576 - 2700K WARM WHITE	VT-7568-200	53x200

- 2xAA Battery Included
- On/Off Switch
- No Smoke/No Wax Spills
- IP20
- 2 Years Warranty

AA
BATTERIES

DESIGNER AMBER TABLE LAMP



Watts:	7W
Lumens:	700
Beam Angle:	180°
Material:	Metal+Glass
Dimension:	180x475
IP Rating:	IP20
Box Qty:	6

SKU	Model	Unit Color
23380 - 3000K WARM WHITE	VT-7990	Amber



Watts:	20W
Lumens:	1840
Material:	Silicone+Aluminium
Dimension:	210x350
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	20

LED TABLE LAMP WITH EU PLUG CORD+SWITCH

SKU	Model	Unit Color
2140311 - 3000K WARM WHITE	VT-7312-B-N	Black
2140321 - 3000K WARM WHITE	VT-7312-W-N	White

TABLE LAMPS-SLIM




Watts:	6.5W
Lumens:	110
Material:	PC-Rubber Finish
Voltage:	DC:12V,1A
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8520 3I N 1	VT-1037	White



TABLE MIRROR LIGHTS



Q3X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	135x205x325mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6629	VT-7572	Chrome



SUCTION MIRROR LIGHTS



Q10X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3.2w
Lumens:	30
Material:	Plastic
Dimension:	162x80x192mm
Voltage:	DC:4.5V
CRI:	>80
Box Qty:	36

SKU	Model	Unit Color
6630	VT-7573	Black



HANGING LAMP



Watts:	7W
Lumens:	360
Material:	PC+Metal
Dimension:	Ø150x151x1241
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	9

SKU	Model	Unit Color
8504 - 4000K DAY WHITE	VT-1036-P	Chrome+Purple
8505 - 4000K DAY WHITE	VT-1036-W	Chrome+White
8506 - 4000K DAY WHITE	VT-1036-B	Chrome+Blue

TABLE LAMPS+SPEAKER



Watts:	2*3W
Dimension:	Ø92x218
Voltage:	DC:5V
Box Qty:	12

SKU	Model	Unit Color
8571	VT-6211-R	Red

TABLE LAMPS-BANKER BAKELITE-E27



Material:	Glass+Metal
Dimension:	260x180x360
Box Qty:	6

SKU	Model	Unit Color
3912	VT-7151-GR	Green
3913	VT-7151-B	Blue
3914	VT-7151-GD	Yellow

FLOOR LAMP-E27



Material:	Marble+Metal
Dimension:	380x280x275
Voltage:	AC: 220-240V,50/60Hz
Box Qty:	1 Pc


SKU	Model	Unit Color
8565	VT-7451	Ivory
8564	VT-7451-B	Black



DECORATIVE PENDANTS

Includes all mounting hardware for quick and easy installation; compatible with A60, Candle, ST64, and Globe bulb series, with vintage filament bulbs recommended (sold separately). Available in a variety of stylish shapes, materials, and sizes.


STRING LIGHTS



SKU	Model	Box Qty
8974	VT-717S	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Lampshade: Black ø250mm (Galvanized Iron)
Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
L/S Wireguard: Black ø256mm (Galvanized Iron)
Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)


STRING LIGHTS



SKU	Model	Box Qty
8975	VT-717BS	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Lampshade: Natural ø250mm (Galvanized Iron)
Bulb Holder: Rose Gold ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
L/S Wireguard: Rose Gold ø256mm (Galvanized Iron)
Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)

STRING LIGHTS




SKU	Model	Box Qty
8971	VT-720S	1Pc

IP Rating: IP65
Holder Type: E27
Max Watts: 60W x6
Globe: Clear ø150mm (PMMA)
Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
Cable: Black (H05RN-F-3×1mm²)
Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)


WALL LAMP

SKU	Model	Box Qty
8973	VT-720R	4




IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Lampshade:	Natural ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold ø49mm (Aluminium)
Cable:	Black (HO5RN-F-3×0.75mm²)
Wall Lamp Arm:	Natural ø14mm (Galvanized Iron)
Wall Mount:	Rose Gold ø130mm (Galvanized Iron)
L/S Wire Guard:	Rose Gold ø256mm (Galvanized Iron)

DESIGNER PENDANT-HEMP ROPE




SKU	Model	Material:	Hem Rope
		Holder:	E27
23361	VT-7971	Dimension:	600x1525mm
		Box Qty:	5

DESIGNER PENDANT-HEMP ROPE




SKU	Model	Material:	Hem Rope
		Holder:	E27
23362	VT-7972	Dimension:	800x1535mm
		Box Qty:	4

WOODEN PENDANT




SKU	Model	Material:	Wood
		Holder:	E27
23366	VT-7976	Dimension:	300x300mm
		Box Qty:	3

WOODEN PENDANT




SKU	Model	Material:	Wood
		Holder:	E27
23367	VT-7977	Dimension:	260x260x1200mm
		Box Qty:	1

RATTAN FLOOR LAMP




SKU	Model	Material:	Rattan Finish
		Holder:	E27
40571	VT-3100	Dimension:	Ø300xH940mm
		Box Qty:	1

TRANSPARENT GLASS METAL SERIES




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3865	VT-7302	Dimension:	300x280x1000mm
		Box Qty:	8

DIAMOND CUT GLASS BLACK




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3880	VT-7350-HB	Dimension:	330x260x1000mm
		Box Qty:	8

MODERN BLACK GLASS PENDANT



SKU	Model	Material:	Glass+Metal
		Holder:	E27
3885	VT-7281-BG	Dimension:	285x440x1000mm
		Box Qty:	4


DESIGNER GLASS TRANSPARENT



SKU	Model	Material:	Glass
		Holder:	E27
3881	VT-7305	Dimension:	Ø270x1280mm
		Box Qty:	4

GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Metal
		Holder:	G9
24124	VT-89018	Dimension:	450x120x134mm
		Box Qty:	1


GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Metal
		Holder:	G9
24125	VT-89019	Dimension:	600x120x140mm
		Box Qty:	1


GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
		Holder:	E27
3730	VT-7210	Dimension:	245x230x1100mm
		Box Qty:	8

GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Aluminium+Metal
		Holder:	E27
24132	VT-89025-SM	Dimension:	300x100x400mm
		Box Qty:	1

TRANSPARENT GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
		Holder:	E27
3735	VT-7140-T	Dimension:	140x240x1130mm
		Box Qty:	8

GLASS METAL SERIES

NEW




SKU	Model	Material:	Glass+Aluminium+Metal
		Holder:	E27
24133	VT-89025-SE	Dimension:	300x100x400mm
		Box Qty:	1

TRANSPARENT GLASS METAL SERIES




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3738	VT-7185	Dimension:	180x230x1110mm
		Box Qty:	12

AMBER GLASS METAL SERIES




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3732	VT-7150-AG	Dimension:	145x160x1050mm
		Box Qty:	12

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
		Holder:	E27
40121	VT-7206	Dimension:	ø200x100x1070mm
		Box Qty:	8

TRANSPARENT GLASS PENDANT




SKU	Model	Material:	Glass+Metal
		Holder:	E27
3727	VT-7220-T	Dimension:	220x280x1150mm
		Box Qty:	8

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
		Holder:	E27
40131	VT-7256	Dimension:	ø250x100x1110mm
		Box Qty:	8

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
		Holder:	E27
40111	VT-7152	Dimension:	ø150x100x1020mm
		Box Qty:	8

ALUMINIUM SHADE WHITE




SKU	Model	Material:	Aluminium
		Holder:	E27
3729	VT-7422-WH	Dimension:	230x310x1150mm
		Box Qty:	8

MESH METAL GREY



SKU	Model	Material:	Metal
		Holder:	E27
3822	VT-7200-MG	Dimension:	200x270x1300mm
		Box Qty:	8


MESH METAL GOLD



SKU	Model	Material:	Metal
		Holder:	E27
3821	VT-7200-CG	Dimension:	200x270x1300mm
		Box Qty:	8

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
		Holder:	E27
24114	VT-89010-M	Dimension:	420x120x500mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
		Holder:	E27
24115	VT-89010-MB	Dimension:	420x120x500mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
		Holder:	E27
24116	VT-89011-M	Dimension:	400x120x350mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
		Holder:	E27
24117	VT-89011-MB	Dimension:	400x120x350mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Metal+Aluminum
		Holder:	GU10
24118	VT-89014	Dimension:	400x120x480mm
		Box Qty:	1

METAL SERIES

NEW



SKU	Model	Material:	Ceramic+Metal
		Holder:	E27
24127	VT-89020-W	Dimension:	280x218x1880mm
		Box Qty:	1


METAL SERIES

NEW



SKU	Model	Material:	Metal+Aluminum
		Holder:	2XE27
24123	VT-89017	Dimension:	230x150x317mm
		Box Qty:	6


CAN SHAPE WHITEPENDANT



SKU	Model	Material:	Metal
		Holder:	E27
3829	VT-7132-MW	Dimension:	130x220x1300mm
		Box Qty:	10


METAL SERIES

NEW



SKU	Model	Material:	Ceramic+Metal
		Holder:	E27
24126	VT-89020-B	Dimension:	280x218x1880mm
		Box Qty:	1

MESH METAL GLOBE



SKU	Model	Material:	Metal
		Holder:	E27
3859	VT-7332	Dimension:	Ø290x1000x1340mm
		Box Qty:	8

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ copper paint
		Holder:	E27
3710	VT-8300	Dimension:	Ø300
		Box Qty:	4

COPPER SERIES ROSE GOLD




SKU	Model	Material:	Iron+ Copper Paint
		Holder:	E27
3715	VT-8230	Dimension:	Ø230mm
		Box Qty:	4

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ copper paint
		Holder:	E27
3711	VT-8220	Dimension:	Ø220
		Box Qty:	4

MARBLE SERIES-G9




SKU	Model	Material:	Marble
		Holder:	G9
23376	VT-7986	Dimension:	100x1200mm
		Box Qty:	1

COPPER SERIES ROSE GOLD




SKU	Model	Material:	Iron+ Copper Paint
		Holder:	E27
3714	VT-8170	Dimension:	Ø170mm
		Box Qty:	8

MARBLE SERIES-G9



SKU	Model	Material:	Marble
		Holder:	G9
23377	VT-7987	Dimension:	100x1200mm
		Box Qty:	1

CONCRETE LAMPSHADE



SKU	Model	Material:	Concrete
		Holder:	E27
3853	VT-7202	Dimension:	180x160x1100mm
		Box Qty:	4

GEOMETRIC SERIES GOLD CANOPY



SKU	Model	Material:	Metal
		Holder:	E27
3837	VT-7321-CG	Dimension:	320x320x1350mm
		Box Qty:	10

CONCRETE TABLE LAMP



SKU	Model	Material:	Concrete
		Holder:	E27
3851	VT-7160	Dimension:	160x150x2000mm
		Box Qty:	4

MODERN WOODEN TOP WHITE



SKU	Model	Material:	Aluminium+Wood
		Holder:	E27
3756	VT-7425-WH	Dimension:	250x200x1100mm
		Box Qty:	8

CONCRETE TABLE LAMP



SKU	Model	Material:	Concrete
		Holder:	E27
3852	VT-7171	Dimension:	180x130x2000mm
		Box Qty:	8

WOODEN TOP IRON WHITE




SKU	Model	Material:	Iron+Wooden Top
		Holder:	E27
3761	VT-7525-WH	Dimension:	250x400x1200mm
		Box Qty:	8

WOODEN TOP IRON WHITE




SKU	Model	Material:	Iron+Wooden Top
		Holder:	E27
3765	VT-7545-WH	Dimension:	350x300x1100mm
		Box Qty:	8

PENDANT ALUMINIUM SHADE PINK




SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3923	VT-7100-P	Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE WHITE



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3920	VT-7100-WH	Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE RED



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3924	VT-7100-R	Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE BLACK



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3921	VT-7100-B	Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE BLUE



SKU	Model	Material:	Plastic+Aluminium
		Holder:	E14
3925	VT-7100-BL	Dimension:	180x100x1200mm
		Box Qty:	12

METAL PLATE ROSE GOLD




SKU	Model	Material:	Metal
		Holder:	E27
3751	VT-7777-RG	Dimension:	300x90x1000mm
		Box Qty:	20

PRISM WHITE PENDANT




SKU	Model	Material:	Metal
		Holder:	E27
3948	VT-7310-W	Dimension:	310x180mm
		Box Qty:	4

PRISM BLUE PENDANT




SKU	Model	Material:	Metal
		Holder:	E27
3946	VT-7310-B	Dimension:	310x180mm
		Box Qty:	4

PRISM WOODEN YELLOW



SKU	Model	Material:	Metal
		Holder:	E27
3950	VT-7323-Y	Dimension:	320x270mm
		Box Qty:	4

PRISM YELLOW PENDANT



SKU	Model	Material:	Metal
		Holder:	E27
3947	VT-7310-Y	Dimension:	310x180mm
		Box Qty:	4

CONE PRISM WHITE



SKU	Model	Material:	Metal
		Holder:	E27
3952	VT-7255-W	Dimension:	250x255mm
		Box Qty:	4

CONE PRISM BLUE



SKU	Model	Material:	Metal
3953	VT-7255-B	Holder:	E27
		Dimension:	250x255mm
		Box Qty:	4



Model:	VT-7778-BL
SKU:	3722
Material:	Wooden
Dimension:	73x102x1000mm
Color:	Blue Wire
Box Qty:	50



Model:	VT-7778-R
SKU:	3723
Material:	Wooden
Dimension:	73x102x1000mm
Color:	Red Wire
Box Qty:	50



Model:	VT-7778-PR
SKU:	3724
Material:	Wooden
Dimension:	73x102x1000mm
Color:	Purple Wire
Box Qty:	50



Model:	VT-7778-GN
SKU:	3725
Material:	Wooden
Dimension:	73x102x1000mm
Color:	Green Wire
Box Qty:	50



Model:	VT-7998-GN
SKU:	3805
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Green
Box Qty:	60



Model:	VT-7998-BL
SKU:	3806
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Blue
Box Qty:	60



Model:	VT-7998-R
SKU:	3807
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Red
Box Qty:	60



Model:	VT-7998-GY
SKU:	3808
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Grey
Box Qty:	60



Model:	VT-7998Y
SKU:	3809
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Yellow
Box Qty:	60



Model:	VT-7998-BR
SKU:	3810
Material:	Porcelain
Dimension:	Ø105x750mm
Color:	Brown
Box Qty:	60



Model:	VT-799-GN
SKU:	3797
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Green
Box Qty:	100



Model:	VT-799-BL
SKU:	3798
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Blue
Box Qty:	100



Model:	VT-799-R
SKU:	3799
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Red
Box Qty:	100



Model:	VT-799-GY
SKU:	3800
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Grey
Box Qty:	100



Model:	VT-799-Y
SKU:	3801
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Yellow
Box Qty:	100



Model:	VT-799-BR
SKU:	3802
Material:	Porcelain
Dimension:	Ø47x64mm
Color:	Brown
Box Qty:	100



Model: VT-7668-GN
SKU: 3742
Material: Concrete
Dimension: 50x95x1050mm
Color: Green
Box Qty: 40



Model: VT-7668-R
SKU: 3743
Material: Concrete
Dimension: 50x95x1050mm
Color: Red
Box Qty: 40



Model: VT-7338-O
SKU: 3788
Material: Chrome
Dimension: Ø39x1000mm
Color: Orange Wire
Box Qty: 40



Model: VT-7338-PK
SKU: 3789
Material: Chrome
Dimension: Ø39x1000mm
Color: Pink Wire
Box Qty: 1



Model: VT-7668-BL
SKU: 3744
Material: Concrete
Dimension: 50x95x1050mm
Color: Blue
Box Qty: 40



Model: VT-7668-Y
SKU: 3745
Material: Concrete
Dimension: 50x95x1050mm
Color: Yellow
Box Qty: 40



Model: VT-7338-PE
SKU: 3790
Material: Chrome
Dimension: Ø39x1000mm
Color: Purple Wire
Box Qty: 40



Model: VT-7338-R
SKU: 3791
Material: Chrome
Dimension: Ø39x1000mm
Color: Red Wire
Box Qty: 40



Model: VT-7668-BR
SKU: 3749
Material: Concrete
Dimension: 50x95x1050mm
Color: Brown
Box Qty: 40



Model: VT-7668-BE
SKU: 3750
Material: Concrete
Dimension: 50x95x1050mm
Color: Beige
Box Qty: 40



Model: VT-7338-RR
SKU: 3792
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Red Wire
Box Qty: 40



Model: VT-7338-Y
SKU: 3793
Material: Chrome
Dimension: Ø39x1000mm
Color: Yellow Wire
Box Qty: 40



Model: VT-7448
SKU: 3777
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Gold Set
Box Qty: 40



Model: VT-7338-BL
SKU: 3783
Material: Chrome
Dimension: Ø39x1000mm
Color: Blue Wire
Box Qty: 40



Model: VT-7338-BE
SKU: 3794
Material: Chrome
Dimension: Ø39x1000mm
Color: Beige Wire
Box Qty: 40



Model: VT-7228-PN
SKU: 3479
Material: Silicone
Dimension: Ø40x1000mm
Color: Pink
Box Qty: 100



Model: VT-7338-GN
SKU: 3785
Material: Chrome
Dimension: Ø39x1000mm
Color: Green Wire
Box Qty: 40



Model: VT-7338-LB
SKU: 3787
Material: Chrome
Dimension: Ø39x1000mm
Color: Light Blue Wire
Box Qty: 40



SKU	Model	Unit Color	Dimension	Box Qty
3482	VT-7228-LB	Light Blue	Ø40x1000mm	100
3483	VT-7228-PE	Purple	Ø40x1000mm	100
3484	VT-7228-O	Orange	Ø40x1000mm	100
3485	VT-7228-Y	Yellow	Ø40x1000mm	100



LED DISPLAY SCREEN

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

P3 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11109	6




Pixel pitch	3mm
Panel size	L192xH192xT13mm
Physical density	111111/M2
Pixel configuration	1,1,1(R,G,B)
Driving method	1/16 Constant current
LED Chip Type	SMD2121
Display resolution	4096(64x64)dots
Module weight	0.35Kg
Module port	HUB75-B
Module working voltage	5VDC
Power	30W
Viewing angle	120 Degrees
Option distance	3-45M
Driving device	5020
Every square meter module	27.13 PCS
Maximum power	1000 W/M2
Frame Frequency	60Hz
Refresh frequency	400-800 Hz/S

Brightness	≥1100 CD/M2
Working environment temperature	-10 to +40°C
Working environment humidity	10%~70% RH
Display working voltage	AC46~4HZ,220V±15%/110V±15%
Color temperature	8500K-11500K
Gray scale/color	≥16.7M color
Input signal	RF\ S-Video\ RGB etc
Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Mean free error time	>5000-hour
hour lifespan	100000-hour
Steel box weight	40 Kg/M2
Steel box size	L576Xh768x80mm

P4 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11079	6



m

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness)	15KM
IP(Front)	100000hrs
Control System	IP40
	PCTV nonlinearity card, DVI display card Linsn control system

- **Plug & Play**
- **Ideal For Renting Purpose**
- **Portable Moving For Events**

m


Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

m

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W

P5 INDOOR LED FINISHED CABINET

SKU	Box Qty
11077	6



m

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTPI40M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs IP20

m


Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

m

Pixel Pitch	5mm
Led Specification	SMD3528
Led Configuration	SMD 3 in 1
Module Size	320*160mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106

OUTDOOR DISPLAY SCREEN

SKU	Box Qty
11078	6



m

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

m

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

m

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106

COM700-MEDIA PLAYER


SKU

11088



LED Display Player with Industrial PC
One TS802 sending card inside
Dual Display - Supports Max 1280*800
Supports SD Memory Card/USB/HDMI Out/Internet
USB and SD Card Memory Playing
Compact and Easy to Install
7" Touch Screen with windows 10 Inside
Size - 320*180*50mm
Input - AC:120-260V
1 x Audio In
1 x Audio Out
1 x DVI In
1 x HDMI Out
4 USB Interface

Windows 10



SENDING BOX



SKU	Box Qty
500082	20

SENDING CARD



SKU	Box Qty
500081	20



SMART CAMERAS

V-TAC introduces its all-new extensive range of smart cameras – fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi Integration. These cameras offer detection alerts via email – all available in standard UK & EU plugs for compatibility.



SMART WIFI HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11617	VT-11024-Black	6
11618	VT-11024-White	6



- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera WiFi with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens



SMART SWITCHES

Introducing next-generation self-powered wireless switches powered by an RF receiver for a truly hassle-free experience. Featuring push-touch buttons and remote control functionality, the design includes a no-screw panel surface, large buttons with indicator, smooth and quiet operation, and a responsive, tactile feel for easy ON/OFF control.



NEW

**MINI 1 LINE SWITCH
1 GANG**

SKU	Model	Box Qty
23604	VT-5101	500



- Max Load-10A
- Switch Type-1 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



NEW

**MINI 1 LINE SWITCH
2 GANG**

SKU	Model	Box Qty
23605	VT-5102	500



- Max Load-5A & 5A
- Switch Type-2 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



SMART SENSOR SWITCHES

SKU	Model	Box Qty
8460	VT-5131-1Gang 1Way	144
8461	VT-5132-2Gang 1Way	144
8462	VT-5133-3Gang 1Way	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86x86x11mm
Remote Distance: Outdoor >600m | Indoor >40m



REMOTE THREE GANG

SKU	Model	Box Qty
8463	VT-5143	364

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: ABS
Dimensions: 62x30x12mm
Remote Distance: Outdoor >160m | Indoor >20m



RECEIVER

SKU	Model	Box Qty
8458	VT-5129	364

Input Power: AC:180-240V
Body Type: PC
Dimensions: 39x23x22 mm
Remote Distance: Outdoor >600m | Indoor >40m



WI-FI RECEIVER

SKU	Model	Box Qty
8459	VT-5130	196



Input Power: AC:85-265V
Body Type: PC
Dimensions: 75x28x28.5 mm
Remote Distance: Outdoor >500m | Indoor >40m

SOCKET EU GLASS PANEL



SKU	Model	Box Qty
8379	VT-5711-W	80

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish
Dimensions: 86x86mm

SOCKETS AND ADAPTERS

Extensive variety of electrical accessories to power your devices with Italian, European sockets and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU	Box Qty
8704	48



Universal
Adaptor

Input Current: 10A Input Power: AC:110-250V,50/60Hz
Output Current: 10A Body Type: PC+COPPER
Rated Load: 2500W Dimension: 95x50x40mm

UNIVERSAL ADAPTOR

SKU	Box Qty
8705	100



Universal
Adaptor

Input Current: 10A Input Power: AC:110-250V,50/60Hz
Output Current: 10A Body Type: PC+COPPER
Rated Load: 2500W Dimension: 70x50x40mm

4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M
Wire

SKU	Box Qty
8800	40



Input Current: 16A Input Power: AC:230V
Rated Load: 3680W Body Type: PC
Color: White Dimension: 77X77X82.8mm

3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M
Wire

SKU	Box Qty
8799	40



Input Current: 16A Input Power: AC:230V
Rated Load: 3680W Body Type: PC
Color: White Dimension: 130X138.30x42mm

4 HOLES SOCKET WITH SWITCH

1.5M
Wire

SKU	Box Qty
8770	40



LIGHT-UP
SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 174x45x40mm

4 HOLES SOCKET WITH SWITCH

1.5M
Wire

SKU	Box Qty
8771	40



LIGHT-UP
SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: Black Dimension: 174x45x40mm

8 HOLES SOCKET WITH SWITCH

1.5M
Wire



SKU	Box Qty
8773	40



Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **Black** Dimension: **186x45x40mm**

3WAYS SOCKET WITH 2USB

1.5M
Wire



SKU	Box Qty
8776	40



Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **Black** Dimension: **178x45x40mm**

3WAYS SOCKET WITH 2USB

1.5M
Wire



SKU	Box Qty
8774	40



Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **White** Dimension: **178x45x40mm**

3WAYS SOCKET WITH 2USB

5M
Wire



SKU	Box Qty
8777	20



Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **Black** Dimension: **178x45x40mm**

3WAYS SOCKET WITH 2USB

5M
Wire



SKU	Box Qty
8775	20



Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **White** Dimension: **178x45x40mm**

3 WAYS SOCKET

1.5M
Wire



SKU	Box Qty
8754	40

Input Current: **16A** Input Power: **AC:250V,50/60Hz**
Rated Load: **3680W** Body Type: **PP+COPPER**
Color: **White** Dimension: **170x45x40mm**

3WAYS SOCKET WITH SWITCH

1.5M
Wire

SKU	Box Qty
8762	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 174x45x40mm

5WAYS SOCKET WITH SWITCH

5M
Wire

SKU	Box Qty
8767	20



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 182x45x40mm

3WAYS SOCKET WITH SWITCH

5M
Wire

SKU	Box Qty
8763	20



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 174x45x40mm

4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M
Wire

SKU	Box Qty
8808	20



2
USB PORT

Input Current: 4x16A Input Power: AC:200-240V,50Hz
Rated Load: 3680W Body Type: PC,PVC, COPPER
Color: White Dimension: 307x46x42mm

4WAYS SOCKET WITH SWITCH

1.5M
Wire

SKU	Box Qty
8764	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 178x45x40mm

5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

3M
Wire

SKU	Box Qty
8807	20



2
USB PORT

Input Current: 5x16A Input Power: AC:200-240V,50Hz
Rated Load: 3680W Body Type: PP,PVC, COPPER
Color: White Dimension: 365x53x44mm

5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

1.4M
Wire

SKU	Box Qty
8818	20



Input Current: 5x16A Input Power: AC:230V
Rated Load: 3680W Body Type: PP,PVC, COPPER
Color: White Dimension: 330x55x41mm

4 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8785	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 91.2x49x78.1mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8783	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 2300W Body Type: PP Plastic+ Copper
Rated Load: 2300W Dimension: 98x46x74.6mm

3 OUTLET POWER ADAPTER WITH EARTH CONTACT

SKU	Box Qty
8789	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 133.6x49.5x76.9mm

ADAPTER WITH 3 EURO-SOCKET

SKU	Box Qty
8784	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 93.1x48x75.3mm

ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH EARTHING CONTACT 16A

SKU	Box Qty
8804	200



Input Current: 16A Input Power: AC:230V
Rated Load: 3500W Body Type: PP
Rated Load: 3500W Dimension: 92x47.5x75mm

4 OUTLET ADAPTER 2.5A



SKU	Box Qty
8803	200

Input Current: 16A
Rated Load: 2300W
Rated Load: 2300W

Input Power: AC:230V
Body Type: PP
Dimension: 83x47x72mm

CABLE REEL WITH 4 SOCKET

25M
Wire



SKU	Box Qty
8782	1

Input Current: 16A
Rated Load: 3500W
Color: Black

Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 24X13X33mm

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH SWITCH & EARTHING CONTACT16A



SKU	Box Qty
8806	200

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W

Input Power: AC:230V
Body Type: PP
Dimension: 95x70x74mm

2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

3M
Wire



SKU	Box Qty
8811	8

Input Current: 2x16A
Rated Load: 3500W
Color: Green

Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

ADAPTER WITH 2 POLE SWITCH



SKU	Box Qty
8841	100

LIGHT-UP
SWITCH

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W

Input Power: AC:250V
Body Type: PP Body
Dimension:

4 WAYS GARDEN SPIKE SOCKET-IP44

3M
Wire



SKU	Box Qty
8810	8

Input Current: 4x16A
Rated Load: 3500W
Color: Green

Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

WATERPROOF SAFE BOX-IP44



SKU	Box Qty
8819	40

Input Current: 16A Input Power: AC:230V
Rated Load: NA Body Type: PP
Rated Load: NA Dimension: 212x82x72mm

2 WAYS BOLLARD GARDEN SOCKET IP44

**2 Way
Socket**



SKU	Box Qty
23402	8

Input Current: 16A Input Power: AC:220-240V,50Hz
Rated Load: 3600W Body Type: Stainless Steel
Color: Black Dimension: 70x70x230mm

EXTENSION CORD-1 WAY-16A-IP44

**15M
Wire**



SKU	Box Qty
8816	8

Input Current: 16A Input Power: AC:230V
Rated Load: 3500W Body Type: PVC, COPPER,PP
Color: Orange+Black Dimension: 357x130x130mm

2 WAYS BOLLARD GARDEN SOCKET IP44 WITH G9 HOLDER

**2 Way
Socket**



SKU	Box Qty
23403	8

Input Current: 16A Input Power: AC:220-240V,50Hz
Rated Load: 3600W(11W Max for G9) Body Type: Stainless Steel
Color: Black Dimension: 70x70x300mm

EXTENSION CORD-1 WAY-16A-IP44

**30M
Wire**



SKU	Box Qty
8815	4

Input Current: 16A Input Power: AC:230V
Rated Load: 3500W Body Type: PVC, COPPER,PP
Color: Orange+Black Dimension: 473x128x150mm

2 WAYS GARDEN SOCKET IP44

**2 Way
Socket**



SKU	Box Qty
8820	6

Input Current: 16A Input Power: AC:220-240V,50Hz
Rated Load: 3680W Body Type: Stainless Steel
Color: Dark Grey Dimension: 127x300mm

2 WAYS GARDEN SOCKET WITH LAMP IP44

**2 Way
Socket**



SKU	Box Qty
8822	4

Input Current: 16A Input Power: AC:220-240V,50Hz
Rated Load: 3680W Body Type: Stainless Steel+PC
Color: Dark Grey Dimension: 127x455mm

4 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 4P+T

**1.5M
Wire**



SKU	Box Qty
87111	40



Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 247x55mm

6 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 2P+T

**1.5M
Wire**



SKU	Box Qty
87131	30



Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 326x55mm

4 pos. 10/16A bipasso/Schuko 250V~ Con protezione sovratensioni e interruttore generale luminoso e 4 interruttori indipendenti Cavo H05W-F 3G1.0mm2x1.5m

**1.5M
Wire**



SKU	Box Qty
87371	30



Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 224.5x73x40mm

5 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo H05VV-F 3G1.0mm2x1.5m Con spina 16A 3P+T

**1.5M
Wire**



SKU	Box Qty
87121	30



Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 283.9x55mm

Multipresa, 3 pos. 10/16A prese Bipasso Con attacco a parete

**1.5M
Wire**



SKU	Box Qty
8706	50

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 115x47x22mm

Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8707	50



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 135x47x22mm

3 pos. con interruttore luminoso
10/16A Bipasso/schuko

1.5M
Wire

SKU	Box Qty
8710	50



LIGHT-UP
SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 200x55x45mm

Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8708	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 155x47x22mm

4 POS. CON INTERRUOTORE LUMINOSO
10/16A BIPASSO/SCHUKO

1.5M
Wire

SKU	Box Qty
8711	40



LIGHT-UP
SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 245x55x45mm

Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8709	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 170x47x22mm

5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2 connessioni
USB

1.5M
Wire

SKU	Box Qty
8715	30



LIGHT-UP
SWITCH

2
USB PORT

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 335x55x45mm

**4 pos.10/16A Bipasso/schuko
con protezione sovratensioni e interruttori
luminoso**



SKU	Box Qty
8748	40

1.5M
Wire



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2500W Body Type: PP+COPPER
Color: White Dimension: 160x100x45mm

**4 pos. Con interruttore
luminoso10/16A Bipasso
Con attacco a parete**



SKU	Box Qty
8740	30

1.5M
Wire



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 160x50x30mm

**6 pos.10/16A Bipasso/schuko
con protezione sovratensioni e interruttori
luminoso**



SKU	Box Qty
8749	30

1.5M
Wire



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2500W Body Type: PP+COPPER
Color: White Dimension: 200x100x45mm

**6 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete**



SKU	Box Qty
8742	30

1.5M
Wire



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 200x50x30mm

**6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko**



SKU	Box Qty
8735	25

1.5M
Wire



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 195x47x45mm

**4 prese Bipasso/Schuko
Con protezione termica
ripristinabile**



SKU	Box Qty
8701	6

10M
Wire

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2200W Body Type: ABS+PC+COPPER
Color: Black Dimension: 250x200x150mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 15m, con spina italiana 16A, con telaio portacavi

15M Wire

SKU	Box Qty
8834	8



Input Current: 10/16A Input Power: AC:230V
Rated Load: 2500W Body Type: PVC, COPPER,PP
Rated Load: 2500W Dimension: 357x130x130mm

Adattatore spina 16A 2 prese 2P+T 10/16A + 1 presa/Schuko con interruttore

SKU	Box Qty
8716	200



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 85x75x50mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 30m, con spina italiana 16A, con telaio portacavi

30M Wire

SKU	Box Qty
8833	4



Input Current: 10/16A Input Power: AC:230V
Rated Load: 2500W Body Type: PVC, COPPER,PP
Rated Load: 2500W Dimension: 473x128x150mm

Adattatore rotante, Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico

SKU	Box Qty
8744	60



Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 80x75x48mm

Prolunga lineare spina 16A, 2p+T prese 10/16Aa

3M Wire

SKU	Box Qty
8731	50



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PC+COPPER
Color: White Dimension: 200x110x40mm

Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico

SKU	Box Qty
8746	200



Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 95x70x70mm

**UNIVERSAL ADAPTOR
10A 250V~**



SKU	Box Qty
8747	200

Universal
Adaptor

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 70x55x50mm

**Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A**



SKU	Box Qty
8832	100

Input Current: 10/16A Input Power: AC:200-240V,50Hz
Rated Load: 3680W Body Type: PC PP COPPER
Rated Load: 3680W Dimension: 80x55x72mm

**Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko con
interruttore due porte di ricarica USB 2.1A
spina italiana 16A**



SKU	Box Qty
8830	100

LIGHT-UP
SWITCH

2
USB PORT

Input Current: 10/16A Input Power: AC:200-240V,50Hz
Rated Load: 1500W Body Type: PC COPPER
Rated Load: 1500W Dimension: 120x84x54mm

Spina 2p+t 10A



SKU	Box Qty
8717	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 65x32x15mm

**Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A**



SKU	Box Qty
8831	100

LIGHT-UP
SWITCH

Input Current: 10/16A Input Power: AC:200-240V,50Hz
Rated Load: 1500W Body Type: PC COPPER
Rated Load: 1500W Dimension: 70x64x54mm

Spina 2p+t 10A



SKU	Box Qty
8719	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 70x40x40mm

**Adattatore spina 16A
presa 2p+T 10A schuko**



SKU	Box Qty
8720	200

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 75x40x40mm

**Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso/schuko**



SKU	Box Qty
8724	200

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 75x50x40mm

**10A adattatore spina 10 A
3 prese 10 A**



SKU	Box Qty
8721	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 60x50x48mm

**Adattatore spina 10A
4 prese 10A**



SKU	Box Qty
8725	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 95x60x45mm

**Adattatore spina 10A
2presa 10/ 10A schuko**



SKU	Box Qty
8723	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 75x50x40mm

Spina 2p++ 10A



SKU	Box Qty
8727	200

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 65x35x25mm

**Prese 10A /16A Bipasso
2p+T**



SKU	Box Qty
8728	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W

Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x43x25mm

STAINLESS STEEL CABLE TIE

- Secure loose wires and components easily with no slipping
- Features locking mechanism
- Stainless steel cable tie of 304 Grade - Non-Rustable
- Comes in 100pcs/pack



SKU	Maximum Hold	Size	Box Qty
11188	60 Kgs	4.6x200mm	50
11189	60 Kgs	4.6x250mm	50
11190	60 Kgs	4.6x300mm	50
11191	60 Kgs	4.6x350mm	50

NYLON CABLE TIE BLACK



- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11160	8 Kgs	2.5x100mm	500
11162	8 Kgs	2.5x150mm	400
11164	8 Kgs	2.5x200mm	300
11166	18 Kgs	3.5x150mm	250
11168	18 Kgs	3.5x200mm	200
11169	18 Kgs	3.5x250mm	150
11170	18 Kgs	3.5x300mm	150
11172	22 Kgs	4.5x150mm	200
11174	22 Kgs	4.5x300mm	100
11176	22 Kgs	4.5x350mm	100
11177	22 Kgs	4.8x200mm	150
11178	23 Kgs	7.6x300mm	60

NYLON CABLE TIE WHITE



- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11159	8 Kgs	2.5x100mm	500
11161	8 Kgs	2.5x150mm	400
11163	8 Kgs	2.5x200mm	300
11165	18 Kgs	3.5x150mm	250
11167	18 Kgs	3.5x200mm	200
11171	22 Kgs	4.5x150mm	200
11175	22 Kgs	4.5x350mm	100
11173	22 Kgs	4.5x300mm	100



DECORATIVE CEILING FANS

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans offer quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior decor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7919	35W	VT-6055-3-1	1



LIGHT KIT



3 ABS PLASTIC
BLADES



DC -POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7920	35W	VT-6055-3	1



LIGHT KIT




3 ABS PLASTIC
BLADES



DC -POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

STAND FAN CROSS BASE



SKU	Watts	Model	Box Qty
7922	40W	VT-4016-3	1



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm

STAND FAN ROUND BASE



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm

DESK FANS



Oscillation
LOW | MEDIUM | HIGH

- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- 12" Size: 340 × 260 × 480mm
- 16"Size: 410 × 260 × 510mm
- Box Qty: 1pc

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- BLUE RING



LED - 3IN1 CCT



7 MDF BLADES



AC -POWER
MOTOR

SKU	Watts	Model	Box Qty
217934	45W	VT-5022-B-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- GREY RING



LED - 3IN1 CCT



7 MDF BLADES




AC -POWER
MOTOR

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

SKU	Watts	Model	Box Qty
217935	45W	VT-5022-G-N	1

TOWER FAN



3 Wind Mode
NORMAL | NATURAL | SLEEP

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

SKU	Watts	Model	Box Qty
7900	55W	VT-5536	1



WIRELESS SPEAKERS

Bring the music anywhere you want to — this speaker is perfect for beach parties, your garden, or any indoor or outdoor event. Achieve full sound clarity even without a full sound system — enjoy the convenience of our quality, perfect for music and movies.



TROLLEY SPEAKER



400W
P.M.P.O

SOUNDOR 6x2
Wireless Party Speaker

- P.M.P.O 400W
- 2x8Inch Speaker
- Output:10Wx2
- Frequency: 100HZ---20KHZ
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 230x210x485mm
- Includes USB cable,User manual,Remote control & One wired mic
- Function: BT/USB/TF/FM /AUX/Three knob/Karaoke/
- Running LED light/Display/TWS/3knobs

SKU	Model	Box Qty
7676	VT-4000W	1 pc



DIGITAL ACCESSORIES

Power your setup anywhere with a high-capacity power bank, ensuring uninterrupted performance for your devices on the go. Paired with a sleek LED ring light, it delivers soft, even illumination—perfect for content creation, video calls, and professional shoots.

SLIM POWER BANK



SKU	Model	Watts	Color	Box Qty
23035	VT-3527-S	10W	SILVER	50
23036	VT-3527-B	10W	BLACK	40
23037	VT-3527-G	10W	GREY	40

- Super-slim Powerbank
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 2 USB Output, 1 Type C Input
- Type C Input: 5V/2.0A
- USB Output: 5V/2.4A
- Easy charge for all smart phones ,tablets, etc.

10000
mAh

10" LED RING LIGHT WITH 1 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23048 - 3IN1	VT-45010	7W	550	20

- >90 CRI
- 125° Beam Angle
- 255x265x27mm
- DC:5V
- IP20



18" LED RING LIGHT WITH 3 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23047 - 3IN1	VT-45055	55W	6000	4

- >90 CRI
- 125° Beam Angle
- 540x440x70mm
- AC:220-240V, 50Hz
- IP20






INSECT KILLER & ROBOT CLEANER

At V-TAC, we believe in utilizing existing technology and resources to continuously improve our way of living. This new category comprises our latest tech innovations for a safe, modern, and comfortable space.





ROBOTIC WINDOW CLEANER

Built-in Optocoupler Sensor Anti-falling and Smart Frameless detecting make window cleaning be more safe.


With anti-fall function, when the robot cleans window which may have one side without frame, the sensors detects frameless edge and withdraw timely to avoid falling down

Large Suction Power, firmly attach to the glass

Easily clean stubborn stains without damaging glass. with anti-fall function and 2200-3200 Pa suction power

SKU	Model	Box Qty
23332	VT-5558	4

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- Large capacity dual water tanks total in 100ML
- 2500-3000Pa strong suction power
- Wireless remote control
- Automatic water spray to left/ right/ down
- UPS power-failure protection for more than 20mins
- Powerful steady-climbing system & industry-leading anti-slip driving system
- Multi-tier all-round safety protections
- Intelligent path planning
- Automatically return to the original position when the work is finished
- New noise reduction technology 62dB



ROBOTIC WINDOW CLEANER

Intelligent Window Cleaning Robot

Strong Cleaning Power More safer & More cleaner

70ML Water Tank | Twist & Wipe via Double Vacuum Suckers | Frame Detection |
Path Planning | Ultra-thin Design

Double adsorption with two vacuum suckers, cooperate with multiple safety
protection measures to ensure the safety of the robot


SKU	Model	Box Qty
23333	VT-5559	4

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- 2800Pa strong suction power
- Wireless remote control
- Dual nozzle, Automatic water spray
- Cleaning speed: 4mins/□
- UPS power-failure protection for more than 20mins
- Sustainable time in full charge: 20-30minsning
- 4m Safety Rope
- Smart edge detection sensor
- Automatically return to the original position when the work is finished
- New noise reduction technology 65dB

ELECTRONIC INSECT KILLER



- Lamp life time up to 8000-hour
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, Aluminium, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220—240V 50/60Hz



SKU	Model	Watts	Coverage Area	Size	Box Qty
11179	VT-3216	16W	50m2	280x354x93.5mm	6
11180	VT-3220	20W	80m2	280x397x93.5mm	6
11181	VT-3230	30W	100m2	280x502x93.5mm	6
11182	VT-3240	40W	150m2	280x655x93.5mm	4

INSECT KILLER TUBES

SKU	Watts	Base/Base	Size	Box Qty
11215	8W	T5/G5	Ø15x305mm	100
11216	10W	T8/G13	Ø25x345mm	100
11217	15W	T8/G13	Ø25x505mm	50
11218	20W	T8/G13	Ø25x605mm	50



LED SMART HOME AND LIGHTS

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting & home efficiency solutions that can be fully controlled via Amazon Alexa or Google Home.





LED SMART BULB-CANDLE

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212754-RGB+3IN1	VT-5114-N	4.8W	450	E14	36.5x110mm	50



LED SMART BULB-G45

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2755-RGB+3IN1	VT-5124	5W	470	E27	Ø45x81mm	200



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212756-RGB+3IN1	VT-5154-N	4.8W	450	E14	Ø45x81mm	50



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212752-RGB+3IN1	VT-5113-N	11W	1055	E27	Ø60x125mm	100



LED SMART FILAMENT BULB-E27

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 300°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL
FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3001-3IN1	VT-5137	7W	806	E27	60x105mm	50



LED SMART SPOTLIGHT

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 /30,000 hr



RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL
FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2757-RGB+3IN1	VT-5164	5.5W	400	GU10	50x57mm	200



SMART LED DOME LIGHT

Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL
FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7694 -RGB+3IN1	VT-5184	24W	2400	310x55mm	5
7695 -RGB+3IN1	VT-5138	36W	3600	350x55mm	5



SMART LED DOME LIGHT

Voltage/Frequency: AC:175-265V,50/60Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL
FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1497-3IN1	VT-5141	40w	2800	Ø:467x70mm	5
1498-3IN1	VT-5161	60w	4200	Ø572.5x70mm	5

LED SMART PANEL



Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8080-3IN1	VT-5140	40w	4800	595x595mm	5

LED SMART STRIPLIGHT KIT



LED Type: SMD
Watt/M: 13W
Current/M: 1.08A
Beam Angle: 120°
IP Rating: IP65
Width: 10mm



SKU	Model	Box Qty
2699-RGB+3IN1	VT-5050 90 BS	20
2910 -RGB+3IN1	VT-5050 90 EU	20

LED SMART STRIPLIGHT KIT-2IN1



LED Type: SMD
Watt/M: 4w
Current/M: 0.75A
Voltage: DC:12V,50/60Hz
Im/M: 230
Im/LED: NA
Beam Angle: 120°
IP Rating: IP65
Width: 10mm



SKU	Model	Box Qty
2628 -RGB+3IN1	VT-5050 54 EU	20

LED SMART SENSOR FLOODLIGHT



Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3027 -3IN1	VT-5191S	10W	725	113x133x60mm	20
3010 -3IN1	VT-5192S	20W	1500	128x157x60mm	20



COB SMART GARDEN SPIKE LIGHT

Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3014 -RGB+3IN1	VT-5167	7W	520	232x140mm	20

LED SMART GARDEN SPIKE LIGHT



Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3015 -RGB+3IN1	VT-5168	7Wx3	520	232x140mm	10

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405851 -RGB+3IN1	VT-5152	2.2W	210	85x102mm	50

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405861 -RGB+3IN1	VT-5155	5W	550	198x200x110mm	20

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405871 -RGB	VT-7208	8W	NA	100x188mm	20

COB MAGNETIC TRACK LIGHT-FLEXIBLE TUBE



Voltage/Frequency: DC:48V
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)
10275 -3IN1	VT-42112-S	11W	1270	1000mm
10276 -3IN1	VT-42024-S	23W	2810	2000mm

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 90°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6882-3IN1	VT-3612	12W	1200	292x22x43mm	50
6883-3IN1	VT-3620	20W	2100	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6884-3IN1	VT-3614	14W	1300	292x22x43mm	50
6885-3IN1	VT-3621	20W	2000	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 27°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6888-3IN1	VT-908D	8W	700	50x150x210mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6886-3IN1	VT-3610	10W	900	162x22x137mm	20
6887-3IN1	VT-3618	18W	1500	300x22x137mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6889-3IN1	VT-908D-P	8W	700	40x1460mm	20



Trimless Track Rail-1000mm

SKU	Box Qty
6890	10



Trimless Track Rail-2000mm

SKU	Box Qty
6891	10



End Cap-Trimless Track Rail

SKU	Box Qty
6892	500



Trimless L Shape Vertical Connector

SKU	Box Qty
6893	100



Trimless L Shape Side Connector

SKU	Box Qty
6894	100



Surface Track Rail-1000mm

SKU	Box Qty
6896	10



Surface Track Rail-2000mm

SKU	Box Qty
6897	10



End Cap-Surface Track Rail

SKU	Box Qty
6898	500



**Surface L Shape
Vertical Connector**

SKU	Box Qty
6899	100



**Surface L Shape Side
Connector**

SKU	Box Qty
6900	100



**I Connector for Track
Rail**

SKU	Box Qty
6901	100



**Soft Connector for
Track Rail**

SKU	Box Qty
6902	100



Driver-200W

SKU	Box Qty
6895	20

Watts: 200

Output Voltage: DC:48V

Input Power: AC:220-240V

IR REMOTE CONTROL



- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters

Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.



SKU	Model	Box Qty
8651	VT-5151	100



REAL-TIME
CONTROL



MULTI-BRAND



SET TIMER



CLOUD PANEL



POWER SAVE



SMART SCENE

IR REMOTE CONTROL



- Compatible with V-TAC LED Bulbs
- IR frequency 38KHz with 2.4G WiFi
- DC:5V/1A Input Voltage
- Type C USB and Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
11412	11412	50



SMART WIFI PIR SENSOR

- Wi-Fi enabled simple and intelligent PIR Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
6781	VT-5176	50



SMART WIFI DOOR SENSOR

- Wi-Fi enabled simple and intelligent Door Motion Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer
- Reserved lamp for external expansion: Micro



SKU	Model	Box Qty
6782	VT-5177	50



WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
7696	VT-5172	50



WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
7698	VT-5175	50



E27 LAMP HOLDER-WI-FI

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 20w(LED Bulb)
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: D:67x02mm



SKU	Model	Box Qty
8421	VT-5007	50

WALL SOCKET-WI-FI(EU)



Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.4GHz
Max Watts: 3500w
Material: PC
On/Off Cycle: 10,000 Times
IP RATING : IP20
Dimension: 86x86x45mm



SKU	Model	Box Qty
8797- BLACK 8798- WHITE	VT-5134	60

TEMPERATURE HUMIDITY SCHEDULER



- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Size: 137x45x28mm



SKU	Model	Box Qty
8467	VT-5145	100

WATERPROOF TEMPERATURE PROBE



- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Size: 70x70x1000mm



SKU	Model	Box Qty
8469	VT-5147	200

TEMPERATURE & HUMIDITY SENSOR



- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)*
- Size: 61x26mm(50cm Wire Length)



SKU	Model	Box Qty
8468	VT-5146	200

RF433 GATEWAY



- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110x25mm



SKU	Model	Box Qty
8466	VT-5144	100

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.



TOWARDS A BRIGHTER FUTURE

www.v-tac.eu | www.vtacexports.com

75+
Countries

5000+
Products



Sofia Office

V-TAC Europe Ltd
41, bul. Rozhen
1271 Sofia
Bulgaria
www.v-tac.eu
office@v-tac.eu

UK Office

V-TAC House,
Kelpatrick Road, Slough, Berkshire, SL1 6BW,
UK.
www.v-tac.co.uk
info@v-tac.co.uk

V-TAC West Europe

Ground Floor, 71 Lower Baggot
Street, Dublin 02, Ireland
D02 P593

Poland Office

V-TAC POLAND sp. z o.o.
Ul. Obornicka 330
60-689 Poznań

Hungary Office

6723 Szeged, Ág utca 3.

Romania Office

Bulevardul Unirii,
numărul 33 (vis-a-vis de Institutul Bancar
Român), București

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers, Plot#
X3, JLT,
P.O. Box 45244, Dubai